


CLIMATE STATISTICS FOR HARRISON, ARKANSAS



Compiled by:
National Weather Service
Little Rock, Arkansas
Climate Services
8400 Remount Road
North Little Rock, AR 72118

UPDATED: SEP 2011

TABLE OF CONTENTS

DAILY RECORDS

JANUARY.....	4
FEBRUARY.....	9
MARCH.....	14
APRIL.....	19
MAY.....	24
JUNE.....	29
JULY.....	34
AUGUST.....	39
SEPTEMBER.....	44
OCTOBER.....	49
NOVEMBER.....	54
DECEMBER.....	59

ANNUAL RECORDS

TEMPERATURE.....	64
PRECIPITATION.....	68
SNOWFALL.....	69

SEASONAL RECORDS

SPRING TEMPERATURE/PRECIPITATION.....	71
SUMMER TEMPERATURE/PRECIPITATION.....	73
FALL TEMPERATURE/PRECIPITATION.....	75
WINTER TEMPERATURE/PRECIPITATION.....	77

MONTHLY RECORDS

JANUARY.....	79
FEBRUARY.....	82
MARCH.....	85
APRIL.....	88
MAY.....	91
JUNE.....	94
JULY.....	97
AUGUST.....	100
SEPTEMBER.....	103
OCTOBER.....	106
NOVEMBER.....	109
DECEMBER.....	112

MISCELLANEOUS DATA

HIGHEST WIND GUSTS AND DATES.....	115
AVERAGE MONTHLY HIGH TEMPERATURES.....	116
AVERAGE MONTHLY TEMPERATURES.....	120
AVERAGE MONTHLY LOW TEMPERATURES.....	124
MONTHLY RAINFALL.....	128
MONTHLY SNOWFALL.....	132
SEASONAL TEMPERATURE DATA.....	136
SEASONAL PRECIPITATION DATA.....	140
MISC DATA (FIRST/LAST FREEZE, ETC.).....	144

HARRISON, ARKANSAS CLIMATE STATION

HARRISON, BOONE COUNTY, ARKANSAS IS LOCATED IN THE NORTH-CENTRAL SECTION OF THE STATE IN THE OZARK HIGHLAND AREA. THE TERRAIN IS VERY HILLY. THE PRINCIPAL BUSINESS SECTION OF HARRISON IS IN A VALLEY AT AN ELEVATION OF ABOUT 1,050 FEET ABOVE SEA LEVEL, WITH THE AIRPORT ON THE NORTHWEST SIDE OF TOWN AT 1,374 FEET ABOVE SEA LEVEL. THE FOLLOWING IS A LIST OF THE LOCATIONS OF THE HARRISON STATION.

DATES: FROM	TO	LOCATION	LAT	LON	ELEVATION	REMARKS
01 NOV 1891	31 MAR 1893	HARRISON	36 14' N	93 05' W		
15 SEP 1896	30 NOV 1920	.75 E OF BERGMAN POST OFFICE (9 NE OF HARRISON)	36 18' N	93 00' W	1275 ASL	
08 JAN 1922	30 NOV 1923	HARRISON POST OFFICE	36 14' N	93 07' W	1052 ASL	
21 JUN 1924	31 DEC 1924	HARRISON				RESIDENCE OF JOHN R. NEWMAN
01 MAY 1925	31 JUL 1930	0.4 NW OF HARRISON POST OFFICE			1130 ASL	
01 AUG 1930	30 APR 1931	0.9 SW OF HARRISON POST OFFICE				
01 SEP 1931	31 JAN 1942	0.3 NW OF HARRISON POST OFFICE			1150 ASL	
01 FEB 1942	30 APR 1946	0.8 NE OF HARRISON POST OFFICE			1130 ASL	RESIDENCE OF J.W. MCGAUGHEY
01 MAY 1946	31 JUL 1946	2 S OF HARRISON POST OFFICE				RESIDENCE OF J.W. MCGAUGHEY
25 AUG 1946	12 MAR 1947	HARRISON POST OFFICE				
13 MAR 1947	31 MAR 1975	0.3 MILES NNW OF HARRISON POST OFFICE	36 14' N	93 07' W	1106 ASL	RESIDENCE OF MR. AND MRS. R.C. BEENE
15 AUG 1944	PRESENT	HARRISON BOONE COUNTY AIRPORT	36 16' N	93 09' W	1374 ASL	FAA/ASOS OBSERVING STATION
01 AUG 2001	PRESENT	HARRISON COOP STATION	36 11' N	93 06' W	1132 ASL	SUPPLEMENTAL RAINFALL AND SNOWFALL STATION

01 NOV 1891 - 28 FEB 1975 - ALL DATA IS FROM HARRISON COOPERATIVE OBSERVER SITE
 01 MAR 1975 - 31 JUL 2001 - ALL DATA IS FROM HARRISON BOONE COUNTY AIRPORT SITE
 01 AUG 2001 - PRESENT - ALL TEMPERATURE AND RAINFALL DATA IS FROM HARRISON BOONE COUNTY AIRPORT SITE
 01 AUG 2001 - PRESENT - ALL SNOWFALL DATA IS FROM HARRISON COOP STATION SUPPLEMENTAL SITE

JANUARY

JANUARY 1

HIGH	71	-	1943
LOW HIGH	12	-	1974
LOW	-4	-	1974
HIGH LOW	56	-	2005
RAINFALL	2.42"	-	1966
SNOWFALL	3.0"	-	1996, 1919

NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.08"

JANUARY 2

HIGH	79	-	1927
LOW HIGH	13	-	1928
LOW	-1	-	1979
HIGH LOW	62	-	2004
RAINFALL	2.58"	-	1966
SNOWFALL	9.4"	-	1996

NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.08"

JANUARY 3

HIGH	73	-	2004
LOW HIGH	11	-	1911
LOW	-7	-	1928
HIGH LOW	61	-	2004
RAINFALL	1.02"	-	2000
SNOWFALL	3.7"	-	1987

NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"

JANUARY 4

HIGH	70	-	1955
LOW HIGH	17	-	1999
LOW	-4	-	1911
HIGH LOW	56	-	1955
RAINFALL	2.32"	-	1993
SNOWFALL	2.0"	-	1940, 1919

NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.08"

JANUARY 5

HIGH	75	-	1956
LOW HIGH	19	-	1942
LOW	-8	-	1942
HIGH LOW	53	-	1998
RAINFALL	1.61"	-	1929
SNOWFALL	2.0"	-	1910

NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"

JANUARY 6

HIGH	72	-	2008
LOW HIGH	19	-	1988
LOW	-5	-	1942
HIGH LOW	62	-	2008
RAINFALL	1.25"	-	1970 - LIQUID WATER EQUIVALENT
SNOWFALL	11.0"	-	1970

NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.08"

JANUARY 7

HIGH	75	-	1965
LOW HIGH	15	-	1996, 1970
LOW	-12	-	1912
HIGH LOW	62	-	2008
RAINFALL	2.07"	-	1937
SNOWFALL	5.0"	-	1944
NORMALS - HIGH:	46	-	LOW: 26 - RAINFALL: 0.09"

JANUARY 8

HIGH	72	-	1939
LOW HIGH	13	-	1970
LOW	-5	-	1970
HIGH LOW	59	-	1965
RAINFALL	2.00"	-	1920
SNOWFALL	3.8"	-	1997
NORMALS - HIGH:	46	-	LOW: 26 - RAINFALL: 0.08"

JANUARY 9

HIGH	76	-	2002
LOW HIGH	16	-	1978
LOW	-9	-	1944
HIGH LOW	57	-	1939
RAINFALL	1.29"	-	1987
SNOWFALL	10.0"	-	1977
NORMALS - HIGH:	46	-	LOW: 26 - RAINFALL: 0.09"

JANUARY 10

HIGH	71	-	1990
LOW HIGH	10	-	1962
LOW	-6	-	1982
HIGH LOW	47	-	1960
RAINFALL	1.08"	-	1975
SNOWFALL	11.0"	-	1955
NORMALS - HIGH:	46	-	LOW: 26 - RAINFALL: 0.08"

JANUARY 11

HIGH	75	-	1960
LOW HIGH	18	-	1918
LOW	-8	-	1962
HIGH LOW	59	-	2005
RAINFALL	2.15"	-	1908
SNOWFALL	7.0"	-	1908
NORMALS - HIGH:	46	-	LOW: 26 - RAINFALL: 0.08"

JANUARY 12

HIGH	78	-	1928
LOW HIGH	3	-	1912
LOW	-17	-	1918
HIGH LOW	60	-	1960
RAINFALL	1.79"	-	1916
SNOWFALL	6.0"	-	1909
NORMALS - HIGH:	46	-	LOW: 26 - RAINFALL: 0.09"

JANUARY 13

HIGH	78	-	1928
LOW HIGH	18	-	1916
LOW	-6	-	1918
HIGH LOW	51	-	1911
RAINFALL	2.68"	-	1995
SNOWFALL	6.0"	-	1892
NORMALS - HIGH:	46	-	LOW: 26 - RAINFALL: 0.09"

JANUARY 14

HIGH	76	-	1928
LOW HIGH	11	-	1979
LOW	-5	-	1979
HIGH LOW	61	-	1952
RAINFALL	2.30"	-	1937
SNOWFALL	5.0"	-	1918
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"			

JANUARY 15

HIGH	72	-	1928
LOW HIGH	15	-	2009
LOW	-5	-	1905
HIGH LOW	55	-	1949
RAINFALL	1.12"	-	1962
SNOWFALL	1.0"	-	1930, 1917
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.08"			

JANUARY 16

HIGH	74	-	1943
LOW HIGH	12	-	1977
LOW	-1	-	1977
HIGH LOW	55	-	2000
RAINFALL	1.75"	-	1932
SNOWFALL	4.0"	-	1978
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"			

JANUARY 17

HIGH	75	-	1952
LOW HIGH	14	-	1978
LOW	-2	-	1982
HIGH LOW	62	-	1952
RAINFALL	1.12"	-	1913
SNOWFALL	2.0"	-	1977, 1930
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"			

JANUARY 18

HIGH	71	-	1951
LOW HIGH	11	-	1994
LOW	-18	-	1930
HIGH LOW	54	-	1974
RAINFALL	1.50"	-	1956
SNOWFALL	8.0"	-	1892
NORMALS - HIGH: 47 - LOW: 26 - RAINFALL: 0.08"			

JANUARY 19

HIGH	78	-	1952
LOW HIGH	15	-	1892
LOW	-13	-	1893
HIGH LOW	51	-	2006
RAINFALL	2.85"	-	1990
SNOWFALL	4.1"	-	1956
NORMALS - HIGH: 47 - LOW: 26 - RAINFALL: 0.08"			

JANUARY 20

HIGH	73	-	1972
LOW HIGH	13	-	1985
LOW	-13	-	1985
HIGH LOW	58	-	1906
RAINFALL	1.12"	-	1913
SNOWFALL	3.5"	-	1930
NORMALS - HIGH: 47 - LOW: 26 - RAINFALL: 0.08"			

JANUARY 21

HIGH	77	-	1909
LOW HIGH	19	-	1970
LOW	-3	-	1984
HIGH LOW	54	-	1997
RAINFALL	3.05"	-	1904
SNOWFALL	10.0"	-	1926
NORMALS - HIGH: 47 - LOW: 26 - RAINFALL: 0.08"			

JANUARY 22

HIGH	76	-	1909
LOW HIGH	14	-	1930
LOW	-14	-	1930
HIGH LOW	55	-	1967
RAINFALL	1.50"	-	1932
SNOWFALL	5.5"	-	1937
NORMALS - HIGH: 47 - LOW: 26 - RAINFALL: 0.08"			

JANUARY 23

HIGH	75	-	1943
LOW HIGH	17	-	2003
LOW	-17	-	1926
HIGH LOW	57	-	1967
RAINFALL	1.84"	-	1920
SNOWFALL	6.0"	-	1956
NORMALS - HIGH: 47 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 24

HIGH	81	-	1943
LOW HIGH	20	-	1915
LOW	-2	-	1930
HIGH LOW	60	-	1967
RAINFALL	3.60"	-	1929
SNOWFALL	1.5"	-	1948
NORMALS - HIGH: 47 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 25

HIGH	79	-	1950
LOW HIGH	12	-	1897
LOW	-9	-	1905
HIGH LOW	65	-	1950
RAINFALL	1.45"	-	1949
SNOWFALL	3.0"	-	1979, 1978
NORMALS - HIGH: 47 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 26

HIGH	77	-	1952
LOW HIGH	14	-	1897
LOW	-5	-	1904
HIGH LOW	55	-	1944
RAINFALL	1.11"	-	1994
SNOWFALL	1.1"	-	1979
NORMALS - HIGH: 47 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 27

HIGH	76	-	1975
LOW HIGH	14	-	1897
LOW	0	-	1897
HIGH LOW	57	-	1999
RAINFALL	3.76"	-	2009
SNOWFALL	5.1"	-	2000
NORMALS - HIGH: 47 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 28

HIGH	76	-	2002
LOW HIGH	16	-	1897
LOW	-4	-	1948
HIGH LOW	56	-	1970
RAINFALL	1.06"	-	2006
SNOWFALL	2.0"	-	1945
NORMALS - HIGH: 48 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 29

HIGH	76	-	2011
LOW HIGH	15	-	1966
LOW	-2	-	1966
HIGH LOW	54	-	1947
RAINFALL	1.73"	-	1939
SNOWFALL	11.0"	-	2010
NORMALS - HIGH: 48 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 30

HIGH	75	-	1917
LOW HIGH	19	-	1951, 1949
LOW	-1	-	1966
HIGH LOW	52	-	1988
RAINFALL	3.41"	-	1982
SNOWFALL	3.0"	-	1914
NORMALS - HIGH: 48 - LOW: 27 - RAINFALL: 0.08"			

JANUARY 31

HIGH	74	-	1927
LOW HIGH	14	-	1899
LOW	0	-	1899
HIGH LOW	56	-	1988
RAINFALL	1.81"	-	2002
SNOWFALL	5.0"	-	2008, 1982
NORMALS - HIGH: 48 - LOW: 28 - RAINFALL: 0.08"			

FEBRUARY

FEBRUARY 1

HIGH	82	-	1911
LOW HIGH	12	-	1951
LOW	-4	-	1951
HIGH LOW	54	-	1967
RAINFALL	2.41"	-	1990
SNOWFALL	4.0"	-	1985

NORMALS - HIGH: 48 - LOW: 28 - RAINFALL: 0.09"

FEBRUARY 2

HIGH	77	-	1920
LOW HIGH	14	-	1917
LOW	-14	-	1951
HIGH LOW	57	-	1986
RAINFALL	2.02"	-	1989
SNOWFALL	6.0"	-	1929

NORMALS - HIGH: 48 - LOW: 28 - RAINFALL: 0.09"

FEBRUARY 3

HIGH	79	-	1962
LOW HIGH	8	-	1996
LOW	-3	-	1996
HIGH LOW	59	-	1986
RAINFALL	0.97"	-	1997
SNOWFALL	7.0"	-	1905

NORMALS - HIGH: 48 - LOW: 28 - RAINFALL: 0.08"

FEBRUARY 4

HIGH	78	-	1962
LOW HIGH	9	-	1989
LOW	-7	-	1912
HIGH LOW	55	-	1986
RAINFALL	1.11"	-	1960
SNOWFALL	3.3"	-	2011

NORMALS - HIGH: 48 - LOW: 28 - RAINFALL: 0.09"

FEBRUARY 5

HIGH	87	-	1927
LOW HIGH	12	-	1989
LOW	-5	-	1906
HIGH LOW	57	-	1927
RAINFALL	2.32"	-	1957
SNOWFALL	3.0"	-	2004

NORMALS - HIGH: 49 - LOW: 28 - RAINFALL: 0.08"

FEBRUARY 6

HIGH	72	-	1904
LOW HIGH	16	-	1989
LOW	-7	-	1959
HIGH LOW	54	-	1928
RAINFALL	1.49"	-	1999
SNOWFALL	6.5"	-	2002, 1959

NORMALS - HIGH: 49 - LOW: 28 - RAINFALL: 0.09"

FEBRUARY 7

HIGH	77	-	1930
LOW HIGH	20	-	1899
LOW	0	-	1906
HIGH LOW	63	-	1900
RAINFALL	1.84"	-	1900
SNOWFALL	5.5"	-	1929
NORMALS - HIGH: 49 - LOW: 29 - RAINFALL: 0.09"			

FEBRUARY 8

HIGH	74	-	1943
LOW HIGH	10	-	1933
LOW	-7	-	1933
HIGH LOW	59	-	2001
RAINFALL	2.50"	-	1931
SNOWFALL	9.0"	-	1919
NORMALS - HIGH: 49 - LOW: 29 - RAINFALL: 0.09"			

FEBRUARY 9

HIGH	80	-	1957
LOW HIGH	14	-	1899
LOW	-5	-	1979
HIGH LOW	56	-	1943
RAINFALL	1.75"	-	1966
SNOWFALL	10.0"	-	2011
NORMALS - HIGH: 49 - LOW: 29 - RAINFALL: 0.10"			

FEBRUARY 10

HIGH	79	-	1922
LOW HIGH	15	-	1899
LOW	-17	-	1929
HIGH LOW	62	-	1932
RAINFALL	1.91"	-	1966
SNOWFALL	3.5"	-	1986
NORMALS - HIGH: 50 - LOW: 29 - RAINFALL: 0.09"			

FEBRUARY 11

HIGH	76	-	1928
LOW HIGH	10	-	1899
LOW	-6	-	1981, 1899
HIGH LOW	51	-	1938
RAINFALL	0.72"	-	1998
SNOWFALL	1.2"	-	1985
NORMALS - HIGH: 50 - LOW: 29 - RAINFALL: 0.09"			

FEBRUARY 12

HIGH	80	-	1962
LOW HIGH	4	-	1899
LOW	-24	-	1899
HIGH LOW	57	-	1938
RAINFALL	2.15"	-	1950
SNOWFALL	5.0"	-	2008
NORMALS - HIGH: 50 - LOW: 40 - RAINFALL: 0.10"			

FEBRUARY 13

HIGH	81	-	1962
LOW HIGH	11	-	1905
LOW	-20	-	1905
HIGH LOW	60	-	1938
RAINFALL	2.44"	-	1989
SNOWFALL	1.5"	-	1948
NORMALS - HIGH: 50 - LOW: 30 - RAINFALL: 0.09"			

FEBRUARY 14

HIGH	76	-	1962
LOW HIGH	29	-	1951
LOW	-6	-	1905
HIGH LOW	54	-	1954
RAINFALL	1.90"	-	1949
SNOWFALL	6.0"	-	1944
NORMALS - HIGH: 50 - LOW: 30 - RAINFALL: 0.09"			

FEBRUARY 15

HIGH	80	-	1945
LOW HIGH	27	-	2007
LOW	-6	-	1905
HIGH LOW	62	-	1954
RAINFALL	2.44"	-	1903
SNOWFALL	14.3"	-	1993
NORMALS - HIGH: 51 - LOW: 30 - RAINFALL: 0.09"			

FEBRUARY 16

HIGH	79	-	1927
LOW HIGH	21	-	1979
LOW	4	-	1903
HIGH LOW	54	-	1927
RAINFALL	1.28"	-	1911
SNOWFALL	8.0"	-	1952
NORMALS - HIGH: 51 - LOW: 31 - RAINFALL: 0.09"			

FEBRUARY 17

HIGH	77	-	1913
LOW HIGH	16	-	1910
LOW	-4	-	1900
HIGH LOW	56	-	2011
RAINFALL	2.37"	-	1938
SNOWFALL	7.0"	-	1967
NORMALS - HIGH: 51 - LOW: 31 - RAINFALL: 0.10"			

FEBRUARY 18

HIGH	75	-	1986
LOW HIGH	18	-	1936
LOW	-7	-	1910
HIGH LOW	53	-	2011
RAINFALL	1.48"	-	1938
SNOWFALL	4.0"	-	2006, 1927
NORMALS - HIGH: 51 - LOW: 31 - RAINFALL: 0.09"			

FEBRUARY 19

HIGH	72	-	1981
LOW HIGH	16	-	2006
LOW	2	-	1903
HIGH LOW	53	-	1994
RAINFALL	1.95"	-	1911
SNOWFALL	8.0"	-	1902
NORMALS - HIGH: 52 - LOW: 31 - RAINFALL: 0.10"			

FEBRUARY 20

HIGH	78	-	1996
LOW HIGH	22	-	1929
LOW	9	-	1918
HIGH LOW	53	-	1997, 1943
RAINFALL	2.14"	-	1997
SNOWFALL	6.0"	-	1912
NORMALS - HIGH: 52 - LOW: 32 - RAINFALL: 0.09"			

FEBRUARY 21

HIGH	76	-	1897
LOW HIGH	21	-	1912
LOW	9	-	1963
HIGH LOW	53	-	1920
RAINFALL	1.30"	-	1951
SNOWFALL	6.0"	-	1912
NORMALS - HIGH:	52	-	LOW: 32 - RAINFALL: 0.10"

FEBRUARY 22

HIGH	77	-	1995
LOW HIGH	30	-	1968
LOW	2	-	1912
HIGH LOW	58	-	1985
RAINFALL	1.48"	-	1979
SNOWFALL	4.0"	-	1966
NORMALS - HIGH:	52	-	LOW: 32 - RAINFALL: 0.10"

FEBRUARY 23

HIGH	84	-	1930
LOW HIGH	26	-	1910
LOW	5	-	1910
HIGH LOW	55	-	1985
RAINFALL	3.60"	-	1985
SNOWFALL	4.0"	-	1904
NORMALS - HIGH:	53	-	LOW: 32 - RAINFALL: 0.11"

FEBRUARY 24

HIGH	83	-	1918
LOW HIGH	23	-	2003
LOW	4	-	1910
HIGH LOW	62	-	1930
RAINFALL	1.57"	-	2011
SNOWFALL	4.0"	-	1979
NORMALS - HIGH:	53	-	LOW: 32 - RAINFALL: 0.10"

FEBRUARY 25

HIGH	83	-	1917
LOW HIGH	22	-	2003
LOW	9	-	1967
HIGH LOW	58	-	1936
RAINFALL	1.05"	-	1933
SNOWFALL	5.0"	-	1960
NORMALS - HIGH:	53	-	LOW: 33 - RAINFALL: 0.11"

FEBRUARY 26

HIGH	83	-	1917
LOW HIGH	18	-	1934
LOW	10	-	1934
HIGH LOW	63	-	1996
RAINFALL	3.48"	-	1945
SNOWFALL	2.0"	-	1941
NORMALS - HIGH:	54	-	LOW: 33 - RAINFALL: 0.11"

FEBRUARY 27

HIGH	77	-	1932
LOW HIGH	27	-	1934
LOW	6	-	1934
HIGH LOW	56	-	1955
RAINFALL	1.07"	-	1902
SNOWFALL	7.0"	-	1984
NORMALS - HIGH:	54	-	LOW: 33 - RAINFALL: 0.10"

FEBRUARY 28

HIGH	82	-	1952
LOW HIGH	30	-	1984
LOW	9	-	1962
HIGH LOW	57	-	1904
RAINFALL	1.69"	-	1944
SNOWFALL	6.0"	-	1927, 1920
NORMALS - HIGH:	54	-	LOW: 34 - RAINFALL: 0.10"

FEBRUARY 29

HIGH	83	-	1972
LOW HIGH	29	-	1916
LOW	11	-	1968
HIGH LOW	52	-	1976
RAINFALL	0.49"	-	1912
SNOWFALL	6.0"	-	1912
NORMALS - HIGH:	54	-	LOW: 34 - RAINFALL: 0.10"

MARCH

MARCH 1

HIGH	84	-	2006
LOW HIGH	22	-	1980
LOW	9	-	1962
HIGH LOW	58	-	2006
RAINFALL	0.90"	-	1953
SNOWFALL	5.0"	-	1927

NORMALS - HIGH: 55 - LOW: 34 - RAINFALL: 0.10"

MARCH 2

HIGH	84	-	1901
LOW HIGH	25	-	1912
LOW	4	-	1980
HIGH LOW	63	-	1976
RAINFALL	1.07"	-	1988
SNOWFALL	2.0"	-	1971, 1963, 1960, 1912, 1903

NORMALS - HIGH: 55 - LOW: 34 - RAINFALL: 0.10"

MARCH 3

HIGH	83	-	1974
LOW HIGH	21	-	2002
LOW	-1	-	1943
HIGH LOW	63	-	1976
RAINFALL	3.23"	-	2008
SNOWFALL	2.0"	-	2002

NORMALS - HIGH: 55 - LOW: 34 - RAINFALL: 0.10"

MARCH 4

HIGH	83	-	1955
LOW HIGH	27	-	1960
LOW	5	-	1978
HIGH LOW	67	-	1955
RAINFALL	1.90"	-	1984
SNOWFALL	2.5"	-	1965

NORMALS - HIGH: 56 - LOW: 35 - RAINFALL: 0.11"

MARCH 5

HIGH	84	-	1918
LOW HIGH	23	-	1989
LOW	8	-	1960
HIGH LOW	58	-	1946
RAINFALL	1.76"	-	1951
SNOWFALL	3.7"	-	1989

NORMALS - HIGH: 56 - LOW: 35 - RAINFALL: 0.12"

MARCH 6

HIGH	87	-	1974
LOW HIGH	25	-	1989
LOW	8	-	1899
HIGH LOW	63	-	1956
RAINFALL	1.25"	-	1933
SNOWFALL	5.0"	-	2008, 1967

NORMALS - HIGH: 56 - LOW: 35 - RAINFALL: 0.11"

MARCH 7

HIGH	82	-	1974
LOW HIGH	27	-	1996
LOW	4	-	1920
HIGH LOW	62	-	1974
RAINFALL	1.64"	-	1931
SNOWFALL	4.0"	-	1967
NORMALS - HIGH:	57	-	LOW: 35 - RAINFALL: 0.12"

MARCH 8

HIGH	80	-	1974
LOW HIGH	24	-	1996
LOW	6	-	1996
HIGH LOW	59	-	2002
RAINFALL	3.46"	-	1994 - PARTIAL LIQUID WATER EQUIVALENT
SNOWFALL	13.0"	-	1994
NORMALS - HIGH:	57	-	LOW: 36 - RAINFALL: 0.12"

MARCH 9

HIGH	86	-	1911
LOW HIGH	28	-	1932
LOW	8	-	1932
HIGH LOW	64	-	1974
RAINFALL	4.47"	-	1967
SNOWFALL	6.0"	-	1964
NORMALS - HIGH:	57	-	LOW: 36 - RAINFALL: 0.11"

MARCH 10

HIGH	85	-	1955
LOW HIGH	30	-	1969
LOW	11	-	1932
HIGH LOW	61	-	1990
RAINFALL	3.55"	-	1973
SNOWFALL	3.8"	-	1948
NORMALS - HIGH:	58	-	LOW: 36 - RAINFALL: 0.12"

MARCH 11

HIGH	89	-	1967
LOW HIGH	23	-	1948
LOW	0	-	1948
HIGH LOW	62	-	1967
RAINFALL	1.76"	-	1977
SNOWFALL	3.2"	-	1948
NORMALS - HIGH:	58	-	LOW: 36 - RAINFALL: 0.12"

MARCH 12

HIGH	89	-	1967
LOW HIGH	30	-	1932
LOW	-10	-	1948
HIGH LOW	68	-	1967
RAINFALL	0.95"	-	1986
SNOWFALL	5.0"	-	1968
NORMALS - HIGH:	59	-	LOW: 37 - RAINFALL: 0.12"

MARCH 13

HIGH	89	-	1967
LOW HIGH	30	-	1951
LOW	0	-	1948
HIGH LOW	64	-	1918
RAINFALL	0.93"	-	1999 - LIQUID WATER EQUIVALENT
SNOWFALL	4.3"	-	1999
NORMALS - HIGH:	59	-	LOW: 37 - RAINFALL: 0.12"

MARCH 14

HIGH	82	-	1938
LOW HIGH	32	-	1893
LOW	11	-	1950, 1914
HIGH LOW	58	-	1971
RAINFALL	1.99"	-	1990
SNOWFALL	6.0"	-	1960
NORMALS - HIGH:	59	-	LOW: 37 - RAINFALL: 0.12"

MARCH 15

HIGH	81	-	1942
LOW HIGH	29	-	1906
LOW	16	-	1909
HIGH LOW	60	-	1943
RAINFALL	0.93"	-	2002
SNOWFALL	6.0"	-	1978
NORMALS - HIGH:	60	-	LOW: 37 - RAINFALL: 0.12"

MARCH 16

HIGH	82	-	1982
LOW HIGH	29	-	1892
LOW	15	-	1900
HIGH LOW	62	-	1982
RAINFALL	1.56"	-	1920
SNOWFALL	7.5"	-	1982
NORMALS - HIGH:	60	-	LOW: 38 - RAINFALL: 0.13"

MARCH 17

HIGH	85	-	1982
LOW HIGH	30	-	1892
LOW	14	-	1900
HIGH LOW	58	-	1945
RAINFALL	1.86"	-	1987
SNOWFALL	13.0"	-	1988
NORMALS - HIGH:	60	-	LOW: 38 - RAINFALL: 0.13"

MARCH 18

HIGH	83	-	2009, 1908
LOW HIGH	32	-	1892
LOW	11	-	1892
HIGH LOW	60	-	1982
RAINFALL	4.78"	-	2008
SNOWFALL	3.0"	-	1934
NORMALS - HIGH:	61	-	LOW: 38 - RAINFALL: 0.12"

MARCH 19

HIGH	91	-	1907
LOW HIGH	27	-	1965
LOW	11	-	1892
HIGH LOW	63	-	1907
RAINFALL	3.30"	-	1945
SNOWFALL	7.0"	-	1914
NORMALS - HIGH:	61	-	LOW: 39 - RAINFALL: 0.12"

MARCH 20

HIGH	90	-	1907
LOW HIGH	36	-	1901
LOW	9	-	1914
HIGH LOW	60	-	1994
RAINFALL	2.15"	-	1955
SNOWFALL	1.0"	-	1974
NORMALS - HIGH:	61	-	LOW: 39 - RAINFALL: 0.12"

MARCH 21

HIGH	86	-	1997
LOW HIGH	31	-	1915
LOW	18	-	1965
HIGH LOW	63	-	1953
RAINFALL	1.76"	-	2010
SNOWFALL	6.0"	-	2010
NORMALS - HIGH:	62	-	LOW: 39 - RAINFALL: 0.13"

MARCH 22

HIGH	93	-	1929
LOW HIGH	35	-	1915
LOW	16	-	2002
HIGH LOW	63	-	1966
RAINFALL	2.30"	-	1892
SNOWFALL	2.0"	-	1955
NORMALS - HIGH:	62	-	LOW: 39 - RAINFALL: 0.13"

MARCH 23

HIGH	84	-	1910
LOW HIGH	35	-	1912
LOW	20	-	1968
HIGH LOW	61	-	1935
RAINFALL	1.51"	-	1969
SNOWFALL	T	-	1974
NORMALS - HIGH:	62	-	LOW: 40 - RAINFALL: 0.12"

MARCH 24

HIGH	98	-	1929
LOW HIGH	31	-	1965
LOW	16	-	2002
HIGH LOW	64	-	1922
RAINFALL	3.11"	-	1935
SNOWFALL	2.5"	-	1940
NORMALS - HIGH:	63	-	LOW: 40 - RAINFALL: 0.13"

MARCH 25

HIGH	85	-	1928
LOW HIGH	31	-	1965
LOW	17	-	1940
HIGH LOW	68	-	1929
RAINFALL	3.78"	-	1920
SNOWFALL	1.0"	-	1965
NORMALS - HIGH:	63	-	LOW: 40 - RAINFALL: 0.12"

MARCH 26

HIGH	81	-	1991
LOW HIGH	29	-	1955
LOW	9	-	1955
HIGH LOW	68	-	1991
RAINFALL	1.72"	-	1994
SNOWFALL	5.0"	-	1913
NORMALS - HIGH:	64	-	LOW: 40 - RAINFALL: 0.13"

MARCH 27

HIGH	81	-	2008
LOW HIGH	36	-	1937
LOW	17	-	1955
HIGH LOW	64	-	1907
RAINFALL	3.11"	-	1977
SNOWFALL	T	-	2011, 1996
NORMALS - HIGH:	64	-	LOW: 41 - RAINFALL: 0.13"

MARCH 28

HIGH	85	-	1963
LOW HIGH	41	-	1937
LOW	19	-	1947
HIGH LOW	66	-	1985
RAINFALL	1.62"	-	1902
SNOWFALL	T	-	2009, 1899
NORMALS - HIGH:	64	-	LOW: 41 - RAINFALL: 0.14"

MARCH 29

HIGH	85	-	1963
LOW HIGH	34	-	1975
LOW	22	-	1937
HIGH LOW	65	-	1963
RAINFALL	4.26"	-	1988
SNOWFALL	0.6"	-	1975
NORMALS - HIGH:	65	-	LOW: 41 - RAINFALL: 0.14"

MARCH 30

HIGH	84	-	1963
LOW HIGH	39	-	2011, 1915
LOW	17	-	1964
HIGH LOW	61	-	1933
RAINFALL	4.09"	-	1985
SNOWFALL	1.0"	-	1937, 1906
NORMALS - HIGH:	65	-	LOW: 42 - RAINFALL: 0.14"

MARCH 31

HIGH	87	-	1974
LOW HIGH	40	-	1931
LOW	22	-	1987
HIGH LOW	65	-	1916
RAINFALL	1.65"	-	1926 - PARTIAL LIQUID WATER EQUIVALENT
SNOWFALL	3.0"	-	1926
NORMALS - HIGH:	65	-	LOW: 42 - RAINFALL: 0.14"

APRIL

APRIL 1

HIGH	92	-	1946
LOW HIGH	39	-	1993
LOW	20	-	1899
HIGH LOW	70	-	1946
RAINFALL	2.61"	-	1917
SNOWFALL	T	-	1993, 1915, 1901
NORMALS - HIGH:	65	-	LOW: 42 - RAINFALL: 0.13"

APRIL 2

HIGH	92	-	1946
LOW HIGH	40	-	1901
LOW	25	-	1975, 1936
HIGH LOW	70	-	1946
RAINFALL	1.37"	-	1950
SNOWFALL	T	-	1983, 1975, 1915
NORMALS - HIGH:	66	-	LOW: 43 - RAINFALL: 0.13"

APRIL 3

HIGH	90	-	1927
LOW HIGH	45	-	1987
LOW	21	-	1936
HIGH LOW	65	-	1946
RAINFALL	5.11"	-	1957
SNOWFALL	T	-	1899
NORMALS - HIGH:	66	-	LOW: 43 - RAINFALL: 0.11"

APRIL 4

HIGH	91	-	1929
LOW HIGH	41	-	1993
LOW	20	-	1904
HIGH LOW	64	-	1929
RAINFALL	1.75"	-	1986
SNOWFALL	5.8"	-	1993
NORMALS - HIGH:	66	-	LOW: 43 - RAINFALL: 0.12"

APRIL 5

HIGH	90	-	1967
LOW HIGH	38	-	1898
LOW	22	-	1944
HIGH LOW	65	-	1929
RAINFALL	1.97"	-	1928
SNOWFALL	5.0"	-	1971
NORMALS - HIGH:	67	-	LOW: 43 - RAINFALL: 0.12"

APRIL 6

HIGH	90	-	1960
LOW HIGH	39	-	1994
LOW	22	-	1898
HIGH LOW	70	-	1967
RAINFALL	1.85"	-	1927
SNOWFALL	4.0"	-	1971
NORMALS - HIGH:	67	-	LOW: 44 - RAINFALL: 0.12"

APRIL 7

HIGH	88	-	1948
LOW HIGH	39	-	2007
LOW	23	-	2007, 1936
HIGH LOW	68	-	1954
RAINFALL	3.04"	-	2002
SNOWFALL	T	-	1916, 1899
NORMALS - HIGH:	67	-	LOW: 44 - RAINFALL: 0.12"

APRIL 8

HIGH	89	-	2011
LOW HIGH	37	-	1916
LOW	23	-	1956
HIGH LOW	69	-	1999
RAINFALL	2.41"	-	1942
SNOWFALL	T	-	1899
NORMALS - HIGH:	68	-	LOW: 44 - RAINFALL: 0.13"

APRIL 9

HIGH	88	-	2001, 1933
LOW HIGH	41	-	1961
LOW	21	-	1914
HIGH LOW	68	-	2001
RAINFALL	2.40"	-	1915
SNOWFALL	2.0"	-	1938
NORMALS - HIGH:	68	-	LOW: 45 - RAINFALL: 0.13"

APRIL 10

HIGH	96	-	1930
LOW HIGH	40	-	1956
LOW	25	-	1928
HIGH LOW	68	-	2011
RAINFALL	2.62"	-	2008
SNOWFALL	2.0"	-	1988
NORMALS - HIGH:	68	-	LOW: 45 - RAINFALL: 0.14"

APRIL 11

HIGH	86	-	1941
LOW HIGH	42	-	1913
LOW	24	-	1989
HIGH LOW	65	-	1981
RAINFALL	2.65"	-	1940
SNOWFALL	T	-	1988, 1901
NORMALS - HIGH:	68	-	LOW: 45 - RAINFALL: 0.14"

APRIL 12

HIGH	92	-	1972
LOW HIGH	40	-	1997
LOW	22	-	1957
HIGH LOW	66	-	1972
RAINFALL	2.25"	-	1952
SNOWFALL	2.0"	-	1957
NORMALS - HIGH:	69	-	LOW: 46 - RAINFALL: 0.14"

APRIL 13

HIGH	92	-	1972
LOW HIGH	42	-	1957
LOW	20	-	1957
HIGH LOW	66	-	1981
RAINFALL	5.10"	-	1911
SNOWFALL	2.0"	-	1980
NORMALS - HIGH:	69	-	LOW: 46 - RAINFALL: 0.13"

APRIL 14

HIGH	89	-	1936
LOW HIGH	37	-	1980
LOW	20	-	1950
HIGH LOW	67	-	2006
RAINFALL	4.04"	-	1945
SNOWFALL	0.6"	-	1980
NORMALS - HIGH:	69	-	LOW: 46 - RAINFALL: 0.14"

APRIL 15

HIGH	90	-	1936
LOW HIGH	39	-	1933
LOW	23	-	1950
HIGH LOW	66	-	1936
RAINFALL	3.16"	-	1945
SNOWFALL	4.0"	-	1933
NORMALS - HIGH:	69	-	LOW: 47 - RAINFALL: 0.14"

APRIL 16

HIGH	90	-	1955
LOW HIGH	44	-	1897
LOW	24	-	1923
HIGH LOW	68	-	2006
RAINFALL	2.04"	-	1939
SNOWFALL	"	-	
NORMALS - HIGH:	70	-	LOW: 47 - RAINFALL: 0.14"

APRIL 17

HIGH	91	-	1937
LOW HIGH	48	-	1912
LOW	21	-	1951
HIGH LOW	67	-	1976
RAINFALL	1.79"	-	1901
SNOWFALL	"	-	
NORMALS - HIGH:	70	-	LOW: 47 - RAINFALL: 0.15

APRIL 18

HIGH	92	-	2006
LOW HIGH	45	-	1983
LOW	30	-	1961
HIGH LOW	66	-	2002
RAINFALL	2.02"	-	1927
SNOWFALL	T	-	1938
NORMALS - HIGH:	70	-	LOW: 48 - RAINFALL: 0.15"

APRIL 19

HIGH	90	-	1987
LOW HIGH	46	-	1983
LOW	26	-	1953
HIGH LOW	68	-	1955
RAINFALL	3.33"	-	1959
SNOWFALL	"	-	
NORMALS - HIGH:	70	-	LOW: 48 - RAINFALL: 0.15"

APRIL 20

HIGH	92	-	1987
LOW HIGH	52	-	1909
LOW	28	-	1956
HIGH LOW	70	-	1964
RAINFALL	3.07"	-	1977
SNOWFALL	"	-	
NORMALS - HIGH:	70	-	LOW: 48 - RAINFALL: 0.16"

APRIL 21

HIGH	93	-	1963
LOW HIGH	43	-	1904
LOW	31	-	1956
HIGH LOW	67	-	1961
RAINFALL	3.29"	-	1928
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 49 - RAINFALL: 0.16"

APRIL 22

HIGH	92	-	1955
LOW HIGH	51	-	1907
LOW	26	-	1927
HIGH LOW	67	-	1963
RAINFALL	4.45"	-	1996
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 49 - RAINFALL: 0.16"

APRIL 23

HIGH	90	-	1965
LOW HIGH	45	-	1995
LOW	25	-	1951
HIGH LOW	67	-	1955
RAINFALL	3.42"	-	2011
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 49 - RAINFALL: 0.16"

APRIL 24

HIGH	89	-	1989
LOW HIGH	45	-	1910
LOW	27	-	1910
HIGH LOW	65	-	1961
RAINFALL	2.99"	-	2006
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 50 - RAINFALL: 0.17"

APRIL 25

HIGH	88	-	1939
LOW HIGH	40	-	1910
LOW	23	-	1910
HIGH LOW	68	-	1949
RAINFALL	4.04"	-	2011
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 50 - RAINFALL: 0.16"

APRIL 26

HIGH	92	-	1927
LOW HIGH	46	-	1980
LOW	26	-	1910
HIGH LOW	71	-	1939
RAINFALL	1.60"	-	1967
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 50 - RAINFALL: 0.16"

APRIL 27

HIGH	99	-	1927
LOW HIGH	45	-	1908
LOW	32	-	1904
HIGH LOW	71	-	1939
RAINFALL	1.12"	-	1911
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 50 - RAINFALL: 0.16"

APRIL 28

HIGH	94	-	1927
LOW HIGH	47	-	1976
LOW	30	-	1928
HIGH LOW	68	-	1970
RAINFALL	2.28"	-	1915
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 51 - RAINFALL: 0.17"

APRIL 29

HIGH	90	-	1962
LOW HIGH	52	-	1908
LOW	29	-	1908
HIGH LOW	69	-	1970
RAINFALL	2.09"	-	2006
SNOWFALL	T	-	1908

NORMALS - HIGH: 72 - LOW: 51 - RAINFALL: 0.16"

APRIL 30

HIGH	90	-	1952
LOW HIGH	50	-	1907
LOW	24	-	1908
HIGH LOW	69	-	1987
RAINFALL	1.58"	-	1978
SNOWFALL	T	-	1903

NORMALS - HIGH: 73 - LOW: 51 - RAINFALL: 0.17"

MAY

MAY 1

HIGH	93	-	1928
LOW HIGH	53	-	1995
LOW	26	-	1903
HIGH LOW	69	-	1983
RAINFALL	2.04"	-	2011

NORMALS - HIGH: 73 - LOW: 52 - RAINFALL: 0.17"

MAY 2

HIGH	91	-	1943
LOW HIGH	45	-	2011
LOW	26	-	1911
HIGH LOW	67	-	1959
RAINFALL	3.13"	-	1990

NORMALS - HIGH: 73 - LOW: 52 - RAINFALL: 0.16"

MAY 3

HIGH	90	-	1952
LOW HIGH	48	-	1978
LOW	30	-	1929
HIGH LOW	67	-	1964
RAINFALL	2.09"	-	1990

NORMALS - HIGH: 73 - LOW: 52 - RAINFALL: 0.18"

MAY 4

HIGH	91	-	1955
LOW HIGH	50	-	1978
LOW	30	-	1907
HIGH LOW	69	-	1959
RAINFALL	3.35"	-	1920

NORMALS - HIGH: 73 - LOW: 52 - RAINFALL: 0.17"

MAY 5

HIGH	91	-	1952
LOW HIGH	49	-	1907
LOW	30	-	1947
HIGH LOW	68	-	1950
RAINFALL	2.10"	-	1961

NORMALS - HIGH: 74 - LOW: 53 - RAINFALL: 0.17"

MAY 6

HIGH	92	-	1940
LOW HIGH	55	-	2006
LOW	33	-	1911
HIGH LOW	71	-	2007
RAINFALL	2.60"	-	1907

NORMALS - HIGH: 74 - LOW: 53 - RAINFALL: 0.18"

MAY 7

HIGH	91	-	1918
LOW HIGH	55	-	1908
LOW	29	-	1906
HIGH LOW	68	-	2000
RAINFALL	5.00"	-	1961

NORMALS - HIGH: 74 - LOW: 53 - RAINFALL: 0.16"

MAY 8
 HIGH 94 - 1918
 LOW HIGH 58 - 1919
 LOW 32 - 1917
 HIGH LOW 69 - 1979
 RAINFALL 2.17" - 1929
 NORMALS - HIGH: 74 - LOW: 54 - RAINFALL: 0.16"

MAY 9
 HIGH 95 - 1918
 LOW HIGH 60 - 1919
 LOW 28 - 1906
 HIGH LOW 71 - 2003
 RAINFALL 2.94" - 1943
 NORMALS - HIGH: 74 - LOW: 54 - RAINFALL: 0.15"

MAY 10
 HIGH 95 - 1928
 LOW HIGH 58 - 1981
 LOW 30 - 1909
 HIGH LOW 71 - 1918
 RAINFALL 4.25" - 1943
 NORMALS - HIGH: 75 - LOW: 54 - RAINFALL: 0.16"

MAY 11
 HIGH 91 - 1902
 LOW HIGH 57 - 1990
 LOW 36 - 1969
 HIGH LOW 73 - 1967
 RAINFALL 2.15" - 1918
 NORMALS - HIGH: 75 - LOW: 54 - RAINFALL: 0.15"

MAY 12
 HIGH 91 - 1911
 LOW HIGH 60 - 1919
 LOW 35 - 1945
 HIGH LOW 69 - 1970
 RAINFALL 2.05" - 1953
 NORMALS - HIGH: 75 - LOW: 55 - RAINFALL: 0.16"

MAY 13
 HIGH 92 - 1949
 LOW HIGH 56 - 1996, 1912
 LOW 32 - 1910
 HIGH LOW 69 - 1970
 RAINFALL 2.75" - 1908
 NORMALS - HIGH: 75 - LOW: 55 - RAINFALL: 0.17"

MAY 14
 HIGH 96 - 1911
 LOW HIGH 54 - 2011
 LOW 34 - 1910
 HIGH LOW 69 - 1945
 RAINFALL 2.64" - 1956
 NORMALS - HIGH: 76 - LOW: 55 - RAINFALL: 0.16"

MAY 15
HIGH 91 - 1911
LOW HIGH 58 - 1920
LOW 31 - 1905
HIGH LOW 70 - 1968
RAINFALL 2.30" - 1956
NORMALS - HIGH: 76 - LOW: 55 - RAINFALL: 0.15"

MAY 16
HIGH 90 - 1928
LOW HIGH 56 - 1945
LOW 35 - 1912
HIGH LOW 71 - 1995
RAINFALL 2.23" - 1910
NORMALS - HIGH: 76 - LOW: 55 - RAINFALL: 0.16"

MAY 17
HIGH 93 - 1927
LOW HIGH 52 - 1945
LOW 32 - 1912
HIGH LOW 72 - 1943
RAINFALL 2.47" - 1992
NORMALS - HIGH: 76 - LOW: 56 - RAINFALL: 0.15"

MAY 18
HIGH 92 - 1927
LOW HIGH 60 - 1986
LOW 37 - 2002
HIGH LOW 70 - 1943
RAINFALL 1.55" - 1978
NORMALS - HIGH: 77 - LOW: 56 - RAINFALL: 0.14"

MAY 19
HIGH 92 - 1937
LOW HIGH 61 - 1981
LOW 39 - 2002
HIGH LOW 71 - 1996
RAINFALL 2.53" - 1960
NORMALS - HIGH: 77 - LOW: 56 - RAINFALL: 0.14"

MAY 20
HIGH 94 - 1904
LOW HIGH 60 - 1905
LOW 38 - 1968
HIGH LOW 69 - 1996
RAINFALL 3.40" - 1955
NORMALS - HIGH: 77 - LOW: 56 - RAINFALL: 0.15"

MAY 21
HIGH 96 - 1904
LOW HIGH 53 - 1892
LOW 38 - 1954
HIGH LOW 70 - 1982
RAINFALL 3.43" - 1920
NORMALS - HIGH: 77 - LOW: 57 - RAINFALL: 0.13"

MAY 22
HIGH 93 - 1941
LOW HIGH 60 - 1979
LOW 43 - 1963
HIGH LOW 75 - 1953
RAINFALL 2.25" - 1905
NORMALS - HIGH: 78 - LOW: 57 - RAINFALL: 0.14"

MAY 23
HIGH 92 - 1926
LOW HIGH 62 - 1973
LOW 36 - 1963
HIGH LOW 77 - 2000
RAINFALL 2.50" - 1957
NORMALS - HIGH: 78 - LOW: 57 - RAINFALL: 0.14"

MAY 24
HIGH 97 - 1926
LOW HIGH 62 - 1956
LOW 43 - 1951
HIGH LOW 70 - 1968
RAINFALL 1.38" - 1976
NORMALS - HIGH: 78 - LOW: 57 - RAINFALL: 0.13"

MAY 25
HIGH 94 - 1926
LOW HIGH 59 - 1992
LOW 35 - 1925
HIGH LOW 74 - 2006
RAINFALL 2.15" - 1917
NORMALS - HIGH: 79 - LOW: 58 - RAINFALL: 0.13"

MAY 26
HIGH 96 - 1926
LOW HIGH 60 - 1976
LOW 34 - 1925
HIGH LOW 72 - 2006
RAINFALL 2.45" - 1939
NORMALS - HIGH: 79 - LOW: 58 - RAINFALL: 0.13"

MAY 27
HIGH 97 - 1926
LOW HIGH 55 - 1976
LOW 35 - 1901
HIGH LOW 69 - 2004
RAINFALL 1.76" - 2000
NORMALS - HIGH: 79 - LOW: 58 - RAINFALL: 0.13"

MAY 28
HIGH 99 - 1926
LOW HIGH 51 - 1992
LOW 34 - 1907
HIGH LOW 70 - 2006
RAINFALL 1.55" - 1972
NORMALS - HIGH: 79 - LOW: 58 - RAINFALL: 0.15"

MAY 29

HIGH	99	-	1926
LOW HIGH	55	-	1907
LOW	40	-	1947
HIGH LOW	71	-	1945
RAINFALL	1.55"	-	1908

NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.14"

MAY 30

HIGH	98	-	1928
LOW HIGH	60	-	1907
LOW	35	-	1947
HIGH LOW	73	-	2011
RAINFALL	1.02"	-	1990

NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.14"

MAY 31

HIGH	98	-	1934
LOW HIGH	60	-	1907
LOW	38	-	1930
HIGH LOW	73	-	1998
RAINFALL	2.75"	-	1927

NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.14"

JUNE

JUNE 1

HIGH	101	-	1913
LOW HIGH	60	-	1903
LOW	43	-	1966
HIGH LOW	74	-	1943
RAINFALL	2.79"	-	1959

NORMALS - HIGH: 81 - LOW: 59 - RAINFALL: 0.14"

JUNE 2

HIGH	98	-	1936
LOW HIGH	63	-	1992
LOW	42	-	1907
HIGH LOW	75	-	1998
RAINFALL	5.37"	-	1935

NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.15"

JUNE 3

HIGH	94	-	1998, 1942
LOW HIGH	60	-	1928
LOW	42	-	1969
HIGH LOW	73	-	1943
RAINFALL	1.48"	-	1973

NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.15"

JUNE 4

HIGH	96	-	1911
LOW HIGH	68	-	1982
LOW	45	-	1929
HIGH LOW	71	-	2008, 2005
RAINFALL	2.15"	-	1910

NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.15"

JUNE 5

HIGH	97	-	1933
LOW HIGH	69	-	1929
LOW	44	-	1950
HIGH LOW	76	-	2008
RAINFALL	1.98"	-	1906

NORMALS - HIGH: 82 - LOW: 60 - RAINFALL: 0.15"

JUNE 6

HIGH	101	-	1933
LOW HIGH	60	-	1897
LOW	47	-	1998
HIGH LOW	75	-	2008
RAINFALL	0.97"	-	1978

NORMALS - HIGH: 82 - LOW: 61 - RAINFALL: 0.14"

JUNE 7

HIGH	98	-	1914
LOW HIGH	61	-	1916
LOW	46	-	1912
HIGH LOW	75	-	2008
RAINFALL	2.80"	-	1938

NORMALS - HIGH: 82 - LOW: 61 - RAINFALL: 0.16"

JUNE 8
HIGH 100 - 1911
LOW HIGH 65 - 1916
LOW 42 - 1928
HIGH LOW 75 - 1953
RAINFALL 1.69" - 1962
NORMALS - HIGH: 83 - LOW: 61 - RAINFALL: 0.14"

JUNE 9
HIGH 101 - 1936
LOW HIGH 67 - 1910
LOW 49 - 1916
HIGH LOW 77 - 1981
RAINFALL 1.98" - 1957
NORMALS - HIGH: 83 - LOW: 61 - RAINFALL: 0.15"

JUNE 10
HIGH 99 - 1953
LOW HIGH 69 - 1928
LOW 48 - 1913
HIGH LOW 73 - 1998
RAINFALL 2.84" - 2002
NORMALS - HIGH: 83 - LOW: 62 - RAINFALL: 0.14"

JUNE 11
HIGH 100 - 1953
LOW HIGH 66 - 1995
LOW 43 - 1913
HIGH LOW 71 - 1998
RAINFALL 2.61" - 1992
NORMALS - HIGH: 83 - LOW: 62 - RAINFALL: 0.14"

JUNE 12
HIGH 101 - 1953
LOW HIGH 68 - 1955
LOW 40 - 1903
HIGH LOW 75 - 2010
RAINFALL 4.10" - 1928
NORMALS - HIGH: 84 - LOW: 62 - RAINFALL: 0.14"

JUNE 13
HIGH 102 - 1953
LOW HIGH 68 - 1928
LOW 45 - 1903
HIGH LOW 75 - 1958
RAINFALL 1.66" - 2008
NORMALS - HIGH: 84 - LOW: 62 - RAINFALL: 0.14"

JUNE 14
HIGH 102 - 1953
LOW HIGH 71 - 1956
LOW 45 - 1947
HIGH LOW 75 - 1981
RAINFALL 3.04" - 1955
NORMALS - HIGH: 84 - LOW: 63 - RAINFALL: 0.14"

JUNE 15
HIGH 101 - 1953
LOW HIGH 64 - 1989
LOW 43 - 1917
HIGH LOW 75 - 1963
RAINFALL 1.75" - 1937
NORMALS - HIGH: 85 - LOW: 63 - RAINFALL: 0.14"

JUNE 16
HIGH 101 - 1901
LOW HIGH 65 - 1999
LOW 43 - 1917
HIGH LOW 76 - 1953
RAINFALL 3.42" - 1946
NORMALS - HIGH: 85 - LOW: 63 - RAINFALL: 0.15"

JUNE 17
HIGH 100 - 1936
LOW HIGH 69 - 2000
LOW 46 - 1917
HIGH LOW 75 - 1992
RAINFALL 3.52" - 1980
NORMALS - HIGH: 85 - LOW: 63 - RAINFALL: 0.14"

JUNE 18
HIGH 102 - 1936
LOW HIGH 66 - 1912
LOW 49 - 1912
HIGH LOW 77 - 1998
RAINFALL 4.37" - 1980
NORMALS - HIGH: 85 - LOW: 64 - RAINFALL: 0.15"

JUNE 19
HIGH 102 - 1953
LOW HIGH 71 - 1920
LOW 42 - 1912
HIGH LOW 74 - 1970
RAINFALL 1.80" - 1987
NORMALS - HIGH: 86 - LOW: 64 - RAINFALL: 0.14"

JUNE 20
HIGH 105 - 1936
LOW HIGH 72 - 1920
LOW 45 - 1912
HIGH LOW 80 - 1915
RAINFALL 2.91" - 1955
NORMALS - HIGH: 86 - LOW: 64 - RAINFALL: 0.15"

JUNE 21
HIGH 101 - 1933
LOW HIGH 73 - 1992
LOW 45 - 1906
HIGH LOW 75 - 1948
RAINFALL 2.20" - 1958
NORMALS - HIGH: 86 - LOW: 64 - RAINFALL: 0.15"

JUNE 22
HIGH 101 - 1936
LOW HIGH 73 - 1912
LOW 43 - 1902
HIGH LOW 76 - 1944
RAINFALL 1.97" - 1929
NORMALS - HIGH: 86 - LOW: 65 - RAINFALL: 0.15"

JUNE 23
HIGH 101 - 1934
LOW HIGH 69 - 1912
LOW 42 - 1902
HIGH LOW 76 - 1960
RAINFALL 3.98" - 1976
NORMALS - HIGH: 86 - LOW: 65 - RAINFALL: 0.14"

JUNE 24
HIGH 103 - 1933
LOW HIGH 69 - 1915
LOW 50 - 1974
HIGH LOW 74 - 1950
RAINFALL 2.38" - 1915
NORMALS - HIGH: 87 - LOW: 65 - RAINFALL: 0.15"

JUNE 25
HIGH 101 - 1933
LOW HIGH 72 - 1960
LOW 46 - 1974
HIGH LOW 77 - 1924
RAINFALL 2.16" - 1962
NORMALS - HIGH: 87 - LOW: 65 - RAINFALL: 0.13"

JUNE 26
HIGH 102 - 1954
LOW HIGH 70 - 1968
LOW 46 - 1974
HIGH LOW 75 - 1978
RAINFALL 1.82" - 1946
NORMALS - HIGH: 87 - LOW: 65 - RAINFALL: 0.12"

JUNE 27
HIGH 102 - 1936
LOW HIGH 73 - 1938
LOW 47 - 1901
HIGH LOW 78 - 2011
RAINFALL 1.28" - 1937
NORMALS - HIGH: 87 - LOW: 66 - RAINFALL: 0.12"

JUNE 28
HIGH 104 - 1936
LOW HIGH 71 - 2000
LOW 50 - 1926
HIGH LOW 79 - 1980
RAINFALL 3.14" - 1902
NORMALS - HIGH: 87 - LOW: 66 - RAINFALL: 0.13"

JUNE 29

HIGH	104	-	1934
LOW HIGH	76	-	1992
LOW	52	-	1958
HIGH LOW	74	-	1928
RAINFALL	1.30"	-	1992

NORMALS - HIGH: 87 - LOW: 66 - RAINFALL: 0.12"

JUNE 30

HIGH	102	-	1952
LOW HIGH	78	-	1976
LOW	49	-	1950
HIGH LOW	77	-	1904
RAINFALL	1.55"	-	1999

NORMALS - HIGH: 88 - LOW: 66 - RAINFALL: 0.13"

JULY

JULY 1

HIGH	102	-	1941
LOW HIGH	74	-	1987
LOW	48	-	1924
HIGH LOW	78	-	1980
RAINFALL	1.65"	-	1968

NORMALS - HIGH: 88 - LOW: 66 - RAINFALL: 0.10"

JULY 2

HIGH	104	-	1933
LOW HIGH	72	-	1951
LOW	47	-	1924
HIGH LOW	76	-	1997, 1897
RAINFALL	4.86"	-	1968

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

JULY 3

HIGH	104	-	1909
LOW HIGH	74	-	1924, 1898
LOW	48	-	1924
HIGH LOW	76	-	1982, 1897
RAINFALL	2.07"	-	1976

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

JULY 4

HIGH	105	-	1901
LOW HIGH	71	-	1996
LOW	42	-	1924
HIGH LOW	80	-	1980
RAINFALL	1.92"	-	1988

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.11"

JULY 5

HIGH	103	-	1928
LOW HIGH	72	-	1924
LOW	46	-	1915
HIGH LOW	75	-	1943
RAINFALL	2.19"	-	2001

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

JULY 6

HIGH	101	-	1926
LOW HIGH	72	-	1979
LOW	48	-	1972
HIGH LOW	78	-	1899
RAINFALL	1.56"	-	1967

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

JULY 7

HIGH	104	-	1901
LOW HIGH	75	-	1958
LOW	51	-	2006
HIGH LOW	76	-	1998
RAINFALL	1.62"	-	1958

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

JULY 8
HIGH 100 - 1941
LOW HIGH 75 - 1892
LOW 54 - 1983
HIGH LOW 76 - 1992
RAINFALL 2.83" - 2010
NORMALS - HIGH: 89 - LOW: 67 - RAINFALL: 0.10"

JULY 9
HIGH 105 - 1903
LOW HIGH 69 - 1905
LOW 52 - 1961
HIGH LOW 79 - 1980
RAINFALL 1.72" - 1905
NORMALS - HIGH: 89 - LOW: 67 - RAINFALL: 0.10"

JULY 10
HIGH 103 - 2011
LOW HIGH 65 - 1905
LOW 50 - 1961
HIGH LOW 79 - 1980
RAINFALL 1.90" - 1925
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"

JULY 11
HIGH 105 - 1901
LOW HIGH 74 - 1905, 1898
LOW 50 - 1898
HIGH LOW 81 - 2011
RAINFALL 2.10" - 1970
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.11"

JULY 12
HIGH 109 - 1901
LOW HIGH 74 - 2007
LOW 50 - 1898
HIGH LOW 79 - 1969
RAINFALL 1.48" - 1964
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"

JULY 13
HIGH 109 - 1954
LOW HIGH 75 - 1953
LOW 52 - 1898, 1897
HIGH LOW 79 - 1980
RAINFALL 1.73" - 2009
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.09"

JULY 14
HIGH 110 - 1954
LOW HIGH 73 - 1990
LOW 51 - 1967
HIGH LOW 77 - 1923
RAINFALL 1.62" - 1978
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"

JULY 15

HIGH	110	-	1936
LOW HIGH	77	-	1915
LOW	49	-	1967
HIGH LOW	78	-	1923
RAINFALL	2.34"	-	1917
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"			

JULY 16

HIGH	105	-	1936
LOW HIGH	73	-	1992
LOW	50	-	1926
HIGH LOW	83	-	1936
RAINFALL	1.84"	-	1966
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"			

JULY 17

HIGH	107	-	1934
LOW HIGH	73	-	1989
LOW	48	-	1930
HIGH LOW	77	-	1923
RAINFALL	1.63"	-	1945
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"			

JULY 18

HIGH	112	-	1936
LOW HIGH	77	-	1910
LOW	52	-	1930
HIGH LOW	79	-	1954
RAINFALL	1.50"	-	1989
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"			

JULY 19

HIGH	107	-	1934
LOW HIGH	75	-	1917
LOW	55	-	2009
HIGH LOW	79	-	1986
RAINFALL	1.31"	-	1965
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.09"			

JULY 20

HIGH	104	-	2006, 1934
LOW HIGH	69	-	1989
LOW	52	-	1947
HIGH LOW	81	-	1981
RAINFALL	3.40"	-	1925
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"			

JULY 21

HIGH	105	-	1934
LOW HIGH	74	-	2009, 1898
LOW	50	-	1909
HIGH LOW	80	-	1954
RAINFALL	1.67"	-	1899
NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"			

JULY 22
HIGH 106 - 1974
LOW HIGH 70 - 2000
LOW 45 - 1947
HIGH LOW 76 - 2011
RAINFALL 1.31" - 1950
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.11"

JULY 23
HIGH 109 - 1901
LOW HIGH 70 - 1979
LOW 44 - 1947
HIGH LOW 77 - 1983
RAINFALL 1.37" - 1969
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.10"

JULY 24
HIGH 108 - 1934
LOW HIGH 77 - 1911
LOW 49 - 1904
HIGH LOW 79 - 1954
RAINFALL 3.07" - 1917
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.10"

JULY 25
HIGH 106 - 1934
LOW HIGH 69 - 1991
LOW 52 - 1905
HIGH LOW 76 - 1983
RAINFALL 1.11" - 1917
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.11"

JULY 26
HIGH 108 - 1934
LOW HIGH 74 - 1977
LOW 57 - 1924
HIGH LOW 78 - 1923
RAINFALL 1.50" - 1960
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.10"

JULY 27
HIGH 108 - 1936
LOW HIGH 64 - 1948
LOW 52 - 1962
HIGH LOW 76 - 1976
RAINFALL 4.65" - 1919
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.11"

JULY 28
HIGH 107 - 1936
LOW HIGH 66 - 1911
LOW 53 - 1920
HIGH LOW 82 - 1986
RAINFALL 5.55" - 1946
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.10"

JULY 29

HIGH	107	-	1986
LOW HIGH	72	-	1981
LOW	56	-	1965
HIGH LOW	82	-	1986
RAINFALL	1.95"	-	1900
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.10"			

JULY 30

HIGH	106	-	1986
LOW HIGH	73	-	1981
LOW	54	-	1925
HIGH LOW	79	-	1999
RAINFALL	4.90"	-	1927
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.11"			

JULY 31

HIGH	107	-	1934
LOW HIGH	70	-	1898
LOW	46	-	1971
HIGH LOW	78	-	1980
RAINFALL	3.58"	-	1905
NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.10"			

AUGUST

AUGUST 1

HIGH	106	-	1934
LOW HIGH	70	-	1912
LOW	50	-	1936
HIGH LOW	83	-	1934
RAINFALL	2.78"	-	1904

NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.13"

AUGUST 2

HIGH	109	-	2011
LOW HIGH	74	-	1962
LOW	52	-	1911
HIGH LOW	83	-	1934
RAINFALL	2.46"	-	1981

NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.12"

AUGUST 3

HIGH	112	-	2011
LOW HIGH	74	-	1915
LOW	49	-	1950
HIGH LOW	82	-	2011
RAINFALL	1.16"	-	1981

NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.13"

AUGUST 4

HIGH	107	-	1918
LOW HIGH	70	-	1907
LOW	45	-	1912
HIGH LOW	80	-	1923
RAINFALL	1.24"	-	1998

NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.13"

AUGUST 5

HIGH	107	-	1918
LOW HIGH	67	-	1993
LOW	45	-	1912
HIGH LOW	78	-	1980
RAINFALL	1.96"	-	1993

NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.13"

AUGUST 6

HIGH	108	-	2011, 1929
LOW HIGH	69	-	1993
LOW	48	-	1948
HIGH LOW	78	-	2000
RAINFALL	3.36"	-	1999

NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.13"

AUGUST 7

HIGH	109	-	1934
LOW HIGH	75	-	1948
LOW	48	-	1957
HIGH LOW	78	-	1987
RAINFALL	1.43"	-	2008

NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.13"

AUGUST 8
 HIGH 109 - 1934
 LOW HIGH 69 - 1997
 LOW 51 - 1989
 HIGH LOW 80 - 1923
 RAINFALL 2.03" - 1955
 SNOWFALL " -
 NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.12"

AUGUST 9
 HIGH 112 - 1934
 LOW HIGH 75 - 1948
 LOW 52 - 1959
 HIGH LOW 78 - 1987
 RAINFALL 2.37" - 1998
 NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.12"

AUGUST 10
 HIGH 111 - 1936
 LOW HIGH 70 - 2008
 LOW 53 - 1917
 HIGH LOW 77 - 2010, 1943
 RAINFALL 2.17" - 2008
 NORMALS - HIGH: 90 - LOW: 68 - RAINFALL: 0.12"

AUGUST 11
 HIGH 109 - 1918
 LOW HIGH 70 - 2004
 LOW 52 - 1960
 HIGH LOW 79 - 1983
 RAINFALL 1.73" - 1999
 NORMALS - HIGH: 90 - LOW: 67 - RAINFALL: 0.13"

AUGUST 12
 HIGH 107 - 1934
 LOW HIGH 72 - 1917
 LOW 46 - 1967
 HIGH LOW 78 - 1934
 RAINFALL 2.51" - 1961
 NORMALS - HIGH: 90 - LOW: 67 - RAINFALL: 0.11"

AUGUST 13
 HIGH 105 - 1936
 LOW HIGH 74 - 2004
 LOW 44 - 1967
 HIGH LOW 78 - 1923
 RAINFALL 2.53" - 1952
 NORMALS - HIGH: 90 - LOW: 67 - RAINFALL: 0.11"

AUGUST 14
 HIGH 107 - 1936
 LOW HIGH 71 - 1961
 LOW 47 - 1967
 HIGH LOW 75 - 1995
 RAINFALL 1.78" - 1948
 NORMALS - HIGH: 90 - LOW: 67 - RAINFALL: 0.11"

AUGUST 15
HIGH 108 - 1936
LOW HIGH 66 - 1964
LOW 49 - 1929
HIGH LOW 76 - 1980
RAINFALL 3.23" - 1990
NORMALS - HIGH: 90 - LOW: 67 - RAINFALL: 0.11"

AUGUST 16
HIGH 109 - 1936
LOW HIGH 73 - 1964
LOW 50 - 1992
HIGH LOW 78 - 1997
RAINFALL 2.62" - 1966
NORMALS - HIGH: 89 - LOW: 67 - RAINFALL: 0.11"

AUGUST 17
HIGH 107 - 1909
LOW HIGH 70 - 1981
LOW 53 - 1992
HIGH LOW 75 - 2007, 1993
RAINFALL 3.92" - 1927
NORMALS - HIGH: 89 - LOW: 67 - RAINFALL: 0.11"

AUGUST 18
HIGH 109 - 1936
LOW HIGH 75 - 1904
LOW 50 - 1943
HIGH LOW 77 - 1923
RAINFALL 2.45" - 1915
NORMALS - HIGH: 89 - LOW: 67 - RAINFALL: 0.10"

AUGUST 19
HIGH 107 - 1936
LOW HIGH 68 - 1915
LOW 52 - 1953, 1943
HIGH LOW 80 - 1936
RAINFALL 5.70" - 1960
NORMALS - HIGH: 89 - LOW: 66 - RAINFALL: 0.11"

AUGUST 20
HIGH 107 - 1936
LOW HIGH 70 - 2008
LOW 49 - 1953
HIGH LOW 77 - 1923
RAINFALL 2.00" - 1969
NORMALS - HIGH: 89 - LOW: 66 - RAINFALL: 0.11"

AUGUST 21
HIGH 105 - 1936
LOW HIGH 72 - 1911
LOW 47 - 1956
HIGH LOW 76 - 2010
RAINFALL 1.37" - 1911
NORMALS - HIGH: 89 - LOW: 66 - RAINFALL: 0.10"

AUGUST 22
HIGH 104 - 1936
LOW HIGH 73 - 1961
LOW 45 - 1956
HIGH LOW 80 - 1924
RAINFALL 2.00" - 1911
NORMALS - HIGH: 89 - LOW: 66 - RAINFALL: 0.11"

AUGUST 23
HIGH 103 - 1943, 1928
LOW HIGH 65 - 1961
LOW 47 - 1949
HIGH LOW 77 - 1982
RAINFALL 1.50" - 1923
NORMALS - HIGH: 88 - LOW: 66 - RAINFALL: 0.10"

AUGUST 24
HIGH 105 - 1943
LOW HIGH 68 - 1928
LOW 51 - 1949
HIGH LOW 80 - 1982
RAINFALL 2.29" - 1923
NORMALS - HIGH: 88 - LOW: 65 - RAINFALL: 0.11"

AUGUST 25
HIGH 104 - 1943
LOW HIGH 66 - 1911
LOW 49 - 1917
HIGH LOW 76 - 2000, 1998
RAINFALL 0.84" - 1934
NORMALS - HIGH: 88 - LOW: 65 - RAINFALL: 0.10"

AUGUST 26
HIGH 105 - 1943
LOW HIGH 66 - 1946
LOW 49 - 1934
HIGH LOW 77 - 1986
RAINFALL 2.51" - 1975
NORMALS - HIGH: 88 - LOW: 65 - RAINFALL: 0.12"

AUGUST 27
HIGH 105 - 1936
LOW HIGH 70 - 1992
LOW 43 - 1910
HIGH LOW 77 - 1923
RAINFALL 2.15" - 1987
NORMALS - HIGH: 87 - LOW: 65 - RAINFALL: 0.11"

AUGUST 28
HIGH 104 - 1938
LOW HIGH 71 - 1988, 1986, 1911
LOW 42 - 1906
HIGH LOW 77 - 2000
RAINFALL 2.00" - 1979
NORMALS - HIGH: 87 - LOW: 64 - RAINFALL: 0.12"

AUGUST 29

HIGH	105	-	1984
LOW HIGH	66	-	1917
LOW	47	-	1967
HIGH LOW	79	-	2000
RAINFALL	1.86"	-	1917

NORMALS - HIGH: 87 - LOW: 64 - RAINFALL: 0.11"

AUGUST 30

HIGH	102	-	2000
LOW HIGH	70	-	1968
LOW	46	-	1917
HIGH LOW	75	-	2000
RAINFALL	2.21"	-	1962

NORMALS - HIGH: 87 - LOW: 64 - RAINFALL: 0.11"

AUGUST 31

HIGH	106	-	1913
LOW HIGH	73	-	2009
LOW	41	-	1915
HIGH LOW	79	-	1902
RAINFALL	3.58"	-	1905

NORMALS - HIGH: 86 - LOW: 64 - RAINFALL: 0.12"

SEPTEMBER

SEPTEMBER 1

HIGH	103	-	2000
LOW HIGH	69	-	1994
LOW	40	-	1967
HIGH LOW	77	-	1980
RAINFALL	2.15"	-	2010

NORMALS - HIGH: 86 - LOW: 63 - RAINFALL: 0.12"

SEPTEMBER 2

HIGH	103	-	1913
LOW HIGH	71	-	1974
LOW	42	-	1955
HIGH LOW	72	-	1939
RAINFALL	2.83"	-	1934

NORMALS - HIGH: 86 - LOW: 63 - RAINFALL: 0.13"

SEPTEMBER 3

HIGH	106	-	1939
LOW HIGH	71	-	1974
LOW	42	-	1974
HIGH LOW	75	-	1939
RAINFALL	2.19"	-	2008

NORMALS - HIGH: 85 - LOW: 63 - RAINFALL: 0.13"

SEPTEMBER 4

HIGH	106	-	1913
LOW HIGH	68	-	1908
LOW	40	-	1974
HIGH LOW	75	-	1939
RAINFALL	2.02"	-	1970

NORMALS - HIGH: 85 - LOW: 62 - RAINFALL: 0.12"

SEPTEMBER 5

HIGH	106	-	1913
LOW HIGH	71	-	1974, 1950
LOW	40	-	1974
HIGH LOW	76	-	1947
RAINFALL	2.20"	-	1929

NORMALS - HIGH: 85 - LOW: 62 - RAINFALL: 0.12"

SEPTEMBER 6

HIGH	104	-	1939
LOW HIGH	66	-	1962
LOW	41	-	1950
HIGH LOW	72	-	1971
RAINFALL	2.52"	-	1910

NORMALS - HIGH: 84 - LOW: 62 - RAINFALL: 0.13"

SEPTEMBER 7

HIGH	105	-	1947
LOW HIGH	72	-	1957
LOW	40	-	1956
HIGH LOW	74	-	1998
RAINFALL	1.79"	-	2010

NORMALS - HIGH: 84 - LOW: 61 - RAINFALL: 0.14"

SEPTEMBER 8

HIGH	102	-	1939
LOW HIGH	66	-	1995
LOW	38	-	1956
HIGH LOW	73	-	1941
RAINFALL	5.00"	-	1930
NORMALS - HIGH: 84 - LOW: 61 - RAINFALL: 0.13"			

SEPTEMBER 9

HIGH	103	-	1925
LOW HIGH	69	-	2008
LOW	40	-	1956
HIGH LOW	74	-	1939
RAINFALL	4.56"	-	2010
NORMALS - HIGH: 83 - LOW: 60 - RAINFALL: 0.14"			

SEPTEMBER 10

HIGH	100	-	1938
LOW HIGH	68	-	1989
LOW	40	-	1956
HIGH LOW	72	-	2010, 1983
RAINFALL	1.34"	-	1958
NORMALS - HIGH: 83 - LOW: 60 - RAINFALL: 0.16"			

SEPTEMBER 11

HIGH	100	-	1912
LOW HIGH	64	-	1898
LOW	40	-	1959
HIGH LOW	71	-	1900
RAINFALL	2.02"	-	1974
NORMALS - HIGH: 82 - LOW: 60 - RAINFALL: 0.15"			

SEPTEMBER 12

HIGH	100	-	1939
LOW HIGH	61	-	1892
LOW	38	-	1940
HIGH LOW	71	-	1978
RAINFALL	2.05"	-	1892
NORMALS - HIGH: 82 - LOW: 59 - RAINFALL: 0.16"			

SEPTEMBER 13

HIGH	100	-	1939
LOW HIGH	63	-	1913
LOW	32	-	1902
HIGH LOW	73	-	1980
RAINFALL	1.85"	-	1961
NORMALS - HIGH: 82 - LOW: 59 - RAINFALL: 0.16"			

SEPTEMBER 14

HIGH	101	-	1939
LOW HIGH	58	-	1989
LOW	32	-	1902
HIGH LOW	73	-	1914
RAINFALL	2.56"	-	1993
NORMALS - HIGH: 81 - LOW: 58 - RAINFALL: 0.15"			

SEPTEMBER 15

HIGH	100	-	1939
LOW HIGH	61	-	1975
LOW	41	-	1902
HIGH LOW	73	-	1941
RAINFALL	2.55"	-	1930
NORMALS - HIGH: 81 - LOW: 58 - RAINFALL: 0.16"			

SEPTEMBER 16

HIGH	102	-	1956
LOW HIGH	66	-	1949
LOW	39	-	1916
HIGH LOW	71	-	1978
RAINFALL	1.78"	-	1915
NORMALS - HIGH: 80 - LOW: 58 - RAINFALL: 0.15"			

SEPTEMBER 17

HIGH	98	-	1953
LOW HIGH	61	-	1981
LOW	35	-	1903
HIGH LOW	72	-	1978, 1896
RAINFALL	1.65"	-	1912
NORMALS - HIGH: 80 - LOW: 57 - RAINFALL: 0.14"			

SEPTEMBER 18

HIGH	96	-	1925
LOW HIGH	65	-	1899
LOW	34	-	1901
HIGH LOW	72	-	1978
RAINFALL	1.89"	-	1991
NORMALS - HIGH: 79 - LOW: 56 - RAINFALL: 0.14"			

SEPTEMBER 19

HIGH	100	-	1954
LOW HIGH	60	-	1991
LOW	35	-	1901
HIGH LOW	73	-	1978
RAINFALL	2.72"	-	1958
NORMALS - HIGH: 79 - LOW: 56 - RAINFALL: 0.14"			

SEPTEMBER 20

HIGH	101	-	1954
LOW HIGH	61	-	1991
LOW	31	-	1918
HIGH LOW	80	-	1954
RAINFALL	1.62"	-	1974
NORMALS - HIGH: 79 - LOW: 56 - RAINFALL: 0.14"			

SEPTEMBER 21

HIGH	96	-	1955
LOW HIGH	57	-	1995
LOW	34	-	1918
HIGH LOW	72	-	1931
RAINFALL	2.18"	-	1990
NORMALS - HIGH: 78 - LOW: 56 - RAINFALL: 0.15"			

SEPTEMBER 22

HIGH	96	-	1955, 1948
LOW HIGH	59	-	1995
LOW	34	-	1953
HIGH LOW	74	-	1931
RAINFALL	1.82"	-	1916
NORMALS - HIGH:	78	-	LOW: 55 - RAINFALL: 0.14"

SEPTEMBER 23

HIGH	94	-	1935
LOW HIGH	59	-	1989
LOW	35	-	1953
HIGH LOW	75	-	1945
RAINFALL	3.03"	-	1970
NORMALS - HIGH:	78	-	LOW: 55 - RAINFALL: 0.14"

SEPTEMBER 24

HIGH	99	-	1926
LOW HIGH	55	-	1994
LOW	33	-	1989
HIGH LOW	72	-	1984
RAINFALL	4.75"	-	1941
NORMALS - HIGH:	77	-	LOW: 55 - RAINFALL: 0.14"

SEPTEMBER 25

HIGH	95	-	1939
LOW HIGH	51	-	2000
LOW	33	-	1950
HIGH LOW	73	-	1986
RAINFALL	3.51"	-	1945
NORMALS - HIGH:	77	-	LOW: 54 - RAINFALL: 0.14"

SEPTEMBER 26

HIGH	94	-	1953
LOW HIGH	56	-	1926
LOW	32	-	1942
HIGH LOW	74	-	1986
RAINFALL	4.63"	-	1996
NORMALS - HIGH:	77	-	LOW: 54 - RAINFALL: 0.14"

SEPTEMBER 27

HIGH	96	-	1953
LOW HIGH	55	-	1913
LOW	32	-	1942
HIGH LOW	68	-	1973
RAINFALL	2.00"	-	1917
NORMALS - HIGH:	76	-	LOW: 53 - RAINFALL: 0.14"

SEPTEMBER 28

HIGH	101	-	1953
LOW HIGH	55	-	1967
LOW	31	-	1908
HIGH LOW	69	-	1971
RAINFALL	3.92"	-	1906
NORMALS - HIGH:	76	-	LOW: 53 - RAINFALL: 0.13"

SEPTEMBER 29

HIGH	101	-	1953
LOW HIGH	51	-	1984
LOW	30	-	1967
HIGH LOW	77	-	1919
RAINFALL	2.64"	-	1926

NORMALS - HIGH: 75 - LOW: 53 - RAINFALL: 0.14"

SEPTEMBER 30

HIGH	94	-	1953
LOW HIGH	58	-	1958
LOW	31	-	1949
HIGH LOW	68	-	1923
RAINFALL	2.32"	-	1927

NORMALS - HIGH: 75 - LOW: 52 - RAINFALL: 0.12"

OCTOBER

OCTOBER 1

HIGH	96	-	1926
LOW HIGH	60	-	1985
LOW	32	-	1939
HIGH LOW	69	-	1923
RAINFALL	1.53"	-	1927
SNOWFALL	"	-	

NORMALS - HIGH: 75 - LOW: 52 - RAINFALL: 0.12"

OCTOBER 2

HIGH	92	-	1953
LOW HIGH	60	-	1902
LOW	32	-	1958
HIGH LOW	69	-	1923
RAINFALL	2.47"	-	1927
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 52 - RAINFALL: 0.12"

OCTOBER 3

HIGH	91	-	1909
LOW HIGH	61	-	2010
LOW	32	-	1952
HIGH LOW	72	-	1986
RAINFALL	1.33"	-	1902
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.13"

OCTOBER 4

HIGH	96	-	1928
LOW HIGH	55	-	2009
LOW	32	-	1968
HIGH LOW	72	-	1954
RAINFALL	1.70"	-	1926
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.12"

OCTOBER 5

HIGH	96	-	1954
LOW HIGH	55	-	1932
LOW	35	-	1988
HIGH LOW	71	-	1981
RAINFALL	1.48"	-	1998
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 51 - RAINFALL: 0.11"

OCTOBER 6

HIGH	92	-	1956
LOW HIGH	57	-	1935
LOW	32	-	1964
HIGH LOW	72	-	1941
RAINFALL	1.60"	-	1930
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.12"

OCTOBER 7

HIGH	95	-	1963
LOW HIGH	49	-	2000
LOW	28	-	1952
HIGH LOW	71	-	1939
RAINFALL	2.94"	-	1925
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.11"

OCTOBER 8

HIGH	90	-	1956
LOW HIGH	51	-	1911
LOW	27	-	2000
HIGH LOW	68	-	1939
RAINFALL	4.01"	-	2009
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 50 - RAINFALL: 0.11"

OCTOBER 9

HIGH	96	-	1928
LOW HIGH	52	-	1990
LOW	26	-	1917
HIGH LOW	69	-	1980
RAINFALL	3.11"	-	1919
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 50 - RAINFALL: 0.10"

OCTOBER 10

HIGH	95	-	1928
LOW HIGH	54	-	1990
LOW	26	-	1906
HIGH LOW	69	-	1949
RAINFALL	1.83"	-	2001
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.09"

OCTOBER 11

HIGH	90	-	1975
LOW HIGH	44	-	1987
LOW	26	-	1906
HIGH LOW	68	-	1962
RAINFALL	4.47"	-	1969
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.10"

OCTOBER 12

HIGH	93	-	1928
LOW HIGH	52	-	1909
LOW	25	-	1909
HIGH LOW	68	-	1962
RAINFALL	2.03"	-	1954
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 49 - RAINFALL: 0.10"

OCTOBER 13

HIGH	90	-	1899
LOW HIGH	45	-	1986
LOW	23	-	1907
HIGH LOW	64	-	1985
RAINFALL	1.90"	-	1907
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.10"

OCTOBER 14

HIGH	92	-	1899
LOW HIGH	51	-	1914
LOW	27	-	1907
HIGH LOW	68	-	1941
RAINFALL	1.51"	-	1974
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.10"

OCTOBER 15

HIGH	89	-	1950
LOW HIGH	54	-	1937
LOW	30	-	1937
HIGH LOW	66	-	1962
RAINFALL	1.35"	-	1941
SNOWFALL	T	-	2001

NORMALS - HIGH: 70 - LOW: 48 - RAINFALL: 0.11"

OCTOBER 16

HIGH	89	-	1953
LOW HIGH	53	-	2009
LOW	26	-	1952
HIGH LOW	64	-	1897
RAINFALL	2.81"	-	1967
SNOWFALL	"	-	

NORMALS - HIGH: 70 - LOW: 48 - RAINFALL: 0.11"

OCTOBER 17

HIGH	90	-	1929
LOW HIGH	52	-	1925
LOW	30	-	1976
HIGH LOW	64	-	1934, 1897
RAINFALL	1.51"	-	1979
SNOWFALL	T	-	1898

NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.12"

OCTOBER 18

HIGH	89	-	1929
LOW HIGH	45	-	1989
LOW	24	-	1948
HIGH LOW	68	-	2005
RAINFALL	2.48"	-	1979
SNOWFALL	"	-	

NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.12"

OCTOBER 19

HIGH	89	-	1927
LOW HIGH	40	-	1989
LOW	24	-	1925
HIGH LOW	67	-	1979
RAINFALL	1.56"	-	1971
SNOWFALL	T	-	1989, 1913

NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.12"

OCTOBER 20

HIGH	87	-	1927
LOW HIGH	46	-	1913, 1898
LOW	27	-	1989
HIGH LOW	70	-	1979
RAINFALL	2.40"	-	1984
SNOWFALL	T	-	1976, 1898

NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.12"

OCTOBER 21

HIGH	88	-	1927
LOW HIGH	43	-	1911
LOW	20	-	1952
HIGH LOW	70	-	1979
RAINFALL	1.76"	-	1900
SNOWFALL	"	-	

NORMALS - HIGH: 69 - LOW: 46 - RAINFALL: 0.12"

OCTOBER 22

HIGH	93	-	1927
LOW HIGH	49	-	1984
LOW	23	-	1952
HIGH LOW	62	-	2004
RAINFALL	2.05"	-	1951
SNOWFALL	"	-	

NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.13"

OCTOBER 23

HIGH	88	-	1939
LOW HIGH	46	-	1981
LOW	21	-	1937
HIGH LOW	68	-	2001
RAINFALL	1.70"	-	1951
SNOWFALL	"	-	

NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.12"

OCTOBER 24

HIGH	92	-	1927
LOW HIGH	48	-	1972
LOW	20	-	1917
HIGH LOW	65	-	1991
RAINFALL	1.31"	-	1991
SNOWFALL	"	-	

NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.12"

OCTOBER 25

HIGH	90	-	1927
LOW HIGH	44	-	1981
LOW	24	-	1923
HIGH LOW	68	-	1939
RAINFALL	1.54"	-	1936
SNOWFALL	T	-	1898

NORMALS - HIGH: 68 - LOW: 45 - RAINFALL: 0.12"

OCTOBER 26

HIGH	92	-	1927
LOW HIGH	41	-	1957
LOW	22	-	1942
HIGH LOW	68	-	1939
RAINFALL	1.14"	-	1970
SNOWFALL	T	-	1913

NORMALS - HIGH: 67 - LOW: 45 - RAINFALL: 0.12"

OCTOBER 27

HIGH	92	-	1927
LOW HIGH	45	-	1913
LOW	23	-	1925
HIGH LOW	66	-	2004
RAINFALL	1.11"	-	1913 - PARTIAL LIQUID WATER EQUIVALENT
SNOWFALL	8.0"	-	1913

NORMALS - HIGH: 67 - LOW: 45 - RAINFALL: 0.12"

OCTOBER 28

HIGH	91	-	1927
LOW HIGH	39	-	1925
LOW	20	-	1957
HIGH LOW	64	-	2004
RAINFALL	3.03"	-	1991
SNOWFALL	"	-	

NORMALS - HIGH: 67 - LOW: 45 - RAINFALL: 0.12"

OCTOBER 29

HIGH	87	-	1950
LOW HIGH	31	-	1925
LOW	16	-	1910
HIGH LOW	68	-	2004
RAINFALL	2.73"	-	2009
SNOWFALL	1.9"	-	1993

NORMALS - HIGH: 66 - LOW: 44 - RAINFALL: 0.12"

OCTOBER 30

HIGH	87	-	1950
LOW HIGH	31	-	1993
LOW	17	-	1925
HIGH LOW	66	-	1946
RAINFALL	3.47"	-	1967
SNOWFALL	T	-	1993

NORMALS - HIGH: 66 - LOW: 44 - RAINFALL: 0.12"

OCTOBER 31

HIGH	85	-	1950
LOW HIGH	38	-	1993
LOW	21	-	1993
HIGH LOW	66	-	1982, 1935
RAINFALL	2.20"	-	1972
SNOWFALL	"	-	

NORMALS - HIGH: 66 - LOW: 44 - RAINFALL: 0.12"

NOVEMBER

NOVEMBER 1

HIGH	86	-	1927
LOW HIGH	38	-	1991
LOW	20	-	1906
HIGH LOW	66	-	1945
RAINFALL	1.86"	-	1992
SNOWFALL	T	-	1991

NORMALS - HIGH: 65 - LOW: 43 - RAINFALL: 0.14"

NOVEMBER 2

HIGH	83	-	1914
LOW HIGH	32	-	1991
LOW	15	-	1911
HIGH LOW	64	-	1944
RAINFALL	2.55"	-	1968
SNOWFALL	4.0"	-	1951

NORMALS - HIGH: 65 - LOW: 43 - RAINFALL: 0.14"

NOVEMBER 3

HIGH	82	-	1914
LOW HIGH	30	-	1991
LOW	10	-	1951
HIGH LOW	61	-	1994
RAINFALL	3.32"	-	1974
SNOWFALL	1.0"	-	1967

NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.14"

NOVEMBER 4

HIGH	82	-	1916
LOW HIGH	37	-	1992
LOW	16	-	1991
HIGH LOW	61	-	2005
RAINFALL	3.18"	-	1994
SNOWFALL	"	-	

NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.15"

NOVEMBER 5

HIGH	81	-	1916
LOW HIGH	34	-	1951
LOW	17	-	1976
HIGH LOW	58	-	2005
RAINFALL	1.69"	-	1994
SNOWFALL	T	-	1995, 1990

NORMALS - HIGH: 64 - LOW: 42 - RAINFALL: 0.15"

NOVEMBER 6

HIGH	81	-	1914
LOW HIGH	32	-	1951
LOW	17	-	1959
HIGH LOW	60	-	1945
RAINFALL	1.79"	-	1996
SNOWFALL	4.5"	-	1951

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.14"

NOVEMBER 7

HIGH	83	-	2009
LOW HIGH	39	-	1951
LOW	15	-	1959
HIGH LOW	67	-	1945
RAINFALL	2.25"	-	1957
SNOWFALL	T	-	1943

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.15"

NOVEMBER 8

HIGH	82	-	2006
LOW HIGH	36	-	1991
LOW	10	-	1991
HIGH LOW	66	-	2005
RAINFALL	2.06"	-	1979
SNOWFALL	T	-	1943, 1932

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.14"

NOVEMBER 9

HIGH	84	-	2006
LOW HIGH	35	-	2000
LOW	15	-	1991
HIGH LOW	67	-	1966
RAINFALL	1.55"	-	1994
SNOWFALL	2.0"	-	1892

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.15"

NOVEMBER 10

HIGH	82	-	1902
LOW HIGH	37	-	1950
LOW	18	-	1960
HIGH LOW	60	-	1935
RAINFALL	2.04"	-	1974
SNOWFALL	2.0"	-	1932

NORMALS - HIGH: 61 - LOW: 40 - RAINFALL: 0.15"

NOVEMBER 11

HIGH	85	-	1956
LOW HIGH	34	-	1907
LOW	7	-	1950
HIGH LOW	64	-	1927
RAINFALL	1.58"	-	1976 - PARTIAL LIQUID WATER EQUIVALENT
SNOWFALL	0.8"	-	1976, 1968

NORMALS - HIGH: 61 - LOW: 40 - RAINFALL: 0.16"

NOVEMBER 12

HIGH	82	-	1955
LOW HIGH	27	-	1907
LOW	10	-	1976
HIGH LOW	61	-	2007
RAINFALL	0.56"	-	1945
SNOWFALL	T	-	2000, 1997, 1904

NORMALS - HIGH: 61 - LOW: 40 - RAINFALL: 0.15"

NOVEMBER 13

HIGH	82	-	1955
LOW HIGH	30	-	1940
LOW	8	-	1986
HIGH LOW	64	-	1897
RAINFALL	2.06"	-	1972
SNOWFALL	T	-	1916

NORMALS - HIGH: 60 - LOW: 39 - RAINFALL: 0.14"

NOVEMBER 14

HIGH	80	-	1955
LOW HIGH	30	-	1940
LOW	5	-	1908
HIGH LOW	62	-	1897
RAINFALL	1.53"	-	1993
SNOWFALL	1.0"	-	1976
NORMALS - HIGH:	60	-	LOW: 39 - RAINFALL: 0.15"

NOVEMBER 15

HIGH	81	-	1955
LOW HIGH	32	-	1927
LOW	9	-	1940
HIGH LOW	62	-	1973
RAINFALL	2.86"	-	1958
SNOWFALL	T	-	2008, 1995, 1969, 1932
NORMALS - HIGH:	59	-	LOW: 39 - RAINFALL: 0.14"

NOVEMBER 16

HIGH	79	-	1964
LOW HIGH	35	-	1932
LOW	15	-	1932
HIGH LOW	62	-	1964
RAINFALL	2.00"	-	1968
SNOWFALL	2.0"	-	1937
NORMALS - HIGH:	59	-	LOW: 38 - RAINFALL: 0.15"

NOVEMBER 17

HIGH	78	-	1905
LOW HIGH	31	-	1959
LOW	8	-	1959
HIGH LOW	65	-	1952
RAINFALL	2.18"	-	1991
SNOWFALL	6.0"	-	1926
NORMALS - HIGH:	58	-	LOW: 38 - RAINFALL: 0.15"

NOVEMBER 18

HIGH	84	-	1908
LOW HIGH	32	-	1926
LOW	10	-	1903
HIGH LOW	62	-	1942
RAINFALL	2.26"	-	1984
SNOWFALL	1.7"	-	1972
NORMALS - HIGH:	58	-	LOW: 37 - RAINFALL: 0.14"

NOVEMBER 19

HIGH	82	-	1908
LOW HIGH	36	-	1972
LOW	9	-	1951
HIGH LOW	63	-	1913
RAINFALL	2.69"	-	1985
SNOWFALL	2.1"	-	1972
NORMALS - HIGH:	57	-	LOW: 37 - RAINFALL: 0.15"

NOVEMBER 20

HIGH	80	-	1989
LOW HIGH	29	-	1937
LOW	12	-	1914
HIGH LOW	65	-	1942
RAINFALL	1.59"	-	1992
SNOWFALL	T	-	1975, 1988
NORMALS - HIGH:	57	-	LOW: 37 - RAINFALL: 0.13"

NOVEMBER 21

HIGH	81	-	1908
LOW HIGH	27	-	1937
LOW	11	-	1937
HIGH LOW	61	-	1927
RAINFALL	1.64"	-	1916
SNOWFALL	2.0"	-	1972
NORMALS - HIGH:	56	-	LOW: 36 - RAINFALL: 0.14"

NOVEMBER 22

HIGH	81	-	1900
LOW HIGH	32	-	1975, 1898
LOW	10	-	1964
HIGH LOW	60	-	1983
RAINFALL	1.67"	-	1982
SNOWFALL	1.0"	-	1971
NORMALS - HIGH:	56	-	LOW: 36 - RAINFALL: 0.13"

NOVEMBER 23

HIGH	76	-	1904
LOW HIGH	34	-	1898
LOW	12	-	1929
HIGH LOW	63	-	1973
RAINFALL	2.07"	-	2001
SNOWFALL	6.0"	-	1971
NORMALS - HIGH:	55	-	LOW: 35 - RAINFALL: 0.13"

NOVEMBER 24

HIGH	78	-	1915
LOW HIGH	29	-	1950
LOW	7	-	1950
HIGH LOW	54	-	1987
RAINFALL	2.89"	-	1996
SNOWFALL	0.5"	-	1938
NORMALS - HIGH:	55	-	LOW: 35 - RAINFALL: 0.13"

NOVEMBER 25

HIGH	77	-	1990
LOW HIGH	28	-	1993
LOW	12	-	1950
HIGH LOW	58	-	1915
RAINFALL	2.98"	-	1973
SNOWFALL	0.4"	-	1996
NORMALS - HIGH:	54	-	LOW: 35 - RAINFALL: 0.14"

NOVEMBER 26

HIGH	77	-	1965
LOW HIGH	30	-	1975
LOW	14	-	1977
HIGH LOW	61	-	1927
RAINFALL	1.66"	-	1946
SNOWFALL	3.0"	-	1975
NORMALS - HIGH:	54	-	LOW: 34 - RAINFALL: 0.13"

NOVEMBER 27

HIGH	76	-	1999
LOW HIGH	22	-	1896
LOW	11	-	1896
HIGH LOW	61	-	1927
RAINFALL	2.32"	-	1968
SNOWFALL	1.0"	-	1980
NORMALS - HIGH:	54	-	LOW: 34 - RAINFALL: 0.13"

NOVEMBER 28

HIGH	82	-	1949
LOW HIGH	23	-	1976
LOW	9	-	1976
HIGH LOW	63	-	1905
RAINFALL	1.76"	-	1917
SNOWFALL	6.4"	-	1958
NORMALS - HIGH:	53	-	LOW: 33 - RAINFALL: 0.13"

NOVEMBER 29

HIGH	74	-	1970
LOW HIGH	24	-	1911
LOW	6	-	1911
HIGH LOW	63	-	1998
RAINFALL	1.80"	-	2006
SNOWFALL	2.5"	-	1952
NORMALS - HIGH:	53	-	LOW: 33 - RAINFALL: 0.13"

NOVEMBER 30

HIGH	80	-	1933
LOW HIGH	24	-	1974
LOW	9	-	1905
HIGH LOW	58	-	1933
RAINFALL	3.07"	-	2006
SNOWFALL	2.0"	-	1934
NORMALS - HIGH:	52	-	LOW: 33 - RAINFALL: 0.13"

DECEMBER

DECEMBER 1

HIGH	73	-	1970
LOW HIGH	27	-	1974
LOW	11	-	1910
HIGH LOW	60	-	1970
RAINFALL	0.97"	-	1905
SNOWFALL	1.0"	-	1955

NORMALS - HIGH: 52 - LOW: 32 - RAINFALL: 0.12"

DECEMBER 2

HIGH	75	-	1950
LOW HIGH	25	-	1985
LOW	9	-	1985
HIGH LOW	62	-	1982
RAINFALL	5.37"	-	1982
SNOWFALL	2.7"	-	1971

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.13"

DECEMBER 3

HIGH	79	-	1956
LOW HIGH	32	-	2006, 1897
LOW	8	-	1929
HIGH LOW	60	-	1998
RAINFALL	3.58"	-	1982
SNOWFALL	2.0"	-	1898

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.12"

DECEMBER 4

HIGH	74	-	2001
LOW HIGH	22	-	1897
LOW	7	-	1905
HIGH LOW	56	-	1916
RAINFALL	1.42"	-	1977
SNOWFALL	8.0"	-	1902

NORMALS - HIGH: 51 - LOW: 31 - RAINFALL: 0.12"

DECEMBER 5

HIGH	77	-	1956
LOW HIGH	28	-	2002
LOW	11	-	1911
HIGH LOW	55	-	1980
RAINFALL	3.71"	-	1975
SNOWFALL	6.1"	-	1984

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.11"

DECEMBER 6

HIGH	76	-	1956
LOW HIGH	23	-	1977
LOW	2	-	1950
HIGH LOW	59	-	1966
RAINFALL	2.20"	-	1935
SNOWFALL	1.0"	-	1910

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.12"

DECEMBER 7

HIGH	74	-	1966
LOW HIGH	26	-	1950
LOW	-6	-	1950
HIGH LOW	62	-	1966
RAINFALL	1.16"	-	1947
SNOWFALL	11.0"	-	1917
NORMALS - HIGH:	50	-	LOW: 30 - RAINFALL: 0.12"

DECEMBER 8

HIGH	77	-	1904
LOW HIGH	22	-	1909
LOW	-5	-	1917
HIGH LOW	56	-	1946
RAINFALL	1.95"	-	1994
SNOWFALL	2.5"	-	1989
NORMALS - HIGH:	49	-	LOW: 30 - RAINFALL: 0.12"

DECEMBER 9

HIGH	75	-	1965
LOW HIGH	18	-	1995
LOW	-2	-	1917
HIGH LOW	57	-	1918
RAINFALL	2.03"	-	1994
SNOWFALL	1.0"	-	1961, 1950, 1932
NORMALS - HIGH:	49	-	LOW: 30 - RAINFALL: 0.11"

DECEMBER 10

HIGH	73	-	1933
LOW HIGH	23	-	1917
LOW	1	-	1919
HIGH LOW	56	-	1996
RAINFALL	4.58"	-	1971
SNOWFALL	0.5"	-	2003
NORMALS - HIGH:	49	-	LOW: 29 - RAINFALL: 0.10"

DECEMBER 11

HIGH	80	-	1929
LOW HIGH	19	-	1917
LOW	3	-	1917
HIGH LOW	58	-	1965
RAINFALL	1.90"	-	1892
SNOWFALL	0.2"	-	1941
NORMALS - HIGH:	48	-	LOW: 29 - RAINFALL: 0.11"

DECEMBER 12

HIGH	75	-	1929
LOW HIGH	15	-	1962
LOW	0	-	1962
HIGH LOW	58	-	1984
RAINFALL	1.50"	-	1999
SNOWFALL	2.0"	-	1914
NORMALS - HIGH:	48	-	LOW: 29 - RAINFALL: 0.10"

DECEMBER 13

HIGH	73	-	1948
LOW HIGH	25	-	1958
LOW	8	-	1962
HIGH LOW	59	-	1929
RAINFALL	3.85"	-	1927
SNOWFALL	3.5"	-	2003
NORMALS - HIGH:	48	-	LOW: 29 - RAINFALL: 0.11"

DECEMBER 14

HIGH	74	-	1929
LOW HIGH	9	-	1914
LOW	0	-	1914
HIGH LOW	58	-	1929
RAINFALL	1.76"	-	1987
SNOWFALL	7.0"	-	1916
NORMALS - HIGH: 48 - LOW: 28 - RAINFALL: 0.10"			

DECEMBER 15

HIGH	78	-	1943
LOW HIGH	20	-	1901
LOW	-3	-	1914
HIGH LOW	60	-	1948
RAINFALL	2.41"	-	1992
SNOWFALL	1.4"	-	1930
NORMALS - HIGH: 47 - LOW: 28 - RAINFALL: 0.10"			

DECEMBER 16

HIGH	78	-	1924
LOW HIGH	18	-	1932
LOW	-4	-	1989
HIGH LOW	53	-	2006
RAINFALL	2.81"	-	2001
SNOWFALL	2.0"	-	1911
NORMALS - HIGH: 47 - LOW: 28 - RAINFALL: 0.09"			

DECEMBER 17

HIGH	73	-	1962
LOW HIGH	21	-	1901
LOW	1	-	1901
HIGH LOW	56	-	2006
RAINFALL	1.35"	-	1995
SNOWFALL	3.0"	-	1907
NORMALS - HIGH: 47 - LOW: 28 - RAINFALL: 0.09"			

DECEMBER 18

HIGH	72	-	1962
LOW HIGH	15	-	1929
LOW	0	-	1901
HIGH LOW	54	-	1957
RAINFALL	1.14"	-	1899
SNOWFALL	1.5"	-	1945
NORMALS - HIGH: 47 - LOW: 28 - RAINFALL: 0.09"			

DECEMBER 19

HIGH	77	-	1941
LOW HIGH	13	-	1983
LOW	0	-	1945
HIGH LOW	52	-	1952
RAINFALL	1.35"	-	1987
SNOWFALL	2.4"	-	1973
NORMALS - HIGH: 47 - LOW: 27 - RAINFALL: 0.09"			

DECEMBER 20

HIGH	69	-	1966, 1949
LOW HIGH	16	-	1983
LOW	-5	-	1901
HIGH LOW	57	-	1949
RAINFALL	0.88"	-	1991
SNOWFALL	T	-	1995, 1983, 1977
NORMALS - HIGH: 46 - LOW: 27 - RAINFALL: 0.10"			

DECEMBER 21

HIGH	68	-	1957,	1949
LOW HIGH	18	-	1916	
LOW	-5	-	1989	
HIGH LOW	46	-	1949	
RAINFALL	2.46"	-	1984	
SNOWFALL	2.0"	-	1916	
NORMALS - HIGH:	46	-	LOW:	27 - RAINFALL: 0.10"

DECEMBER 22

HIGH	72	-	1933	
LOW HIGH	8	-	1989	
LOW	-9	-	1989	
HIGH LOW	54	-	1979	
RAINFALL	1.45"	-	1941	
SNOWFALL	9.0"	-	1966	
NORMALS - HIGH:	46	-	LOW:	27 - RAINFALL: 0.10"

DECEMBER 23

HIGH	72	-	1964	
LOW HIGH	9	-	1983	
LOW	-11	-	1989	
HIGH LOW	58	-	1982	
RAINFALL	1.38"	-	1979	
SNOWFALL	13.0"	-	1966	
NORMALS - HIGH:	46	-	LOW:	27 - RAINFALL: 0.10"

DECEMBER 24

HIGH	82	-	1955	
LOW HIGH	3	-	1983	
LOW	-6	-	1983	
HIGH LOW	54	-	1982	
RAINFALL	1.13"	-	1932	
SNOWFALL	1.5"	-	1975	
NORMALS - HIGH:	46	-	LOW:	27 - RAINFALL: 0.10"

DECEMBER 25

HIGH	78	-	1955	
LOW HIGH	9	-	1983	
LOW	-9	-	1983	
HIGH LOW	49	-	1940	
RAINFALL	2.20"	-	1987	
SNOWFALL	8.6"	-	1975	
NORMALS - HIGH:	46	-	LOW:	27 - RAINFALL: 0.10"

DECEMBER 26

HIGH	72	-	1971	
LOW HIGH	15	-	1983	
LOW	-1	-	1983	
HIGH LOW	59	-	1942	
RAINFALL	0.71"	-	1987	
SNOWFALL	6.0"	-	1939	
NORMALS - HIGH:	46	-	LOW:	27 - RAINFALL: 0.10"

DECEMBER 27

HIGH	75	-	1971	
LOW HIGH	25	-	1983,	1935
LOW	5	-	1904	
HIGH LOW	54	-	1946	
RAINFALL	2.97"	-	2008	
SNOWFALL	2.0"	-	1935	
NORMALS - HIGH:	46	-	LOW:	26 - RAINFALL: 0.09"

DECEMBER 28

HIGH	72	-	1928
LOW HIGH	21	-	1983
LOW	0	-	1925
HIGH LOW	58	-	1984
RAINFALL	3.46"	-	1968
SNOWFALL	3.3"	-	1997
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"			

DECEMBER 29

HIGH	69	-	1984, 1947
LOW HIGH	16	-	1983
LOW	-2	-	1983
HIGH LOW	63	-	1984
RAINFALL	0.81"	-	1969
SNOWFALL	3.0"	-	1969
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"			

DECEMBER 30

HIGH	75	-	1951
LOW HIGH	19	-	1917
LOW	-5	-	1983
HIGH LOW	61	-	1992
RAINFALL	1.40"	-	1932
SNOWFALL	7.0"	-	1969
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"			

DECEMBER 31

HIGH	79	-	1951
LOW HIGH	17	-	1976
LOW	-2	-	1976
HIGH LOW	63	-	1951
RAINFALL	2.60"	-	1978
SNOWFALL	1.6"	-	1973
NORMALS - HIGH: 46 - LOW: 26 - RAINFALL: 0.09"			

HARRISON, AR

ANNUAL TEMPERATURE RECORDS

TOP 10 WARMEST YEARS

BY AVERAGE ANNUAL HIGH TEMPERATURE

1. 1954 - 74.70 °F
2. 1953 - 74.53 °F
3. 1938 - 74.16 °F
4. 1928 - 73.30 °F
5. 1901 - 72.98 °F
6. 1939 - 72.95 °F
7. 1936 - 72.90 °F
8. 1963 - 72.79 °F
9. 1956 - 72.58 °F
10. 1952 - 72.58 °F

NORMAL - 68.6 °F

TOP 10 COOLEST YEARS

BY AVERAGE ANNUAL HIGH TEMPERATURE

1. 1979 - 65.45 °F
2. 1898 - 65.72 °F
3. 1993 - 66.12 °F
4. 1978 - 66.28 °F
5. 1983 - 66.53 °F
6. 1912 - 66.72 °F
7. 1915 - 66.84 °F
8. 1976 - 66.85 °F
9. 1897 - 66.93 °F
10. 1989 - 67.09 °F

TOP 10 WARMEST YEARS

BY AVERAGE ANNUAL TEMPERATURE

1. 1938 - 61.3 °F
2. 1954 - 61.2 °F
3. 1998 - 61.1 °F
4. 1933 - 60.5 °F
5. 1939 - 60.3 °F
6. 1999 - 60.2 °F
7. 1953 - 60.1 °F
8. 1941 - 60.1 °F
9. 1934 - 60.1 °F
10. 2006 - 60.0 °F

NORMAL - 57.9 °F

TOP 10 COOLEST YEARS

BY AVERAGE ANNUAL TEMPERATURE

1. 1912 - 52.9 °F
2. 1910 - 54.8 °F
3. 1979 - 55.1 °F
4. 1905 - 55.2 °F
5. 1903 - 55.2 °F
6. 1906 - 55.8 °F
7. 1968 - 55.9 °F
8. 1978 - 56.1 °F
9. 1898 - 56.1 °F
10. 1911 - 56.2 °F

TOP 10 WARMEST YEARS

BY AVERAGE ANNUAL LOW TEMPERATURE

1. 1998 - 51.48 °F
2. 1986 - 49.79 °F
3. 1999 - 49.63 °F
4. 1987 - 49.18 °F
5. 2007 - 48.92 °F
6. 2006 - 48.88 °F
7. 1933 - 48.83 °F
8. 1938 - 48.43 °F
9. 2005 - 48.40 °F
10. 1941 - 48.39 °F

NORMAL - 47.2 °F

TOP 10 COOLEST YEARS

BY AVERAGE ANNUAL LOW TEMPERATURE

1. 1912 - 39.15 °F
2. 1910 - 41.10 °F
3. 1906 - 42.38 °F
4. 1905 - 42.46 °F
5. 1911 - 42.52 °F
6. 1909 - 42.53 °F
7. 1904 - 42.56 °F
8. 1917 - 42.66 °F
9. 1903 - 42.75 °F
10. 1950 - 43.04 °F

TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY HIGH TEMPERATURE

1. AUG 1936 - 102.4 °F
2. JUL 1934 - 102.0 °F
3. JUL 1954 - 100.9 °F
4. JUL 1901 - 100.4 °F
5. JUL 1936 - 99.9 °F
6. AUG 1913 - 99.4 °F
7. JUL 1930 - 99.2 °F
8. AUG 1954 - 98.3 °F
9. JUL 1916 - 98.1 °F
10. AUG 1943 - 97.8 °F

TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY HIGH TEMPERATURE

1. JAN 1979 - 31.2 °F
2. JAN 1978 - 31.9 °F
3. DEC 1983 - 32.2 °F
4. JAN 1940 - 32.7 °F
5. JAN 1977 - 32.8 °F
6. DEC 2000 - 34.4 °F
7. JAN 1918 - 34.4 °F
8. FEB 1978 - 35.0 °F
9. JAN 1985 - 37.0 °F
10. FEB 1899 - 38.1 °F

TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY TEMPERATURE

1. JUL 1934 - 86.2 °F
2. AUG 1936 - 85.9 °F
3. JUL 1954 - 85.3 °F
4. JUL 1980 - 85.2 °F
5. JUL 1936 - 84.7 °F
6. JUL 2011 - 84.4 °F
7. AUG 1980 - 84.0 °F
8. JUL 1986 - 83.6 °F
9. AUG 1934 - 83.6 °F
10. JUL 1901 - 83.4 °F

TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY TEMPERATURE

1. JAN 1979 - 22.1 °F
2. JAN 1918 - 23.0 °F
3. JAN 1977 - 23.4 °F
4. JAN 1940 - 23.4 °F
5. JAN 1978 - 23.9 °F
6. DEC 1983 - 24.4 °F
7. JAN 1912 - 25.6 °F
8. FEB 1899 - 25.8 °F
9. DEC 2000 - 26.3 °F
10. FEB 1905 - 26.3 °F

TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY LOW TEMPERATURE

1. JUL 1980 - 73.6 °F
2. JUL 1986 - 73.0 °F
3. JUL 1998 - 72.2 °F
4. AUG 1980 - 72.0 °F
5. JUL 1980 - 72.0 °F
6. JUL 2011 - 71.7 °F
7. JUL 1999 - 71.2 °F
8. JUL 2010 - 70.9 °F
9. AUG 2007 - 70.9 °F
10. JUL 1981 - 70.5 °F

TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY LOW TEMPERATURE

1. JAN 1918 - 11.6 °F
2. JAN 1912 - 12.5 °F
3. JAN 1979 - 13.1 °F
4. FEB 1899 - 13.9 °F
5. JAN 1977 - 14.0 °F
6. JAN 1940 - 14.0 °F
7. FEB 1905 - 14.3 °F
8. JAN 1905 - 15.2 °F
9. JAN 1978 - 15.9 °F
10. FEB 1912 - 16.3 °F

TOP 10 HOTTEST DAYS
BY DAILY HIGH TEMPERATURE

1. 03 AUG 2011 -	112 °F	6. 14 JUL 1954 -	110 °F
2. 18 JUL 1936 -	112 °F	7. 15 JUL 1936 -	110 °F
3. 09 AUG 1934 -	112 °F	8. 09 AUG 1936 -	110 °F
4. 10 AUG 1936 -	111 °F	9. 02 AUG 2011 -	109 °F
5. 04 AUG 1916 -	111 °F	10. 13 JUL 1954 -	109 °F

TOP 10 HOTTEST DAYS
BY AVERAGE DAILY TEMPERATURE

1. 03 AUG 2011 -	97.0 °F	6. 19 AUG 1936 -	93.5 °F
2. 29 JUL 1986 -	94.5 °F	7. 09 AUG 1934 -	93.5 °F
3. 01 AUG 1934 -	94.5 °F	8. 02 AUG 1934 -	93.5 °F
4. 16 JUL 1936 -	94.0 °F	9. 04 AUG 1918 -	93.5 °F
5. 02 AUG 2011 -	93.5 °F	10. 18 JUL 1954 -	93.0 °F

TOP 10 HOTTEST DAYS
BY DAILY LOW TEMPERATURE

1. 16 JUL 1936 -	83 °F	6. 28 JUL 1986 -	82 °F
2. 02 AUG 1934 -	83 °F	7. 28 AUG 1923 -	82 °F
3. 01 AUG 1934 -	83 °F	8. 20 JUL 1981 -	81 °F
4. 03 AUG 2011 -	82 °F	9. 16 JUL 1980 -	81 °F
5. 29 JUL 1986 -	82 °F	10. 24 AUG 1982 -	80 °F

TOP 10 COLDEST DAYS
BY DAILY HIGH TEMPERATURE

1. 24 DEC 1983 -	3 °F	6. 22 DEC 1989 -	8 °F
2. 12 JAN 1912 -	3 °F	7. 04 FEB 1989 -	9 °F
3. 12 FEB 1899 -	4 °F	8. 25 DEC 1989 -	9 °F
4. 12 JAN 1918 -	5 °F	9. 23 DEC 1983 -	9 °F
5. 03 FEB 1996 -	8 °F	10. 14 DEC 1914 -	9 °F

TOP 10 COLDEST DAYS
BY AVERAGE DAILY TEMPERATURE

1. 12 FEB 1899 -	-10.0 °F	6. 22 DEC 1989 -	-0.5 °F
2. 12 JAN 1918 -	-6.0 °F	7. 20 JAN 1985 -	0.0 °F
3. 12 JAN 1912 -	-5.5 °F	8. 25 DEC 1983 -	0.0 °F
4. 13 FEB 1905 -	-4.5 °F	9. 22 JAN 1930 -	0.0 °F
5. 24 DEC 1983 -	-1.5 °F	10. 03 JAN 1911 -	1.0 °F

TOP 10 COLDEST DAYS
BY DAILY LOW TEMPERATURE

1. 12 FEB 1899 -	-24 °F	6. 12 JAN 1918 -	-17 °F
2. 13 FEB 1905 -	-20 °F	7. 13 FEB 1899 -	-16 °F
3. 18 JAN 1930 -	-18 °F	8. 02 FEB 1951 -	-14 °F
4. 10 FEB 1929 -	-17 °F	9. 22 JAN 1930 -	-14 °F
5. 23 JAN 1926 -	-17 °F	10. 12 JAN 1912 -	-14 °F

EARLIEST DAY AT OR ABOVE 80°F
BY DAILY HIGH TEMPERATURE

24 JAN 1943 - 81 °F

EARLIEST DAY AT OR ABOVE 90°F
BY DAILY HIGH TEMPERATURE

19 MAR 1907 - 91 °F

LATEST DAY AT OR ABOVE 80°F
BY DAILY HIGH TEMPERATURE

24 DEC 1955 - 82 °F

LATEST DAY AT OR ABOVE 90°F
BY DAILY HIGH TEMPERATURE

28 OCT 1927 - 91 °F

EARLIEST DAY AT OR ABOVE 100°F

BY DAILY HIGH TEMPERATURE

01 JUN 1913 - 101 °F

LATEST DAY AT OR ABOVE 100°F

BY DAILY HIGH TEMPERATURE

29 SEP 1953 - 101 °F

EARLIEST DAY AT OR BELOW 32°F

BY DAILY LOW TEMPERATURE

13 SEP 1902 - 32 °F

LATEST DAY AT OR BELOW 32°F

BY DAILY LOW TEMPERATURE

17 MAY 1912 - 32 °F

EARLIEST DAY AT OR BELOW 0°F

BY DAILY LOW TEMPERATURE

07 DEC 1950 - -6 °F

LATEST DAY AT OR BELOW 0°F

BY DAILY LOW TEMPERATURE

13 MAR 1948 - 0 °F

LONGEST PERIODS OF CONSECUTIVE DAYS AT OR ABOVE 100°F

BY DAILY HIGH TEMPERATURE

1. 18 DAYS - 29 JUL 1934 TO 15 AUG 1934
2. 17 DAYS - 08 AUG 1936 TO 24 AUG 1936
3. 14 DAYS - 11 JUL 1954 TO 24 JUL 1954
4. 11 DAYS - 11 JUN 1953 TO 22 JUN 1953
5. 11 DAYS - 16 JUL 1934 TO 26 JUL 1934
6. 11 DAYS - 26 AUG 1913 TO 05 SEP 1913
7. 10 DAYS - 11 JUL 1936 TO 20 JUL 1936
8. 9 DAYS - 29 JUL 1947 TO 06 AUG 1947
9. 9 DAYS - 18 JUL 1943 TO 26 JUL 1943
10. 9 DAYS - 21 AUG 1938 TO 29 AUG 1938

LONGEST PERIODS OF CONSECUTIVE DAYS AT OR BELOW 32°F

BY DAILY HIGH TEMPERATURE

1. 16 DAYS - 07 JAN 1918 TO 22 JAN 1918
2. 14 DAYS - 09 JAN 1978 TO 22 JAN 1978
3. 13 DAYS - 18 DEC 1983 TO 30 DEC 1983
4. 10 DAYS - 24 DEC 2000 TO 02 JAN 2001
5. 10 DAYS - 04 FEB 1899 TO 13 FEB 1899
6. 9 DAYS - 26 JAN 1978 TO 03 FEB 1978
7. 9 DAYS - 15 JAN 1930 TO 23 JAN 1930
8. 8 DAYS - 02 JAN 2010 TO 09 JAN 2010
9. 8 DAYS - 24 JAN 1948 TO 31 JAN 1948
10. 8 DAYS - 19 JAN 1940 TO 26 JAN 1940

AVERAGE DATE OF FIRST FROST: 18 OCT

AVERAGE FIRST DATE OF FREEZE: 28 OCT

AVERAGE DATE OF LAST FREEZE: 04 APR

AVERAGE DATE OF LAST FROST: 10 APR

GREATEST DAILY TEMPERATURE RANGE:

20 JAN 1893 - MIN -6°F MAX 54°F - 60 DEGREE CHANGE

SMALLEST DAILY TEMPERATURE RANGE:

22 FEB 2008 - MIN 28°F MAX 30°F - 2 DEGREE CHANGE

30 JAN 1901 - MIN 19°F MAX 21°F - 2 DEGREE CHANGE

ANNUAL PRECIPITATION RECORDS

TOP 10 WETTEST YEARS

BY ANNUAL PRECIPITATION

1. 1945 - 71.03"
2. 1927 - 68.42"
3. 1990 - 62.91"
4. 2008 - 61.70"
5. 2009 - 61.23"
6. 1915 - 60.48"
7. 1957 - 59.46"
8. 1968 - 56.34"
9. 1946 - 56.10"
10. 1961 - 55.22"

NORMAL - 44.14"

TOP 10 DRIEST YEARS

BY ANNUAL PRECIPITATION

1. 1901 - 23.26"
2. 1963 - 24.67"
3. 2007 - 28.02"
4. 1947 - 28.82"
5. 1953 - 29.88"
6. 1954 - 31.07"
7. 1983 - 31.61"
8. 2005 - 32.16"
9. 1986 - 32.52"
10. 1914 - 32.58"

TOP 10 WETTEST MONTHS

BY MONTHLY PRECIPITATION

1. MAY 1961 - 16.87"
2. JUN 1935 - 15.22"
3. AUG 1915 - 14.56"
4. JUN 1928 - 14.19"
5. APR 1945 - 14.14"
6. APR 1957 - 14.01"
7. JUL 1905 - 13.75"
8. MAY 1920 - 13.32"
9. MAY 1943 - 12.97"
10. MAY 1990 - 12.86"

TOP 10 DRIEST MONTHS

BY MONTHLY PRECIPITATION

1. JAN 1931 - T"
2. AUG 2007 - T
3. AUG 2000 - 0.01"
4. AUG 1936 - 0.01"
5. SEP 1928 - 0.08"
6. SEP 2004 - 0.09"
7. AUG 1909 - 0.11"
8. SEP 1946 - 0.12"
9. AUG 1995 - 0.15"
10. NOV 1910 - 0.17"

TOP 10 HIGHEST DAILY RAINFALL AMOUNTS AND WETTEST DAYS ON RECORD

BY DAILY PRECIPITATION

1. 19 AUG 1915 - 5.70"
2. 28 JUL 1946 - 5.55"
3. 02 DEC 1982 - 5.37"
- 02 JUN 1935 - 5.37"
4. 03 APR 1957 - 5.11"
5. 13 APR 1911 - 5.10"
6. 07 MAY 1961 - 5.00"
- 08 SEP 1930 - 5.00"
7. 30 JUL 1927 - 4.90"
8. 02 JUL 1968 - 4.86"
9. 18 MAR 2008 - 4.78"
10. 24 SEP 1941 - 4.75"

LONGEST PERIOD W/NO MEASURABLE PRECIPITATION

1. 54 DAYS - 16 DEC 1930 TO 07 FEB 1931
2. 38 DAYS - 22 JUL 1936 TO 28 AUG 1936
3. 37 DAYS - 29 JUL 2007 TO 06 SEP 2007
4. 37 DAYS - 14 DEC 1901 TO 19 JAN 1902
5. 34 DAYS - 26 AUG 1928 TO 28 SEP 1928
6. 33 DAYS - 23 JUN 1980 TO 25 JUL 1980
7. 33 DAYS - 14 SEP 1963 TO 18 OCT 1963
8. 33 DAYS - 06 DEC 1919 TO 07 JAN 1920
9. 30 DAYS - 13 SEP 1892 TO 12 OCT 1892
10. 29 DAYS - 14 AUG 1998 TO 11 SEP 1998

LONGEST PERIOD WITH MEASURABLE PRECIPITATION

1. 11 DAYS - 30 MAY 1986 TO 09 JUN 1986
2. 10 DAYS - 21 APR 1957 TO 30 APR 1957
3. 9 DAYS - 08 MAY 2009 TO 16 MAY 2009
4. 9 DAYS - 11 NOV 1985 TO 19 NOV 1985
5. 9 DAYS - 04 JUL 1949 TO 12 JUL 1949
6. 9 DAYS - 16 AUG 1926 TO 24 AUG 1926
7. 8 DAYS - 30 MAY 1995 TO 05 JUN 1995
8. 8 DAYS - 24 OCT 1991 TO 31 OCT 1991
9. 8 DAYS - 05 JAN 1991 TO 12 JAN 1991
10. 8 DAYS - 24 NOV 1985 TO 01 DEC 1985

ANNUAL SNOWFALL RECORDS

TOP 10 SNOWIEST YEARS

BY ANNUAL SNOWFALL

1. 1966 - 33.5"
2. 1912 - 33.5"
3. 1978 - 32.2"
4. 1918 - 29.0"
5. 1960 - 28.9"
6. 1971 - 27.5"
7. 1913 - 27.5"
8. 1970 - 26.7"
9. 2010 - 26.4"
10. 1988 - 25.2"

NORMAL - 11.5"

TOP 10 SNOWIEST SEASONS

BY SEASONAL SNOWFALL

- | | |
|-----------------------------|------------------------------|
| 1. WINTER 1917-1918 - 42.2" | 6. WINTER 1978-1979 - 21.3" |
| 2. WINTER 1911-1912 - 30.5" | 7. WINTER 2009-2010 - 21.2" |
| 3. WINTER 1966-1967 - 30.0" | 8. WINTER 1939-1940 - 19.7" |
| 4. WINTER 1977-1978 - 25.2" | 9. WINTER 2010-2011 - 19.4" |
| 5. WINTER 1969-1970 - 24.0" | 10. WINTER 1916-1917 - 19.0" |

TOP 10 SNOWIEST MONTHS

BY MONTHLY SNOWFALL

1. JAN 1918 - 29.0"
2. FEB 1912 - 25.0"
3. DEC 1966 - 23.0"
4. FEB 1969 - 19.0"
5. JAN 1977 - 18.0"
6. FEB 1993 - 17.0"
7. JAN 1978 - 17.0"
8. FEB 1929 - 17.0"
9. FEB 2011 - 16.6"
10. JAN 2010 - 16.1"

TOP 10 SNOWIEST DAYS

BY DAILY SNOWFALL

- | | |
|------------------------|-------------------------|
| 1. 15 FEB 1993 - 14.3" | 6. 10 JAN 1955 - 11.0" |
| 2. 08 MAR 1994 - 13.0" | 7. 07 DEC 1917 - 11.0" |
| 3. 17 MAR 1988 - 13.0" | 8. 09 FEB 2011 - 10.0" |
| 4. 29 JAN 2010 - 11.0" | 9. 07 JAN 1977 - 10.0" |
| 5. 06 JAN 1970 - 11.0" | 10. 16 FEB 1969 - 10.0" |

EARLIEST SNOWFALL

15 OCT 2001 - T

LATEST SNOWFALL

30 APR 1903 - T

EARLIEST SNOWFALL GREATER THAN 1.0"
27 OCT 1913 - 8.0"

LATEST SNOWFALL GREATER THAN 1.0"
15 APR 1933 - 4.0"

EARLIEST SNOWFALL GREATER THAN 10.0"
07 DEC 1917 - 11.0"

LATEST SNOWFALL GREATER THAN 10.0"
17 MAR 1988 - 13.0"

SPRING RECORDS

MARCH, APRIL, MAY

TOP 10 HOTTEST SPRINGS

BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1927 - 76.40 °F
2. 1963 - 74.97 °F
3. 1967 - 74.23 °F
4. 1938 - 74.13 °F
5. 1974 - 73.93 °F
6. 1929 - 73.87 °F
7. 1936 - 73.77 °F
8. 1930 - 73.47 °F
9. 1955 - 73.37 °F
10. 1918 - 73.80 °F

NORMAL - 68.4 °F

TOP 10 COLDEST SPRINGS

BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1993 - 63.50 °F
2. 1897 - 64.53 °F
3. 1912 - 64.70 °F
4. 1983 - 64.80 °F
5. 1916 - 65.43 °F
6. 1984 - 65.73 °F
7. 1958 - 65.93 °F
8. 1980 - 66.03 °F
9. 1915 - 66.13 °F
10. 1898 - 66.17 °F

TOP 10 HOTTEST SPRINGS

BY AVERAGE SEASONAL TEMPERATURE

1. 1927 - 62.3 °F
2. 1967 - 61.6 °F
3. 1938 - 61.5 °F
4. 1963 - 61.3 °F
5. 1974 - 61.3 °F
6. 1946 - 61.1 °F
7. 1977 - 61.0 °F
8. 1991 - 60.8 °F
9. 1987 - 60.8 °F
10. 2006 - 60.7 °F

NORMAL - 57.5 °F

TOP 10 COLDEST SPRINGS

BY AVERAGE SEASONAL TEMPERATURE

1. 1912 - 51.5 °F
2. 1951 - 54.1 °F
3. 1947 - 54.1 °F
4. 1993 - 54.3 °F
5. 1906 - 54.4 °F
6. 1960 - 54.6 °F
7. 1958 - 54.7 °F
8. 1983 - 54.8 °F
9. 1907 - 54.8 °F
10. 1915 - 54.8 °F

TOP 10 HOTTEST SPRINGS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1977 - 50.10 °F
2. 1991 - 50.00 °F
3. 1985 - 49.90 °F
4. 2006 - 49.87 °F
5. 2007 - 49.73 °F
6. 1986 - 49.70 °F
7. 1946 - 49.67 °F
8. 1987 - 49.40 °F
9. 2004 - 49.20 °F
10. 1967 - 48.97 °F

NORMAL - 46.6 °F

TOP 10 COLDEST SPRINGS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1912 - 38.33 °F
2. 1951 - 39.53 °F
3. 1909 - 40.13 °F
4. 1947 - 40.57 °F
5. 1904 - 40.63 °F
6. 1911 - 40.73 °F
7. 1906 - 40.93 °F
8. 1926 - 41.20 °F
9. 1907 - 41.70 °F
10. 1960 - 42.07 °F

TOP 10 WETTEST SPRINGS

BY SEASONAL PRECIPITATION

1. 1945 - 31.98"
2. 2011 - 26.59"
3. 1957 - 25.93"
4. 1990 - 25.78"
5. 1961 - 25.75"
6. 1927 - 25.71"
7. 2008 - 23.49"
8. 1920 - 22.14"
9. 1908 - 21.28"
10. 2002 - 19.75"

NORMAL - 12.80"

TOP 10 DRIEST SPRINGS

BY SEASONAL PRECIPITATION

1. 1982 - 5.15"
2. 1932 - 6.10"
3. 2001 - 6.23"
4. 2007 - 6.68"
5. 1941 - 6.79"
6. 1971 - 7.01"
7. 1936 - 7.08"
8. 2005 - 7.43"
9. 1926 - 7.65"
10. 1947 - 7.72"

TOP 10 SNOWIEST SPRINGS

BY SEASONAL SNOWFALL

1. 1988 - 16.0"
 2. 1994 - 13.8"
 3. 1970 - 13.0"
 4. 1960 - 12.8"
 5. 1958 - 12.1"
 6. 1971 - 11.0"
 7. 1965 - 8.5"
 8. 1892 - 7.5"
 9. 1989 - 7.2"
 10. 1978 - 7.0"
- NORMAL - 2.3"

SUMMER RECORDS

JUNE, JULY, AUGUST

TOP 10 HOTTEST SUMMERS

BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1936 - 99.10 °F
2. 1901 - 97.50 °F
3. 1934 - 97.30 °F
4. 1954 - 96.93 °F
5. 1913 - 94.17 °F
6. 1943 - 93.77 °F
7. 1953 - 93.70 °F
8. 2011 - 93.33 °F
9. 1938 - 93.27 °F
10. 1952 - 93.17 °F

TOP 10 COOLEST SUMMERS

BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1915 - 80.37 °F
2. 1903 - 82.77 °F
3. 1992 - 82.97 °F
4. 2004 - 83.03 °F
5. 1976 - 83.47 °F
6. 1950 - 83.93 °F
7. 1989 - 83.97 °F
8. 1979 - 84.10 °F
9. 1898 - 84.10 °F
10. 1982 - 84.87 °F

NORMAL - 87.5 °F

TOP 10 HOTTEST SUMMERS

BY AVERAGE SEASONAL TEMPERATURE

1. 1934 - 83.2 °F
2. 1936 - 83.1 °F
3. 1954 - 81.8 °F
4. 1980 - 81.6 °F
5. 2011 - 81.4 °F
6. 1943 - 80.5 °F
7. 1901 - 80.5 °F
8. 1998 - 80.4 °F
9. 2010 - 80.2 °F
10. 1938 - 79.6 °F

TOP 10 COOLEST SUMMERS

BY AVERAGE SEASONAL TEMPERATURE

1. 1915 - 70.9 °F
2. 1903 - 71.1 °F
3. 1912 - 72.0 °F
4. 1910 - 72.1 °F
5. 1950 - 72.4 °F
6. 1908 - 72.6 °F
7. 1906 - 72.8 °F
8. 1904 - 73.1 °F
9. 2004 - 73.2 °F
10. 1976 - 73.4 °F

NORMAL - 76.6 °F

TOP 10 HOTTEST SUMMERS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1980 - 70.60 °F
2. 2010 - 69.73 °F
3. 1998 - 69.70 °F
4. 2011 - 69.47 °F
5. 1934 - 69.03 °F
6. 1993 - 68.33 °F
7. 2000 - 68.10 °F
8. 1977 - 68.10 °F
9. 1986 - 67.73 °F
10. 1987 - 67.60 °F

TOP 10 COOLEST SUMMERS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1912 - 57.37 °F
2. 1906 - 58.93 °F
3. 1910 - 59.20 °F
4. 1903 - 59.33 °F
5. 1908 - 59.60 °F
6. 1911 - 59.90 °F
7. 1904 - 60.13 °F
8. 1909 - 60.17 °F
9. 1907 - 60.53 °F
10. 1974 - 60.70 °F

NORMAL - 65.7 °F

TOP 10 WETTEST SUMMERS

BY SEASONAL PRECIPITATION

1. 1915 - 25.55"
2. 2008 - 21.26"
3. 1927 - 20.73"
4. 1955 - 20.00"
5. 1962 - 19.90"
6. 1948 - 19.06"
7. 1917 - 18.74"
8. 1981 - 18.54"
9. 1939 - 18.40"
10. 1928 - 18.40"

TOP 10 DRIEST SUMMERS

BY SEASONAL PRECIPITATION

1. 2006 - 2.99"
2. 1913 - 3.19"
3. 1901 - 3.62"
4. 1953 - 4.25"
5. 2011 - 5.25"
6. 1936 - 5.29"
7. 1954 - 5.58"
8. 1983 - 5.66"
9. 1984 - 6.12"
10. 1943 - 6.40"

NORMAL - 12.80"

FALL RECORDS
SEPTEMBER, OCTOBER, NOVEMBER

TOP 10 HOTTEST FALLS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1963 - 78.00 °F
2. 1953 - 77.30 °F
3. 1938 - 77.07 °F
4. 1956 - 76.83 °F
5. 1931 - 76.60 °F
6. 1909 - 76.57 °F
7. 1899 - 76.07 °F
8. 1928 - 76.00 °F
9. 1901 - 75.97 °F
10. 1960 - 75.80 °F

NORMAL - 69.8 °F

TOP 10 COLDEST FALLS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1976 - 64.90 °F
2. 1993 - 65.83 °F
3. 1898 - 65.93 °F
4. 1996 - 66.30 °F
5. 1972 - 67.53 °F
6. 1986 - 67.73 °F
7. 2009 - 67.90 °F
8. 1992 - 68.10 °F
9. 1987 - 68.23 °F
10. 1984 - 68.23 °F

TOP 10 HOTTEST FALLS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1931 - 64.4 °F
2. 1998 - 63.5 °F
3. 1963 - 63.4 °F
4. 1900 - 63.0 °F
5. 1899 - 62.6 °F
6. 1973 - 62.4 °F
7. 1971 - 62.3 °F
8. 1960 - 62.3 °F
9. 1999 - 62.2 °F
10. 1971 - 62.2 °F

NORMAL - 58.9 °F

TOP 10 COLDEST FALLS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1976 - 54.1 °F
2. 1903 - 55.2 °F
3. 1993 - 55.3 °F
4. 1974 - 55.4 °F
5. 1911 - 55.6 °F
6. 1967 - 56.0 °F
7. 1968 - 56.2 °F
8. 1899 - 56.3 °F
9. 1907 - 56.3 °F
10. 1952 - 56.4 °F

TOP 10 HOTTEST FALLS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1998 - 53.77 °F
2. 1931 - 52.20 °F
3. 1973 - 51.63 °F
4. 1900 - 51.53 °F
5. 1985 - 51.33 °F
6. 1941 - 51.40 °F
7. 1994 - 50.83 °F
8. 2004 - 50.67 °F
9. 1977 - 50.60 °F
10. 2005 - 50.47 °F

NORMAL - 47.9 °F

TOP 10 COLDEST FALLS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1952 - 40.23 °F
2. 1955 - 41.63 °F
3. 1903 - 41.97 °F
4. 1912 - 42.13 °F
5. 1974 - 42.27 °F
6. 1953 - 42.40 °F
7. 1910 - 42.43 °F
8. 1956 - 42.60 °F
9. 1950 - 42.67 °F
10. 1917 - 42.70 °F

TOP 10 WETTEST FALLS

BY SEASONAL PRECIPITATION

1. 2009 - 23.75"
2. 1996 - 22.11"
3. 1941 - 20.70"
4. 1930 - 20.25"
5. 1991 - 19.99"
6. 1984 - 19.48"
7. 1926 - 19.34"
8. 1974 - 18.82"
9. 1925 - 18.63"
10. 1936 - 18.39"

NORMAL - 11.98"

TOP 10 DRIEST FALLS

BY SEASONAL PRECIPITATION

1. 1999 - 2.47"
2. 1989 - 2.55"
3. 1950 - 3.46"
4. 1965 - 3.64"
5. 1953 - 4.16"
6. 1914 - 4.54"
7. 1963 - 4.79"
8. 1901 - 4.81"
9. 1904 - 4.91"
10. 1944 - 5.44"

TOP 10 SNOWIEST FALLS

BY SEASONAL SNOWFALL

1. 1951 - 8.5"
2. 1913 - 8.0"
3. 1971 - 7.0"
4. 1958 - 6.4"
5. 1972 - 6.3"
6. 1926 - 6.0"
7. 1980 - 4.3"
8. 1948 - 3.0"
9. 1952 - 3.0"
10. 1975 - 3.0"

NORMAL - 0.5"

WINTER RECORDS

DECEMBER, JANUARY, FEBRUARY

TOP 10 WARMEST WINTERS

BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1931-1932 - 56.40 °F
2. 1949-1950 - 55.87 °F
3. 1926-1927 - 55.23 °F
4. 1951-1952 - 55.13 °F
5. 1953-1954 - 55.10 °F
6. 1952-1953 - 54.70 °F
7. 1908-1909 - 54.13 °F
8. 1942-1943 - 53.93 °F
9. 1956-1957 - 53.87 °F
10. 1971-1972 - 53.77 °F

NORMAL - 48.2 °F

TOP 10 WARMEST WINTERS

BY AVERAGE SEASONAL TEMPERATURE

1. 1931-1932 - 45.4 °F
2. 1999-2000 - 43.2 °F
3. 1951-1952 - 43.2 °F
4. 1926-1927 - 43.0 °F
5. 1952-1953 - 42.7 °F
6. 1953-1954 - 42.6 °F
7. 1949-1950 - 42.6 °F
8. 1991-1992 - 42.6 °F
9. 1998-1999 - 42.3 °F
10. 1971-1972 - 41.9 °F

NORMAL - 38.3 °F

TOP 10 WARMEST WINTERS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1931-1932 - 34.43 °F
2. 1999-2000 - 33.47 °F
3. 1997-1998 - 33.40 °F
4. 1991-1992 - 33.17 °F
5. 1998-1999 - 32.77 °F
6. 2004-2005 - 32.27 °F
7. 1937-1938 - 31.63 °F
8. 1994-1995 - 31.63 °F
9. 1975-1976 - 31.37 °F
10. 1982-1983 - 31.30 °F

NORMAL - 28.3 °F

TOP 10 COLDEST WINTERS

BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1977-1978 - 37.77 °F
2. 1978-1979 - 41.13 °F
3. 1898-1899 - 41.17 °F
4. 1911-1912 - 42.37 °F
5. 2009-2010 - 42.43 °F
6. 1904-1905 - 42.77 °F
7. 2000-2001 - 42.87 °F
8. 1981-1982 - 43.63 °F
9. 1935-1936 - 43.73 °F
10. 1909-1910 - 43.80 °F

TOP 10 COLDEST WINTERS

BY AVERAGE SEASONAL TEMPERATURE

1. 1977-1978 - 29.4 °F
2. 1911-1912 - 30.1 °F
3. 1904-1905 - 30.6 °F
4. 1978-1979 - 31.0 °F
5. 1898-1899 - 31.3 °F
6. 1909-1910 - 31.7 °F
7. 1917-1918 - 32.7 °F
8. 1901-1902 - 33.3 °F
9. 1935-1936 - 33.7 °F
10. 1981-1982 - 33.8 °F

TOP 10 COLDEST WINTERS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1911-1912 - 17.90 °F
2. 1904-1905 - 18.37 °F
3. 1909-1910 - 19.67 °F
4. 1917-1918 - 20.73 °F
5. 1978-1979 - 20.77 °F
6. 1977-1978 - 21.10 °F
7. 1898-1899 - 21.33 °F
8. 1901-1902 - 22.27 °F
9. 1950-1951 - 22.83 °F
10. 1976-1977 - 22.87 °F

TOP 10 WETTEST WINTERS

BY SEASONAL PRECIPITATION

1. 1937-1938 - 16.31"
2. 1948-1949 - 16.01"
3. 1968-1969 - 14.38"
4. 1944-1945 - 13.94"
5. 1982-1983 - 13.89"
6. 1936-1937 - 13.83"
7. 1984-1985 - 13.54"
8. 1915-1916 - 13.24"
9. 1989-1990 - 13.08"
10. 1949-1950 - 12.91"

NORMAL - 8.40"

TOP 10 DRIEST WINTERS

BY SEASONAL PRECIPITATION

1. 1962-1963 - 2.66"
2. 2005-2006 - 3.10"
3. 1957-1958 - 3.48"
4. 1900-1901 - 3.54"
5. 1985-1986 - 3.64"
6. 1980-1981 - 4.01"
7. 1979-1980 - 4.10"
8. 1958-1959 - 4.12"
9. 1939-1940 - 4.42"
10. 1935-1936 - 4.89"

TOP 10 SNOWIEST WINTERS

BY SEASONAL SNOWFALL

1. 1917-1918 - 42.2"
2. 1911-1912 - 30.5"
3. 1966-1967 - 30.0"
4. 1977-1978 - 25.2"
5. 1969-1970 - 24.0"
6. 1978-1979 - 21.3"
7. 2009-2010 - 21.2"
8. 1939-1940 - 19.7"
9. 2010-2011 - 19.4"
10. 1916-1917 - 19.0"

NORMAL - 8.7"

JANUARY RECORDS

TOP 10 WARMEST JAN

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 2006 - 57.3 °F
2. 1950 - 56.1 °F
3. 1933 - 56.0 °F
4. 1952 - 55.4 °F
5. 1990 - 55.3 °F
6. 1953 - 55.0 °F
7. 1964 - 54.9 °F
8. 1928 - 54.4 °F
9. 1907 - 54.3 °F
10. 1914 - 54.2 °F

NORMAL - 46.5 °F

TOP 10 COLDEST JAN

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1979 - 31.2 °F
2. 1978 - 31.9 °F
3. 1940 - 32.7 °F
4. 1977 - 32.8 °F
5. 1918 - 34.4 °F
6. 1985 - 37.0 °F
7. 1930 - 38.7 °F
8. 1905 - 38.7 °F
9. 1912 - 38.8 °F
10. 1897 - 39.7 °F

TOP 10 WARMEST JAN

BY AVERAGE MONTHLY TEMPERATURE

1. 2006 - 46.3 °F
2. 1933 - 45.2 °F
3. 1990 - 44.5 °F
4. 1907 - 44.5 °F
5. 1952 - 43.7 °F
6. 1939 - 43.2 °F
7. 1914 - 43.0 °F
8. 1989 - 43.0 °F
9. 1950 - 42.9 °F
10. 1953 - 42.8 °F

NORMAL - 36.4 °F

TOP 10 COLDEST JAN

BY AVERAGE MONTHLY TEMPERATURE

1. 1979 - 22.1 °F
2. 1918 - 23.0 °F
3. 1977 - 23.4 °F
4. 1940 - 23.4 °F
5. 1978 - 23.9 °F
6. 1912 - 25.6 °F
7. 1905 - 27.0 °F
8. 1930 - 27.8 °F
9. 1985 - 28.0 °F
10. 1970 - 29.6 °F

TOP 10 WARMEST JAN

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 2006 - 35.3 °F
2. 1933 - 34.3 °F
3. 1998 - 33.9 °F
4. 1990 - 33.6 °F
5. 1907 - 33.0 °F
6. 1939 - 32.6 °F
7. 1989 - 32.5 °F
8. 1952 - 32.1 °F
9. 1932 - 32.1 °F
10. 1914 - 31.9 °F

NORMAL - 26.3 °F

TOP 10 COLDEST JAN

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1918 - 11.6 °F
2. 1912 - 12.5 °F
3. 1979 - 13.1 °F
4. 1977 - 14.0 °F
5. 1940 - 14.0 °F
6. 1905 - 15.2 °F
7. 1978 - 15.9 °F
8. 1930 - 16.9 °F
9. 1948 - 17.4 °F
10. 1963 - 17.9 °F

TOP 10 HOTTEST DAYS IN JAN

BY DAILY HIGH TEMPERATURE

1. 24 JAN 1943 - 81 °F
2. 25 JAN 1950 - 79 °F
3. 02 JAN 1927 - 79 °F
4. 19 JAN 1952 - 78 °F
5. 13 JAN 1928 - 78 °F
6. 12 JAN 1928 - 78 °F
7. 26 JAN 1952 - 77 °F
8. 21 JAN 1909 - 77 °F
9. 29 JAN 2011 - 76 °F
10. 28 JAN 2002 - 76 °F

NORMAL - 46.5 °F

TOP 10 COLDEST DAYS IN JAN

BY DAILY HIGH TEMPERATURE

1. 12 JAN 1912 - 3 °F
2. 12 JAN 1918 - 5 °F
3. 10 JAN 1962 - 10 °F
4. 18 JAN 1994 - 11 °F
5. 14 JAN 1979 - 11 °F
6. 03 JAN 1911 - 11 °F
7. 16 JAN 1977 - 12 °F
8. 01 JAN 1974 - 12 °F
9. 25 JAN 1897 - 12 °F
10. 20 JAN 1985 - 13 °F

TOP 10 HOTTEST DAYS IN JAN

BY DAILY AVERAGE TEMPERATURE

1. 25 JAN 1950 - 72.0 °F
2. 17 JAN 1952 - 68.5 °F
3. 02 JAN 2004 - 67.5 °F
4. 24 JAN 1950 - 67.5 °F
5. 06 JAN 2008 - 67.0 °F
6. 03 JAN 2004 - 67.0 °F
7. 14 JAN 1952 - 66.0 °F
8. 07 JAN 2008 - 65.5 °F
9. 23 JAN 1967 - 65.5 °F
10. 12 JAN 1960 - 65.0 °F

NORMAL - 36.4 °F

TOP 10 COLDEST DAYS IN JAN

BY DAILY AVERAGE TEMPERATURE

1. 12 JAN 1918 - -6.0 °F
2. 12 JAN 1912 - -5.5 °F
3. 20 JAN 1985 - 0.0 °F
4. 22 JAN 1930 - 0.0 °F
5. 03 JAN 1911 - 1.0 °F
6. 07 JAN 1912 - 2.0 °F
7. 14 JAN 1979 - 3.0 °F
8. 10 JAN 1962 - 3.5 °F
9. 25 JAN 1905 - 3.5 °F
10. 01 JAN 1974 - 4.0 °F

TOP 10 HOTTEST DAYS IN JAN

BY DAILY LOW TEMPERATURE

1. 25 JAN 1950 - 65 °F
2. 07 JAN 2008 - 62 °F
3. 06 JAN 2008 - 62 °F
4. 02 JAN 2004 - 62 °F
5. 17 JAN 1952 - 62 °F
6. 03 JAN 2004 - 61 °F
7. 14 JAN 1952 - 61 °F
8. 24 JAN 1967 - 60 °F
9. 12 JAN 1960 - 60 °F
10. 11 JAN 2005 - 59 °F

NORMAL - 26.3 °F

TOP 10 COLDEST DAYS IN JAN

BY DAILY LOW TEMPERATURE

1. 18 JAN 1930 - -18 °F
2. 23 JAN 1926 - -17 °F
3. 12 JAN 1918 - -17 °F
4. 22 JAN 1930 - -14 °F
5. 12 JAN 1912 - -14 °F
6. 20 JAN 1985 - -13 °F
7. 19 JAN 1893 - -13 °F
8. 23 JAN 1930 - -12 °F
9. 07 JAN 1912 - -12 °F
10. 12 JAN 1909 - -10 °F

TOP 10 WETTEST JAN

BY MONTHLY PRECIPITATION

1. 1916 - 9.42"
2. 1937 - 8.84"
3. 1949 - 8.53"
4. 1950 - 6.96"
5. 1982 - 6.54"
6. 1932 - 6.03"
7. 1929 - 5.72"
8. 1969 - 5.68"
9. 1946 - 5.62"
10. 1990 - 5.59"

TOP 10 DRIEST JAN

BY MONTHLY PRECIPITATION

1. 1931 - T
2. 1943 - 0.18"
3. 2011 - 0.25"
4. 2003 - 0.29"
5. 1961 - 0.36"
6. 1976 - 0.38"
7. 1936 - 0.44"
8. 1986 - 0.52"
9. 1963 - 0.54"
10. 1984 - 0.68"

NORMAL - 2.56"

TOP 10 WETTEST DAYS IN JAN

1. 27 JAN 2009 - 3.76"	6. 19 JAN 1990 - 2.85"
2. 24 JAN 1929 - 3.60"	7. 30 JAN 1969 - 2.74"
3. 30 JAN 1982 - 3.41"	8. 13 JAN 1995 - 2.68"
4. 21 JAN 1904 - 3.05"	9. 02 JAN 1966 - 2.58"
5. 24 JAN 1949 - 2.98"	10. 01 JAN 1966 - 2.42"

TOP 10 SNOWIEST JAN

BY MONTHLY SNOWFALL

1. 1918 - 29.0"
2. 1977 - 18.0"
3. 1978 - 17.0"
4. 2010 - 16.1"
5. 1979 - 14.1"

NORMAL - 4.2"

TOP 10 SNOWIEST DAYS IN JAN

1. 29 JAN 2010 - 11.0"	6. 02 JAN 1996 - 9.4"
2. 06 JAN 1970 - 11.0"	7. 18 JAN 1892 - 8.0"
3. 10 JAN 1955 - 11.0"	8. 11 JAN 1908 - 7.0"
4. 21 JAN 1926 - 10.0"	9. 10 JAN 1893 - 7.0"
5. 09 JAN 1977 - 10.0"	10. 23 JAN 1956 - 6.0"

FEBRUARY RECORDS

TOP 10 WARMEST FEB

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1930 - 65.2 °F
2. 1927 - 64.7 °F
3. 1954 - 62.3 °F
4. 1932 - 61.5 °F
5. 1943 - 59.8 °F
6. 1976 - 59.7 °F
7. 2000 - 58.7 °F
8. 1962 - 58.7 °F
9. 1946 - 58.7 °F
10. 1957 - 58.2 °F

NORMAL - 50.7 °F

TOP 10 COLDEST FEB

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1978 - 35.0 °F
2. 1899 - 38.1 °F
3. 1905 - 38.3 °F
4. 1989 - 38.8 °F
5. 1902 - 40.5 °F
6. 2010 - 41.6 °F
7. 1912 - 41.7 °F
8. 1929 - 42.2 °F
9. 1979 - 43.0 °F
10. 1936 - 43.1 °F

TOP 10 WARMEST FEB

BY AVERAGE MONTHLY TEMPERATURE

1. 1927 - 50.4 °F
2. 1930 - 50.2 °F
3. 1932 - 49.2 °F
4. 1976 - 48.8 °F
5. 1954 - 48.6 °F
6. 2000 - 48.2 °F
7. 1938 - 48.0 °F
8. 1999 - 47.3 °F
9. 1992 - 45.9 °F
10. 1962 - 45.9 °F

NORMAL - 40.5 °F

TOP 10 COLDEST FEB

BY AVERAGE MONTHLY TEMPERATURE

1. 1899 - 25.8 °F
2. 1905 - 26.3 °F
3. 1978 - 27.2 °F
4. 1912 - 29.0 °F
5. 1902 - 29.9 °F
6. 1989 - 30.3 °F
7. 1929 - 31.0 °F
8. 1910 - 31.2 °F
9. 1979 - 32.3 °F
10. 1936 - 32.7 °F

TOP 10 WARMEST FEB

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1938 - 38.5 °F
2. 1976 - 37.8 °F
3. 2000 - 37.7 °F
4. 1932 - 36.8 °F
5. 1999 - 36.5 °F
6. 1927 - 36.1 °F
7. 1998 - 35.6 °F
8. 1997 - 35.6 °F
9. 1992 - 35.6 °F
10. 1892 - 35.5 °F

NORMAL - 30.3 °F

TOP 10 COLDEST FEB

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1899 - 13.9 °F
2. 1905 - 14.3 °F
3. 1912 - 16.3 °F
4. 1910 - 17.7 °F
5. 1902 - 19.3 °F
6. 1978 - 19.4 °F
7. 1929 - 19.9 °F
8. 1947 - 21.4 °F
9. 1979 - 21.6 °F
10. 1989 - 21.8 °F

TOP 10 HOTTEST DAYS IN FEB

BY DAILY HIGH TEMPERATURE

1. 05 FEB 1927 - 87 °F
2. 23 FEB 1930 - 84 °F
3. 29 FEB 1972 - 83 °F
4. 24 FEB 1918 - 83 °F
5. 26 FEB 1917 - 83 °F
6. 25 FEB 1917 - 83 °F
7. 28 FEB 1952 - 82 °F
8. 01 FEB 1911 - 82 °F
9. 13 FEB 1962 - 81 °F
10. 19 FEB 1930 - 81 °F

NORMAL - 50.7 °F

TOP 10 COLDEST DAYS IN FEB

BY DAILY HIGH TEMPERATURE

1. 12 FEB 1899 - 4 °F
2. 03 FEB 1996 - 8 °F
3. 04 FEB 1989 - 9 °F
4. 08 FEB 1933 - 10 °F
5. 11 FEB 1899 - 10 °F
6. 13 FEB 1905 - 11 °F
7. 05 FEB 1989 - 12 °F
8. 01 FEB 1951 - 12 °F
9. 03 FEB 1905 - 13 °F
10. 02 FEB 1917 - 14 °F

TOP 10 HOTTEST DAYS IN FEB

BY DAILY AVERAGE TEMPERATURE

1. 05 FEB 1927 - 72.0 °F
2. 10 FEB 1932 - 70.0 °F
3. 26 FEB 1996 - 69.5 °F
4. 24 FEB 1930 - 69.5 °F
5. 24 FEB 1918 - 68.0 °F
6. 10 FEB 1938 - 67.5 °F
7. 28 FEB 1904 - 67.0 °F
8. 24 FEB 2000 - 66.5 °F
9. 29 FEB 1972 - 66.5 °F
10. 28 FEB 1955 - 66.5 °F

NORMAL - 40.5 °F

TOP 10 COLDEST DAYS IN FEB

BY DAILY AVERAGE TEMPERATURE

1. 12 FEB 1899 - -10.0 °F
2. 13 FEB 1905 - -4.5 °F
3. 08 FEB 1933 - 1.5 °F
4. 11 FEB 1899 - 2.0 °F
5. 03 FEB 1996 - 2.5 °F
6. 01 FEB 1951 - 4.0 °F
7. 11 FEB 1981 - 4.5 °F
8. 13 FEB 1899 - 4.5 °F
9. 04 FEB 1899 - 5.0 °F
10. 02 FEB 1917 - 5.0 °F

TOP 10 HOTTEST DAYS IN FEB

BY DAILY LOW TEMPERATURE

1. 26 FEB 1996 - 63 °F
2. 07 FEB 1900 - 63 °F
3. 15 FEB 1954 - 62 °F
4. 10 FEB 1932 - 62 °F
5. 24 FEB 1930 - 62 °F
6. 13 FEB 1938 - 60 °F
7. 10 FEB 1938 - 60 °F
8. 08 FEB 2001 - 59 °F
9. 03 FEB 1986 - 59 °F
10. 07 FEB 2009 - 58 °F

NORMAL - 30.3 °F

TOP 10 COLDEST DAYS IN FEB

BY DAILY LOW TEMPERATURE

1. 12 FEB 1899 - -24 °F
2. 13 FEB 1905 - -20 °F
3. 10 FEB 1929 - -17 °F
4. 13 FEB 1899 - -16 °F
5. 02 FEB 1951 - -14 °F
6. 06 FEB 1959 - -7 °F
7. 08 FEB 1933 - -7 °F
8. 04 FEB 1912 - -7 °F
9. 18 FEB 1910 - -7 °F
10. 11 FEB 1981 - -6 °F

TOP 10 WETTEST FEB

BY MONTHLY PRECIPITATION

1. 1945 - 10.21"
2. 1938 - 7.86"
3. 1989 - 7.42"
4. 1990 - 6.90"
5. 1956 - 6.47"
6. 1957 - 5.72"
7. 1903 - 5.62"
8. 1948 - 5.54"
9. 1987 - 5.52"
10. 1944 - 5.38"

TOP 10 DRIEST FEB

BY MONTHLY PRECIPITATION

1. 1947 - 0.41"
2. 1996 - 0.42"
3. 1920 - 0.74"
4. 1954 - 0.76"
5. 1991 - 0.81"
6. 1943 - 0.82"
7. 1976 - 0.84"
8. 1972 - 0.87"
9. 1963 - 0.89"
10. 2006 - 0.90"

NORMAL - 2.64"

TOP 10 WETTEST DAYS IN FEB

- | | |
|------------------------|-------------------------|
| 1. 23 FEB 1985 - 3.60" | 6. 15 FEB 1903 - 2.44" |
| 2. 26 FEB 1945 - 3.48" | 7. 01 FEB 1990 - 2.41" |
| 3. 08 FEB 1931 - 2.50" | 8. 17 FEB 1938 - 2.37" |
| 4. 21 FEB 1945 - 2.55" | 9. 08 FEB 1944 - 2.35" |
| 5. 13 FEB 1989 - 2.44" | 10. 05 FEB 1957 - 2.32" |

TOP 10 SNOWIEST FEB

BY MONTHLY SNOWFALL

- | | |
|-----------------|------------------|
| 1. 1912 - 25.0" | 6. 1969 - 12.0" |
| 2. 1993 - 17.0" | 7. 1939 - 10.5" |
| 3. 1929 - 17.0" | 8. 1961 - 10.4" |
| 4. 2011 - 16.6" | 9. 1927 - 10.0" |
| 5. 1960 - 12.1" | 10. 1905 - 10.0" |

NORMAL - 3.2"

TOP 10 SNOWIEST DAYS IN FEB

- | | |
|------------------------|------------------------|
| 1. 15 FEB 1993 - 14.3" | 6. 19 FEB 1902 - 8.0" |
| 2. 09 FEB 2011 - 10.0" | 7. 27 FEB 1984 - 7.0" |
| 3. 08 FEB 1919 - 9.0" | 8. 15 FEB 1969 - 7.0" |
| 4. 16 FEB 1952 - 8.0" | 9. 17 FEB 1967 - 7.0" |
| 5. 15 FEB 1917 - 8.0" | 10. 09 FEB 1912 - 7.0" |

MARCH RECORDS

TOP 10 WARMEST MAR BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1910 - 70.8 °F
2. 1967 - 70.6 °F
3. 1907 - 70.4 °F
4. 1938 - 70.4 °F
5. 1918 - 68.8 °F
6. 2007 - 68.8 °F
7. 1945 - 68.6 °F
8. 1974 - 68.4 °F
9. 1963 - 68.0 °F
10. 1936 - 67.5 °F

NORMAL - 59.9 °F

TOP 10 COLDEST MAR BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1915 - 47.2 °F
2. 1906 - 47.5 °F
3. 1912 - 48.4 °F
4. 1958 - 48.5 °F
5. 1960 - 48.8 °F
6. 1965 - 49.4 °F
7. 1975 - 51.5 °F
8. 1970 - 52.0 °F
9. 1969 - 52.3 °F
10. 1996 - 52.5 °F

TOP 10 WARMEST MAR BY AVERAGE MONTHLY TEMPERATURE

1. 2007 - 57.9 °F
2. 1938 - 57.5 °F
3. 1907 - 56.8 °F
4. 1946 - 56.8 °F
5. 1967 - 56.8 °F
6. 1945 - 56.1 °F
7. 1935 - 56.0 °F
8. 1910 - 55.4 °F
9. 1974 - 55.1 °F
10. 1973 - 55.0 °F

NORMAL - 48.8 °F

TOP 10 COLDEST MAR BY AVERAGE MONTHLY TEMPERATURE

1. 1906 - 37.1 °F
2. 1912 - 37.2 °F
3. 1915 - 37.6 °F
4. 1960 - 38.1 °F
5. 1965 - 38.9 °F
6. 1958 - 40.2 °F
7. 1969 - 40.6 °F
8. 1947 - 41.4 °F
9. 1975 - 42.0 °F
10. 1996 - 42.0 °F

TOP 10 WARMEST MAR BY AVERAGE MONTHLY LOW TEMPERATURE

1. 2007 - 46.9 °F
2. 1946 - 46.2 °F
3. 1935 - 44.8 °F
4. 1938 - 44.6 °F
5. 1973 - 43.9 °F
6. 1945 - 43.5 °F
7. 1907 - 43.2 °F
8. 1967 - 43.0 °F
9. 1985 - 42.8 °F
10. 2000 - 42.0 °F

NORMAL - 37.7 °F

TOP 10 COLDEST MAR BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1912 - 26.1 °F
2. 1906 - 26.7 °F
3. 1960 - 27.5 °F
4. 1915 - 28.1 °F
5. 1965 - 28.4 °F
6. 1947 - 28.5 °F
7. 1969 - 28.9 °F
8. 1943 - 31.1 °F
9. 1951 - 31.2 °F
10. 1948 - 31.4 °F

TOP 10 HOTTEST DAYS IN MAR

BY DAILY HIGH TEMPERATURE

1. 24 MAR 1929 - 98 °F
2. 23 MAR 1929 - 93 °F
3. 19 MAR 1907 - 91 °F
4. 22 MAR 1995 - 90 °F
5. 20 MAR 1907 - 90 °F
6. 13 MAR 1967 - 89 °F
7. 12 MAR 1967 - 89 °F
8. 11 MAR 1967 - 89 °F
9. 31 MAR 1903 - 88 °F
10. 31 MAR 1974 - 87 °F

NORMAL - 59.9 °F

TOP 10 COLDEST DAYS IN MAR

BY DAILY HIGH TEMPERATURE

1. 03 MAR 2002 - 21 °F
2. 01 MAR 1980 - 22 °F
3. 05 MAR 1989 - 23 °F
4. 11 MAR 1948 - 23 °F
5. 08 MAR 1996 - 24 °F
6. 11 MAR 1998 - 25 °F
7. 06 MAR 1989 - 25 °F
8. 02 MAR 1912 - 25 °F
9. 02 MAR 1995 - 26 °F
10. 06 MAR 1899 - 26 °F

TOP 10 HOTTEST DAYS IN MAR

BY DAILY AVERAGE TEMPERATURE

1. 12 MAR 1967 - 78.5 °F
2. 24 MAR 1929 - 78.0 °F
3. 19 MAR 1907 - 77.0 °F
4. 25 MAR 1929 - 76.5 °F
5. 22 MAR 1995 - 75.5 °F
6. 11 MAR 1967 - 75.5 °F
7. 29 MAR 1963 - 75.0 °F
8. 04 MAR 1955 - 75.0 °F
9. 26 MAR 1991 - 74.5 °F
10. 28 MAR 1985 - 74.5 °F

NORMAL - 48.8 °F

TOP 10 COLDEST DAYS IN MAR

BY DAILY AVERAGE TEMPERATURE

1. 03 MAR 2002 - 12.5 °F
2. 12 MAR 1948 - 13.0 °F
3. 08 MAR 1996 - 15.0 °F
4. 04 MAR 1978 - 16.0 °F
5. 01 MAR 1980 - 17.0 °F
6. 03 MAR 1943 - 17.0 °F
7. 07 MAR 1920 - 17.0 °F
8. 06 MAR 1899 - 17.0 °F
9. 04 MAR 1960 - 18.0 °F
10. 09 MAR 1932 - 18.0 °F

TOP 10 HOTTEST DAYS IN MAR

BY DAILY LOW TEMPERATURE

1. 26 MAR 1991 - 68 °F
2. 12 MAR 1967 - 68 °F
3. 25 MAR 1929 - 68 °F
4. 04 MAR 1955 - 67 °F
5. 28 MAR 1985 - 66 °F
6. 25 MAR 1922 - 66 °F
7. 31 MAR 1967 - 65 °F
8. 29 MAR 1963 - 65 °F
9. 31 MAR 1916 - 65 °F
10. 06 MAR 2009 - 64 °F

NORMAL - 37.7 °F

TOP 10 COLDEST DAYS IN MAR

BY DAILY LOW TEMPERATURE

1. 12 MAR 1948 - -10 °F
2. 03 MAR 1943 - -1 °F
3. 13 MAR 1948 - 0 °F
4. 11 MAR 1948 - 0 °F
5. 03 MAR 2002 - 4 °F
6. 02 MAR 1980 - 4 °F
7. 07 MAR 1920 - 4 °F
8. 04 MAR 1978 - 5 °F
9. 08 MAR 1996 - 6 °F
10. 07 MAR 1943 - 6 °F

TOP 10 WETTEST MAR

BY MONTHLY PRECIPITATION

1. 2008 - 11.83"
2. 1945 - 11.59"
3. 1935 - 9.21"
4. 1988 - 9.19"
5. 1973 - 9.14"
6. 1985 - 8.03"
7. 1958 - 7.70"
8. 1964 - 7.24"
9. 1906 - 7.11"
10. 2002 - 6.98"

TOP 10 DRIEST MAR

BY MONTHLY PRECIPITATION

1. 1971 - 0.64"
2. 1941 - 0.65"
3. 2001 - 0.81"
4. 1917 - 0.81"
5. 1899 - 0.82"
6. 2007 - 0.91"
7. 1947 - 0.92"
8. 1900 - 0.95"
9. 1918 - 1.11"
10. 1972 - 1.12"

NORMAL - 3.79"

TOP 10 WETTEST DAYS IN MAR

- | | |
|------------------------|-------------------------|
| 1. 18 MAR 2008 - 4.78" | 6. 10 MAR 1973 - 3.55" |
| 2. 09 MAR 1964 - 4.47" | 7. 08 MAR 1994 - 3.46" |
| 3. 29 MAR 1988 - 4.26" | 8. 19 MAR 1945 - 3.30" |
| 4. 30 MAR 1985 - 4.09" | 9. 03 MAR 2008 - 3.23" |
| 5. 25 MAR 1920 - 3.78" | 10. 27 MAR 1977 - 3.11" |

TOP 10 SNOWIEST MAR

BY MONTHLY SNOWFALL

- | | |
|-----------------|-----------------|
| 1. 1988 - 14.0" | 6. 1965 - 8.5" |
| 2. 1994 - 13.8" | 7. 1892 - 7.5" |
| 3. 1970 - 13.0" | 8. 1989 - 7.2" |
| 4. 1960 - 12.8" | 9. 1914 - 7.0" |
| 5. 1958 - 12.1" | 10. 1978 - 7.0" |

1968, 1948

NORMAL - 2.0"

TOP 10 SNOWIEST DAYS IN MAR

- | | |
|------------------------|------------------------|
| 1. 08 MAR 1994 - 13.0" | 6. 19 MAR 1914 - 7.0" |
| 2. 17 MAR 1988 - 13.0" | 7. 21 MAR 2010 - 6.0" |
| 3. 17 MAR 1970 - 9.0" | 8. 15 MAR 1978 - 6.0" |
| 4. 16 MAR 1892 - 7.5" | 9. 09 MAR 1964 - 6.0" |
| 5. 17 MAR 1958 - 7.0" | 10. 14 MAR 1960 - 6.0" |

APRIL RECORDS

TOP 10 WARMEST APR BY AVERAGE MONTHLY HIGH TEMPERATURE

1.	1927	-	78.8	°F
2.	1954	-	78.6	°F
3.	1930	-	78.4	°F
4.	1955	-	77.2	°F
5.	1948	-	76.9	°F
6.	1965	-	76.8	°F
7.	1906	-	76.5	°F
8.	1929	-	76.0	°F
9.	1963	-	75.9	°F
10.	1964	-	75.9	°F

NORMAL - 69.2 °F

TOP 10 COLDEST APR BY AVERAGE MONTHLY HIGH TEMPERATURE

1.	1907	-	61.8	°F
2.	1983	-	62.1	°F
3.	1898	-	62.5	°F
4.	1993	-	62.7	°F
5.	1997	-	64.4	°F
6.	1916	-	64.5	°F
7.	1897	-	64.8	°F
8.	1982	-	64.5	°F
9.	1973	-	65.7	°F
10.	2007	-	66.3	°F

NORMAL - 69.2 °F

TOP 10 WARMEST APR BY AVERAGE MONTHLY TEMPERATURE

1.	1954	-	65.8	°F
2.	1981	-	64.9	°F
3.	1927	-	64.7	°F
4.	2006	-	64.1	°F
5.	1967	-	63.9	°F
6.	1964	-	63.7	°F
7.	2001	-	63.7	°F
8.	1955	-	63.6	°F
9.	1930	-	63.2	°F
10.	1946	-	63.0	°F

NORMAL - 58.0 °F

TOP 10 COLDEST APR BY AVERAGE MONTHLY TEMPERATURE

1.	1907	-	49.3	°F
2.	1983	-	52.2	°F
3.	1904	-	52.4	°F
4.	1898	-	52.5	°F
5.	1993	-	53.5	°F
6.	1997	-	53.6	°F
7.	1951	-	53.8	°F
8.	1912	-	53.9	°F
9.	1910	-	54.4	°F
10.	1916	-	54.4	°F

NORMAL - 58.0 °F

TOP 10 WARMEST APR BY AVERAGE MONTHLY LOW TEMPERATURE

1.	1981	-	54.1	°F
2.	1954	-	53.0	°F
3.	2006	-	52.9	°F
4.	2001	-	52.8	°F
5.	1967	-	52.2	°F
6.	1999	-	51.8	°F
7.	1964	-	51.4	°F
8.	1977	-	51.3	°F
9.	1986	-	50.6	°F
10.	1927	-	50.5	°F

NORMAL - 46.8 °F

TOP 10 COLDEST APR BY AVERAGE MONTHLY LOW TEMPERATURE

1.	1907	-	36.8	°F
2.	1904	-	37.5	°F
3.	1926	-	39.8	°F
4.	1911	-	39.9	°F
5.	1909	-	40.0	°F
6.	1951	-	40.1	°F
7.	1956	-	40.4	°F
8.	1912	-	40.6	°F
9.	1936	-	40.8	°F
10.	1910	-	40.9	°F

TOP 10 HOTTEST DAYS IN APR

BY DAILY HIGH TEMPERATURE

1. 27 APR 1927 - 99 °F
2. 10 APR 1930 - 98 °F
3. 10 APR 1927 - 95 °F
4. 28 APR 1927 - 94 °F
5. 21 APR 1963 - 93 °F
6. 18 APR 2006 - 92 °F
7. 20 APR 1987 - 92 °F
8. 13 APR 1972 - 92 °F
9. 12 APR 1972 - 92 °F
10. 22 APR 1955 - 92 °F

NORMAL - 69.2 °F

TOP 10 COLDEST DAYS IN APR

BY DAILY HIGH TEMPERATURE

1. 14 APR 1980 - 37 °F
2. 08 APR 1916 - 37 °F
3. 05 APR 1898 - 38 °F
4. 07 APR 2007 - 39 °F
5. 05 APR 1996 - 39 °F
6. 06 APR 1994 - 39 °F
7. 01 APR 1993 - 39 °F
8. 15 APR 1933 - 39 °F
9. 12 APR 1997 - 40 °F
10. 10 APR 1956 - 40 °F

TOP 10 HOTTEST DAYS IN APR

BY DAILY AVERAGE TEMPERATURE

1. 02 APR 1946 - 81.0 °F
2. 01 APR 1946 - 81.0 °F
3. 01 APR 1940 - 79.5 °F
4. 30 APR 1987 - 79.0 °F
5. 12 APR 1972 - 79.0 °F
6. 27 APR 1927 - 78.5 °F
7. 16 APR 2006 - 78.0 °F
8. 09 APR 2001 - 78.0 °F
9. 29 APR 1970 - 78.0 °F
10. 22 APR 1963 - 78.0 °F

NORMAL - 58.0 °F

TOP 10 COLDEST DAYS IN APR

BY DAILY AVERAGE TEMPERATURE

1. 07 APR 2007 - 31.0 °F
2. 13 APR 1957 - 31.0 °F
3. 25 APR 1910 - 31.5 °F
4. 02 APR 1936 - 33.0 °F
5. 06 APR 2007 - 33.5 °F
6. 14 APR 1980 - 33.5 °F
7. 08 APR 1916 - 33.5 °F
8. 03 APR 1936 - 34.0 °F
9. 05 APR 1898 - 34.0 °F
10. 06 APR 1994 - 35.0 °F

TOP 10 HOTTEST DAYS IN APR

BY DAILY LOW TEMPERATURE

1. 26 APR 1939 - 71 °F
2. 06 APR 1967 - 70 °F
3. 20 APR 1964 - 70 °F
4. 02 APR 1946 - 70 °F
5. 01 APR 1946 - 70 °F
6. 08 APR 1999 - 69 °F
7. 30 APR 1987 - 69 °F
8. 27 APR 1975 - 69 °F
9. 29 APR 1970 - 69 °F
10. 10 APR 2011 - 68 °F

NORMAL - 46.8 °F

TOP 10 COLDEST DAYS IN APR

BY DAILY LOW TEMPERATURE

1. 13 APR 1957 - 20 °F
2. 04 APR 1950 - 20 °F
3. 04 APR 1904 - 20 °F
4. 01 APR 1899 - 20 °F
5. 04 APR 1972 - 21 °F
6. 17 APR 1951 - 21 °F
7. 03 APR 1936 - 21 °F
8. 08 APR 1914 - 21 °F
9. 12 APR 1957 - 22 °F
10. 01 APR 1954 - 22 °F

TOP 10 WETTEST APR

BY MONTHLY PRECIPITATION

1. 2011 - 14.73"
2. 1945 - 14.14"
3. 1957 - 14.01"
4. 1927 - 12.04"
5. 1928 - 10.11"
6. 1940 - 8.87"
7. 2004 - 8.82"
8. 1908 - 8.68"
9. 1911 - 8.45"
10. 2008 - 7.81"

TOP 10 DRIEST APR

BY MONTHLY PRECIPITATION

1. 1989 - 0.53"
2. 1987 - 1.05"
3. 1992 - 1.19"
4. 1949 - 1.26"
5. 2000 - 1.40"
6. 1926 - 1.42"
7. 1975 - 1.44"
8. 2001 - 1.48"
9. 1982 - 1.50"
10. 1935 - 1.52"

NORMAL - 4.32"

TOP 10 WETTEST DAYS IN APR

- | | |
|------------------------|-------------------------|
| 1. 03 APR 1957 - 5.11" | 6. 14 APR 1927 - 3.70" |
| 2. 13 APR 1911 - 5.10" | 7. 23 APR 2011 - 3.42" |
| 3. 22 APR 1996 - 4.45" | 8. 19 APR 1959 - 3.33" |
| 4. 25 APR 2011 - 4.04" | 9. 21 APR 1928 - 3.29" |
| 5. 14 APR 1945 - 4.04" | 10. 15 APR 1945 - 3.16" |

TOP 10 SNOWIEST APR

BY MONTHLY SNOWFALL

- | | |
|----------------|----------------|
| 1. 1971 - 9.0" | 6. 1957 - 2.0" |
| 2. 1993 - 5.8" | 7. 1938 - 2.0" |
| 3. 1933 - 4.0" | 8. 1937 - 2.0" |
| 4. 1980 - 2.6" | 9. 1944 - 0.5" |
| 5. 1988 - 2.0" | 10. 2008 - T |

NORMAL - 0.3"

TOP 10 SNOWIEST DAYS IN APR

- | | |
|-----------------------|------------------------|
| 1. 04 APR 1993 - 5.8" | 6. 13 APR 1980 - 2.0" |
| 2. 05 APR 1971 - 5.0" | 7. 12 APR 1957 - 2.0" |
| 3. 06 APR 1971 - 4.0" | 8. 09 APR 1938 - 2.0" |
| 4. 15 APR 1933 - 4.0" | 9. 05 APR 1937 - 2.0" |
| 5. 10 APR 1988 - 2.0" | 10. 14 APR 1980 - 0.6" |

MAY RECORDS

TOP 10 WARMEST MAY

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1962 - 85.9 °F
2. 1926 - 85.0 °F
3. 1927 - 84.5 °F
4. 1911 - 84.1 °F
5. 1941 - 83.6 °F
6. 1902 - 83.4 °F
7. 1934 - 83.2 °F
8. 1936 - 83.1 °F
9. 1918 - 82.8 °F
10. 1928 - 82.6 °F

NORMAL - 76.2 °F

TOP 10 COLDEST MAY

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1981 - 70.6 °F
2. 1897 - 70.8 °F
3. 1976 - 70.9 °F
4. 1916 - 71.3 °F
5. 1907 - 71.3 °F
6. 1990 - 72.7 °F
7. 1910 - 72.9 °F
8. 2002 - 73.1 °F
9. 1995 - 73.2 °F
10. 1935 - 73.2 °F

TOP 10 WARMEST MAY

BY AVERAGE MONTHLY TEMPERATURE

1. 1962 - 73.0 °F
2. 1987 - 71.2 °F
3. 1927 - 70.8 °F
4. 1918 - 70.6 °F
5. 1998 - 70.5 °F
6. 1991 - 70.5 °F
7. 1902 - 70.5 °F
8. 1899 - 70.5 °F
9. 1941 - 70.1 °F
10. 1933 - 70.1 °F

NORMAL - 65.8 °F

TOP 10 COLDEST MAY

BY AVERAGE MONTHLY TEMPERATURE

1. 1907 - 58.2 °F
2. 1910 - 59.6 °F
3. 1976 - 60.2 °F
4. 1917 - 60.5 °F
5. 1981 - 61.3 °F
6. 1897 - 61.3 °F
7. 1909 - 62.5 °F
8. 1951 - 62.6 °F
9. 1947 - 62.6 °F
10. 1990 - 62.8 °F

TOP 10 WARMEST MAY

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1998 - 61.6 °F
2. 1987 - 61.0 °F
3. 1996 - 60.7 °F
4. 1899 - 60.6 °F
5. 1962 - 60.2 °F
6. 1991 - 60.2 °F
7. 1933 - 59.3 °F
8. 1982 - 58.9 °F
9. 2000 - 58.9 °F
10. 2004 - 58.9 °F

NORMAL - 55.4 °F

TOP 10 COLDEST MAY

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1907 - 45.1 °F
2. 1917 - 46.0 °F
3. 1910 - 46.4 °F
4. 1951 - 47.3 °F
5. 1909 - 47.5 °F
6. 1947 - 48.1 °F
7. 1911 - 48.3 °F
8. 1912 - 48.3 °F
9. 1904 - 49.3 °F
10. 1976 - 49.5 °F

TOP 10 HOTTEST DAYS IN MAY

BY DAILY HIGH TEMPERATURE

1. 29 MAY 1926 - 99 °F
2. 28 MAY 1926 - 99 °F
3. 31 MAY 1974 - 98 °F
4. 30 MAY 1928 - 98 °F
5. 30 MAY 1913 - 98 °F
6. 31 MAY 1927 - 97 °F
7. 27 MAY 1927 - 97 °F
8. 24 MAY 1926 - 97 °F
9. 30 MAY 1934 - 96 °F
10. 26 MAY 1926 - 96 °F

NORMAL - 76.2 °F

TOP 10 COLDEST DAYS IN MAY

BY DAILY HIGH TEMPERATURE

1. 02 MAY 2011 - 45 °F
2. 03 MAY 1978 - 48 °F
3. 05 MAY 1907 - 49 °F
4. 04 MAY 1978 - 50 °F
5. 28 MAY 1992 - 51 °F
6. 04 MAY 1979 - 51 °F
7. 05 MAY 1935 - 51 °F
8. 02 MAY 1994 - 52 °F
9. 17 MAY 1945 - 52 °F
10. 04 MAY 1935 - 52 °F

TOP 10 HOTTEST DAYS IN MAY

BY DAILY AVERAGE TEMPERATURE

1. 22 MAY 1953 - 83.0 °F
2. 25 MAY 2006 - 82.0 °F
3. 09 MAY 1918 - 81.5 °F
4. 30 MAY 1913 - 81.5 °F
5. 11 MAY 1967 - 81.0 °F
6. 31 MAY 1934 - 81.0 °F
7. 28 MAY 1927 - 81.0 °F
8. 25 MAY 1953 - 80.5 °F
9. 23 MAY 1953 - 80.5 °F
10. 29 MAY 1945 - 80.5 °F

NORMAL - 65.8 °F

TOP 10 COLDEST DAYS IN MAY

BY DAILY AVERAGE TEMPERATURE

1. 01 MAY 1909 - 41.0 °F
2. 05 MAY 1907 - 41.5 °F
3. 04 MAY 1907 - 42.0 °F
4. 02 MAY 2011 - 43.0 °F
5. 28 MAY 1907 - 43.0 °F
6. 02 MAY 1994 - 45.0 °F
7. 03 MAY 1978 - 45.0 °F
8. 05 MAY 1944 - 45.0 °F
9. 03 MAY 1976 - 46.0 °F
10. 06 MAY 1944 - 46.0 °F

TOP 10 HOTTEST DAYS IN MAY

BY DAILY LOW TEMPERATURE

1. 23 MAY 2000 - 77 °F
2. 22 MAY 1953 - 75 °F
3. 25 MAY 2006 - 74 °F
4. 30 MAY 2011 - 73 °F
5. 31 MAY 1998 - 73 °F
6. 11 MAY 1967 - 73 °F
7. 26 MAY 2006 - 72 °F
8. 23 MAY 1998 - 72 °F
9. 22 MAY 1998 - 72 °F
10. 30 MAY 1989 - 72 °F

NORMAL - 55.4 °F

TOP 10 COLDEST DAYS IN MAY

BY DAILY LOW TEMPERATURE

1. 02 MAY 1911 - 26 °F
2. 01 MAY 1903 - 26 °F
3. 02 MAY 1909 - 28 °F
4. 01 MAY 1909 - 28 °F
5. 09 MAY 1906 - 28 °F
6. 07 MAY 1906 - 29 °F
7. 01 MAY 1963 - 30 °F
8. 01 MAY 1960 - 30 °F
9. 05 MAY 1947 - 30 °F
10. 10 MAY 1909 - 30 °F

TOP 10 WETTEST MAY

BY MONTHLY PRECIPITATION

1. 1961 - 16.87"
2. 1920 - 13.32"
3. 1943 - 12.97"
4. 1990 - 12.86"
5. 1903 - 9.99"
6. 1957 - 9.58"
7. 1946 - 9.58"
8. 2011 - 9.51"
9. 1933 - 9.51"
10. 1905 - 9.14"

NORMAL - 4.69"

TOP 10 DRIEST MAY

BY MONTHLY PRECIPITATION

1. 1911 - 0.70"
2. 1912 - 1.06"
3. 1940 - 1.07"
4. 1901 - 1.13"
5. 1969 - 1.15"
6. 1982 - 1.82"
7. 2005 - 1.87"
8. 1997 - 1.96"
9. 1914 - 2.02"
10. 1994 - 2.19"

TOP 10 WETTEST DAYS IN MAY

- | | |
|------------------------|-------------------------|
| 1. 07 MAY 1961 - 5.00" | 6. 15 MAY 1946 - 3.14" |
| 2. 10 MAY 1943 - 4.25" | 7. 02 MAY 1990 - 3.13" |
| 3. 21 MAY 1920 - 3.43" | 8. 04 MAY 2006 - 2.96" |
| 4. 20 MAY 1955 - 3.40" | 9. 09 MAY 1943 - 2.94" |
| 5. 04 MAY 1920 - 3.35" | 10. 10 MAY 1950 - 2.85" |

JUNE RECORDS

TOP 10 WARMEST JUN BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1953 - 96.1 °F
2. 1936 - 95.0 °F
3. 1901 - 94.9 °F
4. 1952 - 94.3 °F
5. 1914 - 94.1 °F
6. 1933 - 93.9 °F
7. 1934 - 93.7 °F
8. 1925 - 93.3 °F
9. 1911 - 91.7 °F
10. 1954 - 91.6 °F

NORMAL - 84.4 °F

TOP 10 COLDEST JUN BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1916 - 79.2 °F
2. 2003 - 79.4 °F
3. 1976 - 79.5 °F
4. 1982 - 79.6 °F
5. 1989 - 80.5 °F
6. 1992 - 80.5 °F
7. 1910 - 80.6 °F
8. 1974 - 81.0 °F
9. 2000 - 81.1 °F
10. 1979 - 81.2 °F

TOP 10 WARMEST JUN BY AVERAGE MONTHLY TEMPERATURE

1. 1953 - 81.2 °F
2. 1914 - 80.3 °F
3. 1934 - 79.8 °F
4. 1952 - 79.7 °F
5. 1936 - 78.7 °F
6. 1925 - 78.7 °F
7. 2010 - 78.6 °F
8. 1933 - 78.6 °F
9. 2011 - 68.5 °F
10. 1998 - 78.2 °F

NORMAL - 73.7 °F

TOP 10 COLDEST JUN BY AVERAGE MONTHLY TEMPERATURE

1. 1910 - 67.4 °F
2. 1912 - 67.9 °F
3. 1903 - 68.0 °F
4. 1916 - 69.0 °F
5. 1974 - 69.1 °F
6. 2003 - 69.3 °F
7. 1908 - 69.7 °F
8. 1976 - 69.8 °F
9. 1982 - 70.1 °F
10. 1955 - 70.1 °F

TOP 10 WARMEST JUN BY AVERAGE MONTHLY LOW TEMPERATURE

1. 2010 - 68.4 °F
2. 1998 - 68.3 °F
3. 2011 - 67.4 °F
4. 1994 - 67.1 °F
5. 1943 - 66.9 °F
6. 1986 - 66.5 °F
7. 1914 - 66.4 °F
8. 1953 - 66.3 °F
9. 1980 - 66.2 °F
10. 1934 - 65.8 °F

NORMAL - 62.9 °F

TOP 10 COLDEST JUN BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1912 - 52.4 °F
2. 1903 - 53.6 °F
3. 1910 - 54.1 °F
4. 1907 - 55.7 °F
5. 1974 - 57.1 °F
6. 1909 - 57.6 °F
7. 1906 - 57.8 °F
8. 1917 - 57.8 °F
9. 1951 - 58.1 °F
10. 1955 - 58.2 °F

TOP 10 HOTTEST DAYS IN JUN

BY DAILY HIGH TEMPERATURE

1. 20 JUN 1936 - 105 °F
2. 28 JUN 1936 - 104 °F
3. 29 JUN 1934 - 104 °F
4. 24 JUN 1933 - 103 °F
5. 26 JUN 1954 - 102 °F
6. 20 JUN 1953 - 102 °F
7. 19 JUN 1953 - 102 °F
8. 14 JUN 1953 - 102 °F
9. 13 JUN 1953 - 102 °F
10. 30 JUN 1952 - 102 °F

NORMAL - 83.5 °F

TOP 10 COLDEST DAYS IN JUN

BY DAILY HIGH TEMPERATURE

1. 03 JUN 1928 - 60 °F
2. 01 JUN 1907 - 60 °F
3. 01 JUN 1903 - 60 °F
4. 06 JUN 1897 - 60 °F
5. 07 JUN 1916 - 61 °F
6. 03 JUN 1897 - 62 °F
7. 02 JUN 1992 - 63 °F
8. 07 JUN 1935 - 63 °F
9. 15 JUN 1989 - 64 °F
10. 16 JUN 1999 - 65 °F

TOP 10 HOTTEST DAYS IN JUN

BY DAILY AVERAGE TEMPERATURE

1. 20 JUN 1915 - 88.5 °F
2. 16 JUN 1953 - 88.0 °F
3. 14 JUN 1953 - 87.5 °F
4. 20 JUN 1936 - 87.5 °F
5. 28 JUN 1980 - 87.0 °F
6. 20 JUN 1953 - 87.0 °F
7. 29 JUN 1936 - 87.0 °F
8. 19 JUN 1936 - 87.0 °F
9. 25 JUN 1953 - 86.5 °F
10. 25 JUN 1952 - 86.5 °F

NORMAL - 73.9 °F

TOP 10 COLDEST DAYS IN JUN

BY DAILY AVERAGE TEMPERATURE

1. 01 JUN 1907 - 52.5 °F
2. 01 JUN 1903 - 54.5 °F
3. 07 JUN 1916 - 56.0 °F
4. 06 JUN 1897 - 56.0 °F
5. 03 JUN 1897 - 56.0 °F
6. 03 JUN 1928 - 56.5 °F
7. 15 JUN 1989 - 57.5 °F
8. 18 JUN 1912 - 57.5 °F
9. 06 JUN 1998 - 58.0 °F
10. 01 JUN 1982 - 58.0 °F

TOP 10 HOTTEST DAYS IN JUN

BY DAILY LOW TEMPERATURE

1. 20 JUN 1915 - 80 °F
2. 28 JUN 1980 - 79 °F
3. 27 JUN 2011 - 78 °F
4. 20 JUN 1998 - 77 °F
5. 18 JUN 1998 - 77 °F
6. 09 JUN 1981 - 77 °F
7. 28 JUN 1945 - 77 °F
8. 18 JUN 1939 - 77 °F
9. 25 JUN 1924 - 77 °F
10. 30 JUN 1904 - 77 °F

NORMAL - 64.3 °F

TOP 10 COLDEST DAYS IN JUN

BY DAILY LOW TEMPERATURE

1. 24 JUN 1949 - 40 °F
2. 12 JUN 1903 - 40 °F
3. 03 JUN 1969 - 42 °F
4. 08 JUN 1928 - 42 °F
5. 19 JUN 1912 - 42 °F
6. 08 JUN 1912 - 42 °F
7. 02 JUN 1907 - 42 °F
8. 23 JUN 1902 - 42 °F
9. 01 JUN 1966 - 43 °F
10. 02 JUN 1956 - 43 °F

TOP 10 WETTEST JUN

BY MONTHLY PRECIPITATION

1. 1935 - 15.22"
2. 1928 - 14.19"
3. 1955 - 10.41"
4. 1980 - 9.79"
5. 1962 - 9.00"
6. 2008 - 8.73"
7. 2000 - 8.71"
8. 1992 - 8.64"
9. 1959 - 8.57"
10. 1957 - 8.09"

TOP 10 DRIEST JUN

BY MONTHLY PRECIPITATION

1. 1952 - 0.20"
2. 1914 - 0.31"
3. 1901 - 0.47"
4. 1913 - 0.48"
5. 1953 - 0.63"
6. 1966 - 0.79"
7. 1933 - 0.80"
8. 2011 - 0.93"
9. 1988 - 1.03"
10. 2006 - 1.04"

NORMAL - 4.24"

TOP 10 WETTEST DAYS IN JUN

- | | |
|------------------------|-------------------------|
| 1. 02 JUN 1935 - 5.37" | 6. 17 JUN 1980 - 3.52" |
| 2. 18 JUN 1980 - 4.37" | 7. 16 JUN 1956 - 3.42" |
| 3. 12 JUN 1928 - 4.10" | 8. 17 JUN 2000 - 3.18" |
| 4. 23 JUN 1976 - 3.98" | 9. 28 JUN 1902 - 3.14" |
| 5. 23 JUN 2008 - 3.95" | 10. 14 JUN 1955 - 3.04" |

JULY RECORDS

TOP 10 WARMEST JUL

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1934 - 102.0 °F
2. 1954 - 100.9 °F
3. 1901 - 100.4 °F
4. 1936 - 99.9 °F
5. 1930 - 99.2 °F
6. 1916 - 98.1 °F
7. 2011 - 97.0 °F
8. 1980 - 96.8 °F
9. 1938 - 96.4 °F
10. 1941 - 95.9 °F

NORMAL - 89.0 °F

TOP 10 COLDEST JUL

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1915 - 81.0 °F
2. 1950 - 83.0 °F
3. 1905 - 83.8 °F
4. 1898 - 83.9 °F
5. 2004 - 84.1 °F
6. 2009 - 84.3 °F
7. 1903 - 84.8 °F
8. 1989 - 84.9 °F
9. 1904 - 85.5 °F
10. 1979 - 85.8 °F

TOP 10 WARMEST JUL

BY AVERAGE MONTHLY TEMPERATURE

1. 1934 - 86.2 °F
2. 1954 - 85.3 °F
3. 1980 - 85.2 °F
4. 1936 - 84.7 °F
5. 2011 - 84.4 °F
6. 1986 - 83.6 °F
7. 1901 - 83.4 °F
8. 1998 - 83.2 °F
9. 1930 - 82.2 °F
10. 1941 - 82.2 °F

NORMAL - 78.4 °F

TOP 10 COLDEST JUL

BY AVERAGE MONTHLY TEMPERATURE

1. 1915 - 71.8 °F
2. 1905 - 72.2 °F
3. 1906 - 72.4 °F
4. 1904 - 72.8 °F
5. 1950 - 72.8 °F
6. 1911 - 73.0 °F
7. 1924 - 73.4 °F
8. 1908 - 73.3 °F
9. 1903 - 73.9 °F
10. 1967 - 74.5 °F

TOP 10 WARMEST JUL

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1980 - 73.6 °F
2. 1986 - 73.0 °F
3. 1998 - 72.2 °F
4. 1993 - 71.9 °F
5. 2011 - 71.7 °F
6. 1999 - 71.2 °F
7. 2010 - 70.9 °F
8. 1981 - 70.5 °F
9. 1978 - 70.4 °F
10. 1934 - 70.4 °F

NORMAL - 67.7 °F

TOP 10 COLDEST JUL

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1906 - 58.5 °F
2. 1911 - 58.9 °F
3. 1908 - 59.1 °F
4. 1904 - 60.2 °F
5. 1947 - 60.6 °F
6. 1905 - 60.6 °F
7. 1924 - 60.8 °F
8. 1910 - 61.1 °F
9. 1912 - 61.3 °F
10. 1907 - 61.6 °F

TOP 10 HOTTEST DAYS IN JUL

BY DAILY HIGH TEMPERATURE

1. 18 JUL 1936 - 112 °F
2. 14 JUL 1954 - 110 °F
3. 15 JUL 1936 - 110 °F
4. 13 JUL 1954 - 109 °F
5. 23 JUL 1901 - 109 °F
6. 12 JUL 1901 - 109 °F
7. 27 JUL 1936 - 108 °F
8. 26 JUL 1934 - 108 °F
9. 24 JUL 1934 - 108 °F
10. 14 JUL 1934 - 108 °F

NORMAL - 88.9 °F

TOP 10 COLDEST DAYS IN JUL

BY DAILY HIGH TEMPERATURE

1. 27 JUL 1948 - 64 °F
2. 10 JUL 1905 - 65 °F
3. 28 JUL 1911 - 66 °F
4. 25 JUL 1991 - 69 °F
5. 20 JUL 1989 - 69 °F
6. 09 JUL 1905 - 69 °F
7. 25 JUL 2004 - 70 °F
8. 22 JUL 2000 - 70 °F
9. 23 JUL 1979 - 70 °F
10. 27 JUL 1977 - 70 °F

TOP 10 HOTTEST DAYS IN JUL

BY DAILY AVERAGE TEMPERATURE

1. 29 JUL 1986 - 94.5 °F
2. 16 JUL 1936 - 94.0 °F
3. 18 JUL 1954 - 93.0 °F
4. 16 JUL 1980 - 92.5 °F
5. 13 JUL 1954 - 92.0 °F
6. 19 JUL 1934 - 92.0 °F
7. 14 JUL 1934 - 92.0 °F
8. 28 JUL 1986 - 91.5 °F
9. 15 JUL 1954 - 91.5 °F
10. 18 JUL 1936 - 91.5 °F

NORMAL - 79.1 °F

TOP 10 COLDEST DAYS IN JUL

BY DAILY AVERAGE TEMPERATURE

1. 04 JUL 1924 - 58.5 °F
2. 18 JUL 1910 - 59.0 °F
3. 05 JUL 1924 - 60.0 °F
4. 03 JUL 1924 - 61.0 °F
5. 06 JUL 1972 - 61.5 °F
6. 31 JUL 1925 - 61.5 °F
7. 02 JUL 1924 - 61.5 °F
8. 25 JUL 1911 - 61.5 °F
9. 10 JUL 1905 - 61.5 °F
10. 31 JUL 1971 - 62.0 °F

TOP 10 HOTTEST DAYS IN JUL

BY DAILY LOW TEMPERATURE

1. 16 JUL 1936 - 83 °F
2. 29 JUL 1986 - 82 °F
3. 28 JUL 1986 - 82 °F
4. 11 JUL 2011 - 81 °F
5. 20 JUL 1981 - 81 °F
6. 16 JUL 1980 - 81 °F
7. 04 JUL 1980 - 80 °F
8. 11 JUL 1969 - 80 °F
9. 21 JUL 1954 - 80 °F
10. 16 JUL 1914 - 80 °F

NORMAL - 69.2 °F

TOP 10 COLDEST DAYS IN JUL

BY DAILY LOW TEMPERATURE

1. 18 JUL 1910 - 41 °F
2. 04 JUL 1924 - 42 °F
3. 07 JUL 1920 - 42 °F
4. 25 JUL 1911 - 43 °F
5. 23 JUL 1947 - 44 °F
6. 22 JUL 1947 - 45 °F
7. 07 JUL 1915 - 45 °F
8. 31 JUL 1971 - 46 °F
9. 05 JUL 1915 - 46 °F
10. 02 JUL 1924 - 47 °F

TOP 10 WETTEST JUL

BY MONTHLY PRECIPITATION

1. 1905 - 13.75"
2. 1917 - 10.60"
3. 2010 - 8.84"
4. 1946 - 8.65"
5. 1927 - 8.51"
6. 1968 - 8.40"
7. 1925 - 8.18"
8. 1919 - 7.35"
9. 1899 - 6.82"
10. 1948 - 6.73"

TOP 10 DRIEST JUL

BY MONTHLY PRECIPITATION

1. 1923 - 0.33"
2. 2006 - 0.43"
3. 1930 - 0.43"
4. 1943 - 0.44"
5. 1934 - 0.45"
6. 1916 - 0.69"
7. 1944 - 0.80"
8. 1954 - 0.82"
9. 1920 - 0.85"
10. 1940 - 0.89"

NORMAL - 3.14"

TOP 10 WETTEST DAYS IN JUL

- | | |
|------------------------|-------------------------|
| 1. 28 JUL 1946 - 5.55" | 6. 20 JUL 1925 - 3.40" |
| 2. 30 JUL 1927 - 4.90" | 7. 20 JUL 1899 - 3.16" |
| 3. 02 JUL 1968 - 4.86" | 8. 24 JUL 1917 - 3.07" |
| 4. 27 JUL 1919 - 4.65" | 9. 28 JUL 1968 - 2.85" |
| 5. 31 JUL 1905 - 3.58" | 10. 08 JUL 2010 - 2.83" |

AUGUST RECORDS

TOP 10 WARMEST AUG

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1936 - 102.4 °F
2. 1913 - 99.4 °F
3. 1954 - 98.3 °F
4. 1943 - 97.8 °F
5. 1947 - 97.4 °F
6. 1929 - 97.4 °F
7. 1901 - 97.2 °F
8. 1938 - 97.0 °F
9. 1934 - 96.2 °F
10. 1918 - 96.2 °F

NORMAL - 88.9 °F

TOP 10 COLDEST AUG

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1915 - 78.8 °F
2. 1903 - 81.1 °F
3. 1992 - 81.5 °F
4. 1911 - 82.5 °F
5. 2004 - 82.9 °F
6. 1981 - 83.7 °F
7. 2008 - 83.9 °F
8. 1950 - 83.9 °F
9. 1976 - 84.3 °F
10. 2009 - 84.5 °F

TOP 10 WARMEST AUG

BY AVERAGE MONTHLY TEMPERATURE

1. 1936 - 85.9 °F
2. 1980 - 84.0 °F
3. 1934 - 83.6 °F
4. 2000 - 83.3 °F
5. 1995 - 83.3 °F
6. 1954 - 82.8 °F
7. 1938 - 82.8 °F
8. 1913 - 82.8 °F
9. 2007 - 82.7 °F
10. 1943 - 82.6 °F

NORMAL - 77.6 °F

TOP 10 COLDEST AUG

BY AVERAGE MONTHLY TEMPERATURE

1. 1915 - 69.6 °F
2. 1903 - 71.3 °F
3. 1992 - 71.5 °F
4. 1950 - 71.5 °F
5. 1911 - 71.8 °F
6. 1967 - 72.0 °F
7. 2004 - 72.3 °F
8. 1904 - 72.9 °F
9. 1912 - 73.2 °F
10. 1976 - 73.3 °F

TOP 10 WARMEST AUG

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 2000 - 72.1 °F
2. 1980 - 72.0 °F
3. 2007 - 70.9 °F
4. 1995 - 70.9 °F
5. 1934 - 70.9 °F
6. 2006 - 70.1 °F
7. 1923 - 70.0 °F
8. 2010 - 69.9 °F
9. 1987 - 69.5 °F
10. 1936 - 69.5 °F

NORMAL - 66.4 °F

TOP 10 COLDEST AUG

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1967 - 58.2 °F
2. 1912 - 58.4 °F
3. 1950 - 59.1 °F
4. 1974 - 59.6 °F
5. 1909 - 60.2 °F
6. 1904 - 60.4 °F
7. 1953 - 60.4 °F
8. 1906 - 60.5 °F
9. 1915 - 60.5 °F
10. 1925 - 60.5 °F

TOP 10 HOTTEST DAYS IN AUG

BY DAILY HIGH TEMPERATURE

1. 03 AUG 2011 - 112 °F
2. 09 AUG 1934 - 112 °F
3. 10 AUG 1936 - 111 °F
4. 04 AUG 1916 - 111 °F
5. 09 AUG 1936 - 110 °F
6. 02 AUG 2011 - 109 °F
7. 18 AUG 1936 - 109 °F
8. 16 AUG 1936 - 109 °F
9. 08 AUG 1934 - 109 °F
10. 07 AUG 1934 - 109 °F

NORMAL - 88.9 °F

TOP 10 COLDEST DAYS IN AUG

BY DAILY HIGH TEMPERATURE

1. 23 AUG 1961 - 65 °F
2. 15 AUG 1964 - 66 °F
3. 26 AUG 1946 - 66 °F
4. 29 AUG 1917 - 66 °F
5. 25 AUG 1911 - 66 °F
6. 05 AUG 1993 - 67 °F
7. 24 AUG 1928 - 68 °F
8. 19 AUG 1915 - 68 °F
9. 08 AUG 1997 - 69 °F
10. 06 AUG 1993 - 69 °F

TOP 10 HOTTEST DAYS IN AUG

BY DAILY AVERAGE TEMPERATURE

1. 03 AUG 2011 - 97.0 °F
2. 01 AUG 1934 - 94.5 °F
3. 02 AUG 2011 - 93.5 °F
4. 19 AUG 1936 - 93.5 °F
5. 09 AUG 1934 - 93.5 °F
6. 02 AUG 1934 - 93.5 °F
7. 04 AUG 1918 - 93.5 °F
8. 12 AUG 1934 - 92.5 °F
9. 08 AUG 1934 - 92.5 °F
10. 07 AUG 1934 - 92.5 °F

NORMAL - 77.6 °F

TOP 10 COLDEST DAYS IN AUG

BY DAILY AVERAGE TEMPERATURE

1. 31 AUG 1915 - 59.5 °F
2. 31 AUG 2009 - 60.5 °F
3. 13 AUG 2004 - 61.0 °F
4. 12 AUG 2004 - 61.0 °F
5. 13 AUG 1967 - 61.0 °F
6. 25 AUG 1911 - 61.0 °F
7. 29 AUG 1986 - 61.5 °F
8. 28 AUG 1986 - 61.5 °F
9. 15 AUG 1964 - 61.5 °F
10. 30 AUG 1946 - 61.5 °F

TOP 10 HOTTEST DAYS IN AUG

BY DAILY LOW TEMPERATURE

1. 02 AUG 1934 - 83 °F
2. 01 AUG 1934 - 83 °F
3. 28 AUG 1923 - 82 °F
4. 02 AUG 2011 - 82 °F
5. 24 AUG 1982 - 80 °F
6. 02 AUG 1980 - 80 °F
7. 01 AUG 1980 - 80 °F
8. 19 AUG 1936 - 80 °F
9. 22 AUG 1924 - 80 °F
10. 08 AUG 1923 - 80 °F

NORMAL - 66.4 °F

TOP 10 COLDEST DAYS IN AUG

BY DAILY LOW TEMPERATURE

1. 31 AUG 1915 - 41 °F
2. 28 AUG 1906 - 42 °F
3. 28 AUG 1967 - 43 °F
4. 27 AUG 1910 - 43 °F
5. 13 AUG 1967 - 44 °F
6. 22 AUG 1956 - 45 °F
7. 22 AUG 1950 - 45 °F
8. 05 AUG 1912 - 45 °F
9. 04 AUG 1912 - 45 °F
10. 31 AUG 1911 - 45 °F

TOP 10 WETTEST AUG

BY MONTHLY PRECIPITATION

1. 1915 - 14.56"
2. 1981 - 9.90"
3. 1926 - 8.87"
4. 1927 - 8.33"
5. 1910 - 7.37"
6. 1962 - 7.35"
7. 1911 - 7.00"
8. 1982 - 6.77"
9. 2008 - 6.48"
10. 1999 - 6.21"

NORMAL - 3.58"

TOP 10 DRIEST AUG

BY MONTHLY PRECIPITATION

1. 2007 - T
2. 2000 - 0.01"
3. 1936 - 0.01"
4. 1909 - 0.11"
5. 1995 - 0.15"
6. 1913 - 0.18"
7. 2010 - 0.34"
8. 1892 - 0.78"
9. 1967 - 0.82"
10. 1951 - 0.85"

TOP 10 WETTEST DAYS IN AUG

- | | |
|------------------------|-------------------------|
| 1. 19 AUG 1915 - 5.70" | 6. 17 AUG 1977 - 2.69" |
| 2. 17 AUG 1927 - 3.92" | 7. 16 AUG 1966 - 2.62" |
| 3. 06 AUG 1999 - 3.36" | 8. 13 AUG 1952 - 2.53" |
| 4. 15 AUG 1990 - 3.23" | 9. 13 AUG 1982 - 2.52" |
| 5. 01 AUG 1904 - 2.78" | 10. 26 AUG 1975 - 2.51" |

SEPTEMBER RECORDS

TOP 10 WARMEST SEP BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1939 - 93.9 °F
2. 1954 - 92.1 °F
3. 1932 - 91.7 °F
4. 1953 - 91.6 °F
5. 1956 - 90.1 °F
6. 1925 - 90.1 °F
7. 1938 - 89.2 °F
8. 1960 - 88.8 °F
9. 1931 - 88.8 °F
10. 1919 - 88.8 °F

NORMAL - 80.6 °F

TOP 10 COLDEST SEP BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1974 - 74.0 °F
2. 1975 - 76.0 °F
3. 1989 - 76.1 °F
4. 2009 - 76.6 °F
5. 1995 - 76.9 °F
6. 1915 - 77.1 °F
7. 1967 - 77.2 °F
8. 2003 - 77.6 °F
9. 1918 - 77.6 °F
10. 1903 - 77.8 °F

TOP 10 WARMEST SEP BY AVERAGE MONTHLY TEMPERATURE

1. 1932 - 79.3 °F
2. 1939 - 78.0 °F
3. 1936 - 76.5 °F
4. 1925 - 75.9 °F
5. 1998 - 75.7 °F
6. 1931 - 75.2 °F
7. 1933 - 75.1 °F
8. 1954 - 74.9 °F
9. 2005 - 74.8 °F
10. 1897 - 74.5 °F

NORMAL - 69.2 °F

TOP 10 COLDEST SEP BY AVERAGE MONTHLY TEMPERATURE

1. 1974 - 62.1 °F
2. 1918 - 64.5 °F
3. 1903 - 64.9 °F
4. 1949 - 65.1 °F
5. 1967 - 65.2 °F
6. 1975 - 65.6 °F
7. 1989 - 65.7 °F
8. 1950 - 66.4 °F
9. 2003 - 66.5 °F
10. 1902 - 66.7 °F

TOP 10 WARMEST SEP BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1998 - 66.3 °F
2. 1986 - 64.8 °F
3. 1936 - 64.6 °F
4. 1900 - 64.3 °F
5. 1933 - 64.0 °F
6. 1978 - 63.8 °F
7. 1980 - 63.3 °F
8. 2005 - 63.1 °F
9. 1972 - 63.0 °F
10. 1977 - 62.8 °F

NORMAL - 57.8 °F

TOP 10 COLDEST SEP BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1952 - 48.9 °F
2. 1912 - 50.0 °F
3. 1974 - 50.2 °F
4. 1956 - 50.5 °F
5. 1949 - 50.9 °F
6. 1927 - 51.3 °F
7. 1918 - 51.4 °F
8. 1953 - 51.7 °F
9. 1902 - 51.9 °F
10. 1903 - 52.0 °F

TOP 10 HOTTEST DAYS IN SEP

BY DAILY HIGH TEMPERATURE

1. 03 SEP 1939 - 106 °F
2. 05 SEP 1913 - 106 °F
3. 04 SEP 1913 - 106 °F
4. 07 SEP 1947 - 105 °F
5. 04 SEP 1947 - 105 °F
6. 07 SEP 1907 - 105 °F
7. 06 SEP 1939 - 104 °F
8. 05 SEP 1925 - 104 °F
9. 04 SEP 1925 - 104 °F
10. 03 SEP 2000 - 103 °F

NORMAL - 80.6 °F

TOP 10 COLDEST DAYS IN SEP

BY DAILY HIGH TEMPERATURE

1. 25 SEP 2000 - 51 °F
2. 29 SEP 1984 - 51 °F
3. 25 SEP 1926 - 51 °F
4. 20 SEP 1892 - 54 °F
5. 27 SEP 1996 - 55 °F
6. 24 SEP 1994 - 55 °F
7. 28 SEP 1967 - 55 °F
8. 27 SEP 1913 - 55 °F
9. 28 SEP 1984 - 56 °F
10. 27 SEP 1984 - 56 °F

TOP 10 HOTTEST DAYS IN SEP

BY DAILY AVERAGE TEMPERATURE

1. 20 SEP 1954 - 90.5 °F
2. 03 SEP 1939 - 90.5 °F
3. 05 SEP 1947 - 88.0 °F
4. 01 SEP 2000 - 87.5 °F
5. 05 SEP 1998 - 87.5 °F
6. 09 SEP 1939 - 87.0 °F
7. 05 SEP 1913 - 87.0 °F
8. 05 SEP 1899 - 87.0 °F
9. 03 SEP 2000 - 86.5 °F
10. 08 SEP 1939 - 86.5 °F

NORMAL - 69.2 °F

TOP 10 COLDEST DAYS IN SEP

BY DAILY AVERAGE TEMPERATURE

1. 25 SEP 2000 - 45.0 °F
2. 28 SEP 1967 - 46.0 °F
3. 27 SEP 1942 - 46.5 °F
4. 30 SEP 1984 - 47.0 °F
5. 20 SEP 1918 - 47.0 °F
6. 29 SEP 1984 - 48.0 °F
7. 22 SEP 1995 - 48.5 °F
8. 21 SEP 1983 - 48.5 °F
9. 29 SEP 1967 - 48.5 °F
10. 25 SEP 1926 - 48.5 °F

TOP 10 HOTTEST DAYS IN SEP

BY DAILY LOW TEMPERATURE

1. 20 SEP 1954 - 80 °F
2. 01 SEP 1980 - 77 °F
3. 29 SEP 1919 - 77 °F
4. 05 SEP 1947 - 76 °F
5. 05 SEP 1998 - 75 °F
6. 05 SEP 1985 - 75 °F
7. 23 SEP 1945 - 75 °F
8. 04 SEP 1939 - 75 °F
9. 03 SEP 1939 - 75 °F
10. 07 SEP 2007 - 74 °F

NORMAL - 57.8 °F

TOP 10 COLDEST DAYS IN SEP

BY DAILY LOW TEMPERATURE

1. 29 SEP 1967 - 30 °F
2. 29 SEP 1908 - 30 °F
3. 30 SEP 1949 - 31 °F
4. 20 SEP 1918 - 31 °F
5. 28 SEP 1909 - 31 °F
6. 28 SEP 1908 - 31 °F
7. 27 SEP 1942 - 32 °F
8. 29 SEP 1916 - 32 °F
9. 27 SEP 1912 - 32 °F
10. 26 SEP 1912 - 32 °F

TOP 10 WETTEST SEP

BY MONTHLY PRECIPITATION

1. 1930 - 11.80"
2. 1936 - 11.67"
3. 2010 - 11.43"
4. 1945 - 10.57"
5. 1993 - 10.08"
6. 2009 - 9.80"
7. 1970 - 9.55"
8. 1996 - 9.40"
9. 1926 - 8.85"
10. 1958 - 8.77"

TOP 10 DRIEST SEP

BY MONTHLY PRECIPITATION

1. 1928 - 0.08"
2. 2004 - 0.09"
3. 1946 - 0.12"
4. 1948 - 0.16"
5. 1956 - 0.19"
6. 1939 - 0.27"
7. 1931 - 0.38"
8. 1981 - 0.39"
9. 1953 - 0.42"
10. 1982 - 0.57"

NORMAL - 4.20"

TOP 10 WETTEST DAYS IN SEP

- | | |
|------------------------|-------------------------|
| 1. 08 SEP 1930 - 5.00" | 6. 28 SEP 1906 - 3.92" |
| 2. 24 SEP 1941 - 4.75" | 7. 25 SEP 1945 - 3.51" |
| 3. 26 SEP 1996 - 4.63" | 8. 23 SEP 1970 - 3.03" |
| 4. 09 SEP 2010 - 4.56" | 9. 02 SEP 1934 - 2.83" |
| 5. 24 SEP 1993 - 4.14" | 10. 19 SEP 1958 - 2.72" |

OCTOBER RECORDS

TOP 10 WARMEST OCT

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1963 - 83.6 °F
2. 1927 - 82.8 °F
3. 1928 - 82.6 °F
4. 1947 - 81.3 °F
5. 1956 - 80.2 °F
6. 1950 - 80.1 °F
7. 1938 - 80.0 °F
8. 1899 - 78.8 °F
9. 1944 - 78.5 °F
10. 1901 - 78.4 °F

NORMAL - 70.1 °F

TOP 10 COLDEST OCT

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 2009 - 63.1 °F
2. 2002 - 64.2 °F
3. 1925 - 64.3 °F
4. 1976 - 64.4 °F
5. 1923 - 64.8 °F
6. 1898 - 65.4 °F
7. 1988 - 65.7 °F
8. 1993 - 66.0 °F
9. 1981 - 66.4 °F
10. 1970 - 66.5 °F

TOP 10 WARMEST OCT

BY AVERAGE MONTHLY TEMPERATURE

1. 1963 - 67.5 °F
2. 1928 - 66.8 °F
3. 1920 - 65.8 °F
4. 1897 - 65.4 °F
5. 1941 - 65.2 °F
6. 1919 - 64.8 °F
7. 1899 - 64.6 °F
8. 1971 - 64.4 °F
9. 1900 - 64.4 °F
10. 1927 - 64.1 °F

NORMAL - 58.9 °F

TOP 10 COLDEST OCT

BY AVERAGE MONTHLY TEMPERATURE

1. 1925 - 52.9 °F
2. 1917 - 53.2 °F
3. 1976 - 53.6 °F
4. 1952 - 54.6 °F
5. 2009 - 54.7 °F
6. 1923 - 54.7 °F
7. 1906 - 55.1 °F
8. 1988 - 55.2 °F
9. 1896 - 55.3 °F
10. 1993 - 55.4 °F

TOP 10 WARMEST OCT

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1941 - 56.0 °F
2. 2004 - 53.3 °F
3. 1984 - 53.0 °F
4. 1919 - 52.9 °F
5. 1985 - 52.8 °F
6. 1920 - 52.8 °F
7. 1897 - 52.6 °F
8. 1900 - 52.2 °F
9. 1962 - 51.9 °F
10. 1971 - 51.7 °F

NORMAL - 47.7 °F

TOP 10 COLDEST OCT

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1952 - 35.7 °F
2. 1917 - 37.3 °F
3. 1908 - 39.8 °F
4. 1948 - 39.8 °F
5. 1906 - 40.7 °F
6. 1910 - 41.0 °F
7. 1955 - 41.1 °F
8. 1925 - 41.5 °F
9. 1912 - 41.6 °F
10. 1957 - 42.1 °F

TOP 10 HOTTEST DAYS IN OCT

BY DAILY HIGH TEMPERATURE

1. 05 OCT 1954 - 96 °F
2. 09 OCT 1928 - 96 °F
3. 04 OCT 1928 - 96 °F
4. 23 OCT 1927 - 96 °F
5. 01 OCT 1926 - 96 °F
6. 05 OCT 1909 - 96 °F
7. 07 OCT 1963 - 95 °F
8. 01 OCT 1953 - 95 °F
9. 10 OCT 1928 - 95 °F
10. 18 OCT 1926 - 95 °F

NORMAL - 70.1 °F

TOP 10 COLDEST DAYS IN OCT

BY DAILY HIGH TEMPERATURE

1. 30 OCT 1993 - 31 °F
2. 29 OCT 1925 - 31 °F
3. 30 OCT 1925 - 35 °F
4. 31 OCT 1993 - 38 °F
5. 28 OCT 1925 - 39 °F
6. 19 OCT 1989 - 40 °F
7. 26 OCT 1957 - 41 °F
8. 30 OCT 1976 - 43 °F
9. 21 OCT 1911 - 43 °F
10. 31 OCT 2002 - 44 °F

TOP 10 HOTTEST DAYS IN OCT

BY DAILY AVERAGE TEMPERATURE

1. 04 OCT 1954 - 82.0 °F
2. 07 OCT 1939 - 82.0 °F
3. 05 OCT 1954 - 81.0 °F
4. 01 OCT 1926 - 80.5 °F
5. 05 OCT 1981 - 79.5 °F
6. 04 OCT 1951 - 79.0 °F
7. 03 OCT 1951 - 79.0 °F
8. 12 OCT 1928 - 79.0 °F
9. 06 OCT 1941 - 78.5 °F
10. 04 OCT 1928 - 78.5 °F

NORMAL - 58.9 °F

TOP 10 COLDEST DAYS IN OCT

BY DAILY AVERAGE TEMPERATURE

1. 30 OCT 1925 - 26.0 °F
2. 29 OCT 1925 - 27.5 °F
3. 30 OCT 1993 - 28.0 °F
4. 31 OCT 1993 - 29.5 °F
5. 28 OCT 1925 - 31.5 °F
6. 28 OCT 1910 - 32.0 °F
7. 30 OCT 1917 - 33.0 °F
8. 26 OCT 1957 - 34.0 °F
9. 19 OCT 1989 - 35.0 °F
10. 23 OCT 1937 - 35.5 °F

TOP 10 HOTTEST DAYS IN OCT

BY DAILY LOW TEMPERATURE

1. 03 OCT 1986 - 72 °F
2. 04 OCT 1954 - 72 °F
3. 06 OCT 1941 - 72 °F
4. 05 OCT 1981 - 71 °F
5. 07 OCT 1939 - 71 °F
6. 06 OCT 2007 - 70 °F
7. 21 OCT 1979 - 70 °F
8. 20 OCT 1979 - 70 °F
9. 05 OCT 1941 - 70 °F
10. 09 OCT 1980 - 69 °F

NORMAL - 47.7 °F

TOP 10 COLDEST DAYS IN OCT

BY DAILY LOW TEMPERATURE

1. 29 OCT 1910 - 16 °F
2. 30 OCT 1925 - 17 °F
3. 30 OCT 1917 - 17 °F
4. 28 OCT 1957 - 20 °F
5. 29 OCT 1952 - 20 °F
6. 21 OCT 1952 - 20 °F
7. 24 OCT 1917 - 20 °F
8. 28 OCT 1910 - 20 °F
9. 31 OCT 1993 - 21 °F
10. 23 OCT 1937 - 21 °F

TOP 10 WETTEST OCT

BY MONTHLY PRECIPITATION

1. 1941 - 12.80"
2. 2009 - 12.59"
3. 1991 - 9.80"
4. 1984 - 9.53"
5. 1967 - 9.42"
6. 1969 - 8.71"
7. 1951 - 8.45"
8. 1925 - 7.82"
9. 2004 - 6.71"
10. 1926 - 6.45"

NORMAL - 3.55"

TOP 10 DRIEST OCT

BY MONTHLY PRECIPITATION

1. 2010 - 0.26"
2. 1989 - 0.28"
3. 1964 - 0.31"
4. 1963 - 0.35"
5. 1958 - 0.49"
6. 1916 - 0.57"
7. 1950 - 0.65"
8. 1901 - 0.65"
9. 1992 - 0.66"
10. 1999 - 0.69"

TOP 10 WETTEST DAYS IN OCT

- | | |
|------------------------|-------------------------|
| 1. 11 OCT 1969 - 4.47" | 6. 28 OCT 1991 - 3.03" |
| 2. 08 OCT 2009 - 4.01" | 7. 07 OCT 1925 - 2.94" |
| 3. 30 OCT 1967 - 3.47" | 8. 16 OCT 1967 - 2.81" |
| 4. 30 OCT 1941 - 3.25" | 9. 29 OCT 2009 - 2.73" |
| 5. 09 OCT 1919 - 3.11" | 10. 16 OCT 1941 - 2.50" |

TOP 10 SNOWIEST OCT

BY MONTHLY SNOWFALL

- | | |
|----------------|-------------|
| 1. 1913 - 8.0" | 6. 1925 - T |
| 2. 1993 - 1.9" | 7. 1898 - T |
| 3. 2001 - T | 8. - " |
| 4. 1989 - T | 9. - " |
| 5. 1976 - T | 10. - " |

NORMAL - 0.1

TOP 10 SNOWIEST DAYS IN OCT

- | | |
|-----------------------|---------------------|
| 1. 27 OCT 1913 - 8.0" | 6. 20 OCT 1976 - T |
| 2. 29 OCT 1993 - 1.9" | 7. 29 OCT 1925 - T |
| 3. 15 OCT 2001 - T | 8. 25 OCT 1898 - T |
| 4. 30 OCT 1993 - T | 9. 20 OCT 1898 - T |
| 5. 19 OCT 1989 - T | 10. 17 OCT 1898 - T |

NOVEMBER RECORDS

TOP 10 WARMEST NOV

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1999 - 67.9 °F
2. 1949 - 67.2 °F
3. 1909 - 67.0 °F
4. 1914 - 65.8 °F
5. 1958 - 65.4 °F
6. 1913 - 65.4 °F
7. 1963 - 65.0 °F
8. 1965 - 65.0 °F
9. 1964 - 65.0 °F
10. 1990 - 64.9 °F

NORMAL - 58.8 °F

TOP 10 COLDEST NOV

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1996 - 49.9 °F
2. 2000 - 50.8 °F
3. 1972 - 50.9 °F
4. 1976 - 51.8 °F
5. 1986 - 52.2 °F
6. 1898 - 52.2 °F
7. 1907 - 52.4 °F
8. 1951 - 52.6 °F
9. 1968 - 52.7 °F
10. 1997 - 53.2 °F

TOP 10 WARMEST NOV

BY AVERAGE MONTHLY TEMPERATURE

1. 1999 - 56.1 °F
2. 1913 - 55.2 °F
3. 1909 - 55.1 °F
4. 1931 - 54.6 °F
5. 1990 - 53.6 °F
6. 1973 - 53.6 °F
7. 2009 - 53.5 °F
8. 1899 - 53.5 °F
9. 1965 - 53.4 °F
10. 2001 - 52.8 °F

NORMAL - 48.5 °F

TOP 10 COLDEST NOV

BY AVERAGE MONTHLY TEMPERATURE

1. 1911 - 40.1 °F
2. 1976 - 40.5 °F
3. 1951 - 41.4 °F
4. 1929 - 42.1 °F
5. 1907 - 42.1 °F
6. 2000 - 42.3 °F
7. 1996 - 42.4 °F
8. 1907 - 42.5 °F
9. 1898 - 42.5 °F
10. 1932 - 42.7 °F

TOP 10 WARMEST NOV

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1913 - 44.9 °F
2. 1999 - 44.3 °F
3. 1931 - 44.3 °F
4. 1994 - 43.8 °F
5. 1999 - 43.7 °F
6. 2009 - 43.1 °F
7. 1973 - 43.1 °F
8. 1902 - 42.9 °F
9. 1909 - 42.8 °F
10. 2004 - 42.7 °F

NORMAL - 38.2 °F

TOP 10 COLDEST NOV

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1911 - 26.4 °F
2. 1950 - 27.2 °F
3. 1959 - 29.1 °F
4. 1976 - 29.3 °F
5. 1910 - 29.3 °F
6. 1929 - 29.5 °F
7. 1955 - 29.9 °F
8. 1932 - 30.1 °F
9. 1951 - 30.3 °F
10. 1903 - 30.8 °F

TOP 10 HOTTEST DAYS IN NOV

BY DAILY HIGH TEMPERATURE

1. 01 NOV 1927 - 86 °F
2. 11 NOV 1956 - 85 °F
3. 01 NOV 1944 - 85 °F
4. 09 NOV 2006 - 84 °F
5. 18 NOV 1908 - 84 °F
6. 07 NOV 2009 - 83 °F
7. 01 NOV 1950 - 83 °F
8. 01 NOV 1937 - 83 °F
9. 01 NOV 1916 - 83 °F
10. 02 NOV 1914 - 83 °F

NORMAL - 58.8 °F

TOP 10 COLDEST DAYS IN NOV

BY DAILY HIGH TEMPERATURE

1. 27 NOV 1896 - 22 °F
2. 28 NOV 1976 - 23 °F
3. 30 NOV 1974 - 24 °F
4. 29 NOV 1911 - 24 °F
5. 29 NOV 1896 - 26 °F
6. 21 NOV 1937 - 27 °F
7. 12 NOV 1907 - 27 °F
8. 28 NOV 1896 - 27 °F
9. 25 NOV 1993 - 28 °F
10. 22 NOV 1898 - 28 °F

TOP 10 HOTTEST DAYS IN NOV

BY DAILY AVERAGE TEMPERATURE

1. 01 NOV 1945 - 74.0 °F
2. 08 NOV 2005 - 72.5 °F
3. 11 NOV 1927 - 72.0 °F
4. 01 NOV 1950 - 71.5 °F
5. 28 NOV 1905 - 71.5 °F
6. 07 NOV 2009 - 71.0 °F
7. 07 NOV 1980 - 71.0 °F
8. 17 NOV 1963 - 71.0 °F
9. 07 NOV 1945 - 71.0 °F
10. 18 NOV 1896 - 71.0 °F

NORMAL - 48.5 °F

TOP 10 COLDEST DAYS IN NOV

BY DAILY AVERAGE TEMPERATURE

1. 29 NOV 1911 - 15.0 °F
2. 28 NOV 1976 - 16.0 °F
3. 27 NOV 1896 - 16.5 °F
4. 24 NOV 1950 - 18.0 °F
5. 13 NOV 1986 - 19.0 °F
6. 21 NOV 1937 - 19.0 °F
7. 17 NOV 1959 - 19.5 °F
8. 14 NOV 1940 - 20.0 °F
9. 22 NOV 1898 - 20.0 °F
10. 29 NOV 1896 - 20.0 °F

TOP 10 HOTTEST DAYS IN NOV

BY DAILY LOW TEMPERATURE

1. 09 NOV 1966 - 67 °F
2. 07 NOV 1945 - 67 °F
3. 08 NOV 2005 - 66 °F
4. 01 NOV 1945 - 66 °F
5. 08 NOV 1966 - 65 °F
6. 17 NOV 1963 - 65 °F
7. 17 NOV 1952 - 65 °F
8. 20 NOV 1942 - 65 °F
9. 09 NOV 1984 - 64 °F
10. 02 NOV 1944 - 64 °F

NORMAL - 38.2 °F

TOP 10 COLDEST DAYS IN NOV

BY DAILY LOW TEMPERATURE

1. 12 NOV 1911 - 5 °F
2. 14 NOV 1908 - 5 °F
3. 29 NOV 1911 - 6 °F
4. 24 NOV 1950 - 7 °F
5. 11 NOV 1950 - 7 °F
6. 13 NOV 1986 - 8 °F
7. 29 NOV 1976 - 8 °F
8. 17 NOV 1959 - 8 °F
9. 28 NOV 1976 - 9 °F
10. 24 NOV 1970 - 9 °F

TOP 10 WETTEST NOV

BY MONTHLY PRECIPITATION

1. 1968 - 10.75"
2. 1996 - 9.97"
3. 1946 - 9.87"
4. 1985 - 9.11"
5. 1994 - 8.91"
6. 2006 - 8.61"
7. 1973 - 8.48"
8. 1938 - 8.14"
9. 1974 - 7.11"
10. 1942 - 6.74"

TOP 10 DRIEST NOV

BY MONTHLY PRECIPITATION

1. 1910 - 0.17"
2. 1989 - 0.35"
3. 1904 - 0.46"
4. 2007 - 0.51"
5. 1949 - 0.51"
6. 1969 - 0.90"
7. 2002 - 0.92"
8. 1903 - 1.01"
9. 1999 - 1.04"
10. 1955 - 1.05"

NORMAL - 4.23"

TOP 10 WETTEST DAYS IN NOV

- | | |
|------------------------|-------------------------|
| 1. 03 NOV 1974 - 3.32" | 6. 24 NOV 1996 - 2.89" |
| 2. 04 NOV 1994 - 3.18" | 7. 15 NOV 1958 - 2.86" |
| 3. 30 NOV 2006 - 3.07" | 8. 19 NOV 1985 - 2.69" |
| 4. 04 NOV 1959 - 2.99" | 9. 02 NOV 1968 - 2.55" |
| 5. 25 NOV 1973 - 2.98" | 10. 14 NOV 1938 - 2.50" |

TOP 10 SNOWIEST NOV

BY MONTHLY SNOWFALL

- | | |
|----------------|-----------------|
| 1. 1951 - 8.5" | 6. 1980 - 4.3" |
| 2. 1971 - 7.0" | 7. 1975 - 3.0" |
| 3. 1958 - 6.4" | 8. 1952 - 3.0" |
| 4. 1972 - 6.3" | 9. 1948 - 3.0" |
| 5. 1926 - 6.0" | 10. 1937 - 2.0" |

NORMAL - 0.4"

TOP 10 SNOWIEST DAYS IN NOV

- | | |
|-----------------------|------------------------|
| 1. 28 NOV 1958 - 6.4" | 6. 26 NOV 1975 - 3.0" |
| 2. 23 NOV 1971 - 6.0" | 7. 28 NOV 1948 - 3.0" |
| 3. 17 NOV 1926 - 6.0" | 8. 29 NOV 1952 - 2.5" |
| 4. 06 NOV 1951 - 4.5" | 9. 19 NOV 1972 - 2.1" |
| 5. 02 NOV 1951 - 4.0" | 10. 26 NOV 1980 - 2.0" |

DECEMBER RECORDS

TOP 10 WARMEST DEC BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1957 - 58.5 °F
2. 1956 - 57.0 °F
3. 1947 - 56.9 °F
4. 1933 - 56.7 °F
5. 1965 - 56.6 °F
6. 1984 - 56.6 °F
7. 1946 - 56.3 °F
8. 1929 - 55.9 °F
9. 1918 - 55.8 °F
10. 1949 - 55.7 °F

NORMAL - 47.7 °F

TOP 10 COLDEST DEC BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1983 - 32.2 °F
2. 2000 - 34.4 °F
3. 1914 - 38.3 °F
4. 1909 - 39.1 °F
5. 1989 - 41.1 °F
6. 1917 - 41.8 °F
7. 1898 - 43.7 °F
8. 1963 - 43.8 °F
9. 1981 - 44.1 °F
10. 2009 - 44.2 °F

NORMAL - 47.7 °F

TOP 10 WARMEST DEC BY AVERAGE MONTHLY TEMPERATURE

1. 1984 - 47.1 °F
2. 1957 - 46.0 °F
3. 1933 - 45.7 °F
4. 1965 - 45.4 °F
5. 1946 - 45.1 °F
6. 1971 - 44.8 °F
7. 1918 - 44.6 °F
8. 1931 - 44.2 °F
9. 1900 - 44.2 °F
10. 1956 - 44.0 °F

NORMAL - 38.1 °F

TOP 10 COLDEST DEC BY AVERAGE MONTHLY TEMPERATURE

1. 1983 - 24.4 °F
2. 2000 - 26.3 °F
3. 1909 - 28.5 °F
4. 1989 - 29.7 °F
5. 1914 - 30.8 °F
6. 1963 - 32.0 °F
7. 1917 - 32.2 °F
8. 1910 - 32.7 °F
9. 1985 - 33.9 °F
10. 1898 - 34.0 °F

NORMAL - 38.1 °F

TOP 10 WARMEST DEC BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1984 - 37.5 °F
2. 1982 - 35.3 °F
3. 1971 - 34.7 °F
4. 1933 - 34.6 °F
5. 1931 - 34.4 °F
6. 1965 - 34.2 °F
7. 1946 - 33.9 °F
8. 2006 - 33.8 °F
9. 1896 - 33.8 °F
10. 1991 - 33.7 °F

NORMAL - 28.4 °F

TOP 10 COLDEST DEC BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1983 - 16.6 °F
2. 1909 - 18.0 °F
3. 2000 - 18.2 °F
4. 1989 - 18.3 °F
5. 1950 - 19.1 °F
6. 1910 - 20.1 °F
7. 1963 - 20.3 °F
8. 1917 - 22.6 °F
9. 1955 - 22.9 °F
10. 1905 - 22.9 °F

TOP 10 HOTTEST DAYS IN DEC

BY DAILY HIGH TEMPERATURE

1. 24 DEC 1955 - 82 °F
2. 11 DEC 1929 - 80 °F
3. 03 DEC 1956 - 79 °F
4. 31 DEC 1951 - 79 °F
5. 25 DEC 1955 - 78 °F
6. 15 DEC 1948 - 78 °F
7. 16 DEC 1924 - 78 °F
8. 15 DEC 1924 - 78 °F
9. 05 DEC 1956 - 77 °F
10. 19 DEC 1941 - 77 °F

NORMAL - 47.7 °F

TOP 10 COLDEST DAYS IN DEC

BY DAILY HIGH TEMPERATURE

1. 24 DEC 1983 - 3 °F
2. 22 DEC 1989 - 8 °F
3. 25 DEC 1983 - 9 °F
4. 23 DEC 1983 - 9 °F
5. 14 DEC 1914 - 9 °F
6. 22 DEC 1990 - 11 °F
7. 23 DEC 1990 - 12 °F
8. 22 DEC 1983 - 13 °F
9. 19 DEC 1983 - 13 °F
10. 19 DEC 1929 - 14 °F

TOP 10 HOTTEST DAYS IN DEC

BY DAILY AVERAGE TEMPERATURE

1. 31 DEC 1951 - 71.0 °F
2. 15 DEC 1948 - 69.0 °F
3. 07 DEC 1966 - 68.0 °F
4. 01 DEC 1970 - 66.5 °F
5. 29 DEC 1984 - 66.0 °F
6. 02 DEC 1982 - 66.0 °F
7. 06 DEC 1956 - 66.0 °F
8. 05 DEC 1956 - 66.0 °F
9. 14 DEC 1929 - 66.0 °F
10. 13 DEC 1929 - 66.0 °F

NORMAL - 38.1 °F

TOP 10 COLDEST DAYS IN DEC

BY DAILY AVERAGE TEMPERATURE

1. 24 DEC 1983 - -1.5 °F
2. 22 DEC 1989 - -0.5 °F
3. 25 DEC 1983 - 0.0 °F
4. 23 DEC 1989 - 3.0 °F
5. 23 DEC 1983 - 4.5 °F
6. 22 DEC 1983 - 4.5 °F
7. 14 DEC 1914 - 4.5 °F
8. 29 DEC 1983 - 7.0 °F
9. 26 DEC 1983 - 7.0 °F
10. 19 DEC 1929 - 7.0 °F

TOP 10 HOTTEST DAYS IN DEC

BY DAILY LOW TEMPERATURE

1. 29 DEC 1984 - 63 °F
2. 31 DEC 1951 - 63 °F
3. 02 DEC 1982 - 62 °F
4. 07 DEC 1966 - 62 °F
5. 30 DEC 1992 - 61 °F
6. 03 DEC 1998 - 60 °F
7. 01 DEC 1970 - 60 °F
8. 15 DEC 1948 - 60 °F
9. 06 DEC 1966 - 59 °F
10. 26 DEC 1942 - 59 °F

NORMAL - 28.4 °F

TOP 10 COLDEST DAYS IN DEC

BY DAILY LOW TEMPERATURE

1. 23 DEC 1989 - -11 °F
2. 22 DEC 1989 - -9 °F
3. 25 DEC 1983 - -9 °F
4. 24 DEC 1983 - -6 °F
5. 24 DEC 1966 - -6 °F
6. 07 DEC 1950 - -6 °F
7. 22 DEC 1916 - -6 °F
8. 21 DEC 1989 - -5 °F
9. 30 DEC 1983 - -5 °F
10. 08 DEC 1917 - -5 °F

TOP 10 WETTEST DEC

BY MONTHLY PRECIPITATION

1. 1982 - 11.64"
2. 1971 - 8.35"
3. 1987 - 7.80"
4. 1975 - 7.24"
5. 1984 - 7.22"
6. 1942 - 6.74"
7. 1968 - 6.20"
8. 1918 - 5.67"
9. 2001 - 5.28"
10. 1999 - 5.22"

TOP 10 DRIEST DEC

BY MONTHLY PRECIPITATION

1. 1919 - 0.22"
2. 1955 - 0.28"
3. 1981 - 0.29"
4. 1908 - 0.37"
5. 1945 - 0.38"
6. 2005 - 0.42"
7. 1950 - 0.42"
8. 1912 - 0.55"
9. 1989 - 0.59"
10. 2010 - 0.68"

NORMAL - 3.20"

TOP 10 WETTEST DAYS IN DEC

- | | |
|------------------------|-------------------------|
| 1. 02 DEC 1982 - 5.37" | 6. 03 DEC 1982 - 3.58" |
| 2. 10 DEC 1971 - 4.58" | 7. 28 DEC 1968 - 3.46" |
| 3. 27 DEC 1942 - 4.05" | 8. 13 DEC 1918 - 3.00" |
| 4. 13 DEC 1927 - 3.85" | 9. 27 DEC 2008 - 2.97" |
| 5. 05 DEC 1975 - 3.71" | 10. 16 DEC 2001 - 2.81" |

TOP 10 SNOWIEST DEC

BY MONTHLY SNOWFALL

- | | |
|-----------------|-----------------|
| 1. 1966 - 23.0" | 6. 1913 - 9.0" |
| 2. 1917 - 13.2" | 7. 1902 - 8.0" |
| 3. 1969 - 11.0" | 8. 1963 - 7.5" |
| 4. 1975 - 10.6" | 9. 1914 - 7.0" |
| 5. 1916 - 9.5" | 10. 1984 - 6.1" |

NORMAL - 1.3"

TOP 10 SNOWIEST DAYS IN DEC

- | | |
|------------------------|------------------------|
| 1. 23 DEC 1966 - 13.0" | 6. 30 DEC 1969 - 7.0" |
| 2. 07 DEC 1917 - 11.0" | 7. 14 DEC 1916 - 7.0" |
| 3. 22 DEC 1966 - 13.0" | 8. 05 DEC 1984 - 6.1" |
| 4. 25 DEC 1975 - 8.6" | 9. 26 DEC 1939 - 6.0" |
| 5. 04 DEC 1902 - 8.0" | 10. 25 DEC 1913 - 6.0" |

MISCELLANEOUS DATA:

THE FOLLOWING DATA WERE TAKEN FROM STORM DATA AND UNUSUAL WEATHER PHENOMENA, AND ARCHIVED HARRISON SURFACE OBSERVATIONS. WIND AND PRESSURE RECORDS BEGIN AUGUST 15TH 1944.

HIGHEST WIND GUSTS AND DATES

1. NW 77 MPH - 21 JUN 1969
2. NW 75 MPH - 11 MAY 1973
3. S 74 MPH - 04 APR 1981
4. NW 70 MPH - 11 AUG 1999
5. WNW 69 MPH - 20 JUL 2000
6. NW 67 MPH - 24 FEB 1967
S 67 MPH - 11 APR 1965
7. N 64 MPH - 22 JUL 1997
8. N 61 MPH - 22 JUL 1963
9. NE 60 MPH - 11 AUG 1992
10. W 59 MPH - 27 MAR 1998
11. W 58 MPH - 05 JUN 1975
S 58 MPH - 14 MAY 1974
NW 58 MPH - 21 JUN 1969
N 58 MPH - 15 JUL 1966
NW 58 MPH - 09 AUG 1962
12. N 56 MPH - 28 JUN 2008
S 56 MPH - 04 APR 1981
W 56 MPH - 03 AUG 1992
13. NW 55 MPH - 19 JUN 1987
14. NE 53 MPH - 23 JUN 2008
NW 53 MPH - 15 APR 2001
15. W 52 MPH - 30 NOV 1975
WNW 52 MPH - 11 MAY 1973
16. NW 51 MPH - 14 SEP 2008
W 51 MPH - 09 MAR 2006
S 51 MPH - 18 APR 1995
S 51 MPH - 27 NOV 1994
S 51 MPH - 23 APR 1992
S 51 MPH - 02 APR 1983

HIGHEST BAROMETRIC PRESSURE READING: 30.88 INCHES - 07 JAN 1968
LOWEST BAROMETRIC PRESSURE READING: 28.89 INCHES - 09 FEB 1960

HARRISON, ARKANSAS - AVERAGE MONTHLY HIGH TEMPERATURE

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1891											53.0	53.6	
1892	44.0	54.8	56.1		74.2	88.0	87.0	88.2	80.7	68.4	56.5	53.5	
1893	51.0	51.8	62.3										
1894													
1895													
1896											57.5	51.4	
1897	39.7	46.9	58.0	64.8	70.8	81.8	88.7	86.0	88.1	77.7	56.4	44.2	66.93
1898	47.5	48.8	57.4	62.5	78.6	82.8	83.9	85.6	80.2	65.4	52.2	43.7	65.72
1899	41.7	38.1	59.3	70.3	80.5	85.4	89.3	93.0	84.7	78.8	64.7	50.8	69.72
1900	54.2	49.9	61.8	72.7	78.7	86.5	87.6	90.4	84.0	76.7	62.6	55.5	71.72
1901	53.2	47.6	59.7	68.3	80.3	94.9	100.4	97.2	88.2	78.4	61.3	46.2	72.98
1902	46.0	40.5	59.7	69.9	83.4	85.9	89.7	92.4	81.5	75.4	62.5	45.7	69.38
1903	47.7	47.3	63.5	72.7	77.2	82.4	84.8	81.1	77.8	71.1	56.5	49.9	67.67
1904	46.5	51.1	64.9	67.4	80.4	87.5	85.5	85.4	81.5	74.5	63.0	51.3	69.92
1905	38.7	38.3	65.6	70.6	76.8	85.7	83.8	90.0	83.1	70.6	64.8	48.2	68.02
1906	52.3	51.5	47.5	76.5	79.8	86.0	86.3	87.8	84.1	69.5	58.9	50.8	69.25
1907	54.3	52.3	70.4	61.8	71.3	84.5	94.4	92.4	81.6	71.6	52.4	50.3	69.78
1908	46.5	49.8	66.2	67.1	76.4	81.4	87.8	87.3	83.8	72.9	64.4	54.7	69.86
1909	50.5	57.2	61.5	71.0	77.5	86.7	94.3	95.5	86.3	76.4	67.0	39.1	71.92
1910	47.6	44.7	70.8	67.9	72.9	80.6	88.5	86.0	83.9	72.9	61.8	45.3	68.58
1911	52.4	54.5	64.2	69.4	84.1	91.7	87.0	82.5	83.7	67.5	53.8	46.6	69.78
1912	38.8	41.7	48.4	67.2	78.5	83.4	88.4	88.0	83.7	70.8	59.6	52.1	66.72
1913	50.1	46.1	58.6	71.7	81.3	90.7	92.4	99.4	80.3	70.5	65.4	47.2	71.14
1914	54.2	48.6	58.3	69.7	80.5	94.1	89.7	87.0	83.1	71.7	65.8	38.3	70.08
1915	45.6	52.3	47.2	75.4	75.8	81.3	81.0	78.8	77.1	73.7	64.2	49.7	66.84
1916	47.3	51.1	60.5	64.5	71.3	79.2	98.1	95.4	82.7	75.8	63.6	50.1	69.97
1917	53.3	52.0	63.0	70.9	75.0	88.7	91.4	87.4	82.0	69.2	63.6	41.8	69.86
1918	34.4	57.8	68.8	68.3	82.8	89.7	91.3	96.2	77.6	73.3		55.8	
1919	51.4	51.2	64.3	73.3	74.5	85.4	91.4	89.8	88.8	75.8	61.9	53.5	71.78
1920	47.7	56.1	60.5	72.7	78.9	84.5	92.2	87.9	81.7	78.2			
1921													
1922	45.4	54.4	60.5							70.9	55.9		
1923				72.1			92.7	95.5	81.4	64.8	61.9		
1924							86.0	89.9				49.7	
1925					76.1	93.3	89.8	91.8	90.1	64.3	62.0	48.3	
1926	48.6	58.2	57.9	71.0	85.0	88.5	94.4	92.9	85.7	76.9	58.1	50.7	72.33
1927	50.3	64.7	65.9	78.8	84.5	85.7	90.5	87.8		82.8	63.5	49.6	
1928	54.4	57.2	63.5	68.8	82.6	82.4	94.5	95.7	86.6	82.6	58.8	52.5	73.30
1929	48.0	42.2	67.4	76.0	78.2	87.9	92.6	97.4	86.6	73.4	54.7	55.9	71.69
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1930	38.7	65.2	63.3	78.4	78.7		99.2	93.2		68.4	60.3	48.1	
1931	51.3	55.5	54.8						88.8	76.2	64.8	54.3	
1932	53.4	61.5	57.4	74.9	81.0	86.6	94.2	93.3	91.7	71.8	55.3	45.4	72.21
1933	56.0	49.6	58.6	70.8	81.1	93.9	92.2	88.8	86.2	70.3	61.9	56.7	72.18
1934	50.3	48.4	59.5	72.4	83.2	93.7	102.0	96.2	79.3	75.0	62.9	48.0	72.58
1935	51.4	53.9	67.1	67.0	73.2	81.7	93.6	93.8	83.0	70.4	56.0	44.9	69.67
1936	43.2	43.1	67.5	70.7	83.1	95.0	99.9	102.4	88.3	69.7	59.3	53.2	72.95
1937	45.5	49.3	56.1	70.2	81.1	89.7	92.7	95.7	81.7	69.9	54.5	45.2	69.30
1938	47.8	57.4	70.4	71.0	81.0	86.4	96.4	97.0	89.2	80.0	62.0	51.3	74.16
1939	53.8	50.6	65.9	69.5	81.0	87.4	94.1	91.6	93.9	77.7	55.4	53.9	72.90
1940	32.7	47.6	60.7	69.6	79.6	87.0	91.0	88.4	81.7	75.9	56.4	53.3	68.66
1941	50.3	46.9	56.3	74.3	83.6	89.0	95.9	93.7	85.9	74.5	58.3	53.9	71.88
1942	47.3	49.6	62.9	74.0	76.8	86.2	93.1	88.4	83.2	75.1	63.0	48.8	70.70
1943	53.2	59.8	57.9	73.2	79.1	87.8	95.7	97.8	85.1	72.4	61.2	47.0	72.52
1944	52.2	56.2	59.6	68.5	80.0	88.5	95.0	90.3	85.2	78.5	60.4	45.6	71.67
1945	47.4	52.0	68.6	71.9	76.3	82.3	87.9	90.3	84.0	72.1	62.6	46.3	70.14
1946	48.8	58.7	67.4	75.5	74.4	84.2	90.2	87.1	85.8	74.1	60.0	56.3	71.88
1947	49.6	46.4	53.8	71.9	77.2	85.8	89.5	97.4	88.2	81.3	55.6	56.9	71.13
1948	44.0	48.8	58.3	76.9	77.0	87.0	88.2	86.9	84.3	73.9	63.0	52.9	70.10
1949	46.0	57.9	61.0	70.0	81.7	87.3	89.8	88.1	79.4	70.9	67.2	55.6	71.24
1950	56.1	55.9	58.8	68.5	76.4	84.9	83.0	83.9	78.1	80.1	58.8	49.5	69.50
1951	49.4	54.6	60.8	67.4	77.8	83.0	89.1	93.6	81.7	72.7	52.6	52.2	69.58
1952	55.4	57.8	59.6	68.7	80.3	94.3	93.8	91.4	84.7	73.5	59.2	52.2	72.58
1953	55.0	56.9	67.3	69.0	80.9	96.1	92.2	92.8	91.6	77.7	62.6	52.2	74.53
1954	50.8	62.3	60.5	78.6	75.7	91.6	100.9	98.3	92.1	72.5	62.4	50.7	74.70
1955	49.4	51.5	62.9	77.2	80.0	82.0	91.7	89.6	87.9	74.6	61.2	50.5	71.54
1956	46.2	52.6	62.4	69.5	81.6	85.1	91.8	94.3	90.1	80.2	60.2	57.0	72.58
1957	46.4	58.2	59.2	70.1	79.3	85.2	92.9	89.3	80.1	69.5	57.2	58.5	70.49
1958	48.8	44.5	48.5	70.1	79.2	87.0	88.8	89.4	81.1	72.7	65.4	49.0	68.71
1959	48.7	53.3	63.4	72.2	81.0	84.9	87.8	90.7	84.2	71.9	57.2	53.4	70.73
1960	49.0	46.8	48.8	74.7	77.9	85.2	88.1	92.3	88.8	74.9	63.7	46.5	69.73
1961	48.4	54.9	63.4	68.9	76.8	84.4	89.8	86.7	81.3	75.4	58.2	46.8	69.58
1962	46.7	58.7	56.7	69.7	85.9	85.7	91.1	91.0	79.4	74.9	59.3	52.4	70.96
1963	44.0	52.6	68.0	75.9	81.0	88.3	92.5	93.4	85.4	83.6	65.0	43.8	72.79
1964	54.9	49.8	61.4	75.9	81.7	88.1	94.5	89.2	81.6	70.7	65.0	51.1	71.99
1965	52.6	54.6	49.4	76.8	80.8	85.9	90.2	87.6	83.3	73.5	65.0	56.6	71.36
1966	42.4	48.7	63.8	69.2	78.8	86.7	94.7	86.1	79.8	71.6	63.6	49.6	69.58
1967	53.5	51.9	70.6	75.5	76.6	84.5	86.3	85.8	77.2	70.9	57.1	49.4	69.94
1968	44.6	44.1	59.8	70.8	75.6	85.1	87.8	87.0	80.5	71.7	52.7	47.0	67.23
1969	45.6	48.5	52.3	72.0	79.5	84.4	92.9	87.9	81.1	70.3	59.1	45.4	68.25
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1970	40.8	50.9	52.0	73.1	81.5	84.0	92.4	90.5	83.0	66.5	56.9	54.4	68.83
1971	49.4	51.4	61.0	73.8	76.2	88.4	87.5	85.9	85.7	77.1	60.0	55.0	70.95
1972	50.1	56.2	65.3	73.5	78.3	86.4	86.8	89.1	82.5	69.2	50.9	47.6	69.66
1973	46.7	50.9	66.0	65.7	76.4	85.2	88.0	89.4	80.4	75.3	64.0	47.3	69.61
1974	48.4	57.5	68.4	74.0	79.4	81.0	93.0	88.9	74.0	74.0	57.4	47.9	70.33
1975	53.5	50.5	51.5	69.1	78.6	84.4	88.0	86.3	76.0	72.4	58.5	47.8	68.05
1976	46.0	59.7	62.1	69.7	70.9	79.5	86.6	84.3	78.5	64.4	51.8	48.7	66.85
1977	32.8	52.9	62.9	72.9	79.6	87.3	88.9	86.6	80.5	69.8	56.4	46.4	68.08
1978	31.9	35.0	53.5	71.7	75.5	82.6	92.0	88.4	84.2	71.5	59.9	49.2	66.28
1979	31.2	43.0	58.1	67.5	73.6	81.2	85.8	85.3	80.0	74.0	54.3	51.4	65.45
1980	44.3	44.6	54.0	68.2	75.9	85.0	96.8	95.9	83.6	70.5	58.3	49.9	68.92
1981	46.5	52.9	59.9	75.7	70.6	83.8	88.2	83.7	79.9	66.4	61.4	44.1	67.76
1982	41.5	45.3	63.4	65.4	79.0	79.6	87.7	87.3	79.0	70.3	57.5	52.3	67.36
1983	44.2	50.8	58.4	62.1	73.9	82.3	88.3	93.1	83.5	71.6	57.9	32.2	66.53
1984	44.7	56.2	55.3	67.1	74.8	85.2	88.2	89.1	78.2	69.4	57.1	56.6	68.49
1985	37.0	44.7	63.1	71.5	77.3	83.0	91.3	86.3	80.0	69.5	58.4	44.5	67.22
1986	52.2	53.2	64.9	70.9	76.1	85.5	94.4	86.1	82.5	68.5	52.2	48.3	69.57
1987	44.6	51.5	62.1	73.2	81.4	85.7	89.3	91.1	79.9	66.7	58.1	47.5	69.26
1988	43.1	49.8	60.2	71.3	79.0	88.5	87.7	90.9	81.5	65.7	60.1	51.5	69.11
1989	53.6	38.8	60.1	71.4	75.1	80.5	84.9	86.5	76.1	74.1	62.9	41.1	67.09
1990	55.3	57.2	60.2	67.6	72.7	85.8	88.4	88.9	84.1	69.4	64.9	48.3	70.23
1991	41.1	57.6	63.5	70.2	80.8	85.5	89.4	88.7	79.1	72.0	53.7	50.1	69.31
1992	49.6	56.2	62.0	70.9	73.7	80.5	86.9	81.5	78.7	71.8	53.8	48.1	67.81
1993	44.6	46.3	54.0	62.7	73.8	83.5	91.6	89.6	77.9	66.0	53.6	49.8	66.12
1994	40.5	51.1	61.7	71.7	75.1	87.6	87.5	86.0	80.0	71.3	60.3	51.2	68.67
1995	46.9	53.0	60.9	68.5	73.2	81.8	89.1	95.7	76.9	72.0	57.9	45.2	68.43
1996	44.0	53.7	52.5	67.9	78.5	84.5	86.8	88.1	78.5	70.5	49.9	51.5	67.20
1997	45.2	50.4	64.3	64.4	75.9	83.6	91.9	86.1	81.7	70.5	53.2	45.2	67.70
1998	49.5	52.1	54.0	68.8	81.3	88.0	94.1	91.2	85.7	72.1	61.8	49.5	70.68
1999	47.8	58.0	56.6	69.9	76.2	82.7	90.5	90.5	80.9	74.5	67.9	52.7	70.68
2000	47.3	58.7	61.5	69.0	77.0	81.1	87.5	94.5	83.4	72.7	50.8	34.4	68.16
2001	43.3	50.9	54.5	74.7	76.5	83.0	88.7	89.8	79.4	70.4	63.0	51.2	68.78
2002	50.2	49.8	56.0	72.0	73.1	83.7	87.2	87.9	84.2	64.2	56.4	48.9	67.80
2003	44.5	44.5	60.6	71.0	75.1	79.4	88.6	89.7	77.6	71.5	60.5	48.8	67.65
2004	46.7	47.2	62.9	69.2	77.6	82.1	84.1	82.9	84.5	71.6	58.8	51.5	68.26
2005	49.7	53.1	57.9	68.5	76.4	87.7	90.4	91.3	86.4	70.7	62.4	47.9	70.20
2006	57.3	49.4	61.6	75.3	77.5	86.0	92.9	92.0	78.7	68.5	60.6	52.7	71.04
2007	44.2	48.1	68.8	66.3	78.2	83.9	85.9	94.5	82.9	73.5	61.6	50.2	69.84
2008	47.0	49.0	60.5	66.9	74.9	83.4	87.6	83.9	78.1	70.3	57.7	48.4	67.31
2009	46.1	53.8	61.6	67.0	73.5	86.5	84.3	84.5	76.6	63.1	64.0	44.2	67.10
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
2010	41.5	41.6	59.0	73.2	77.8	88.8	89.3	94.0	81.9	74.5	62.2	46.2	69.17
2011	44.7	48.8	59.5	72.5	73.8	89.6	97.0	93.4					
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
2040													
2041													
2042													
2043													
2044													
2045													
2046													
2047													
2048													
2049													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

HARRISON, ARKANSAS - AVERAGE MONTHLY TEMPERATURE

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1891											38.8	43.1	
1892	31.7	45.2	44.2		64.6	76.0	76.7	76.0		67.1	56.5	45.5	46.3
1893	35.0	37.9	48.9										
1894													
1895													
1896										55.3	48.3	42.7	
1897	31.2	36.1	48.0	55.0	61.3	72.1	78.5	74.9		74.5	65.4	45.3	36.7
1898	39.4	39.8	47.3	52.5	67.5	73.7	74.8	75.1		70.0	56.9	42.5	34.0
1899	33.7	25.8	46.5	58.4	70.5	74.2	77.4	80.2		69.9	64.6	53.5	39.1
1900	42.6	36.6	46.9	60.1	66.6	75.0	77.1	78.7		74.2	64.4	50.4	44.2
1901	42.0	36.4	47.0	54.8	65.6	77.8	83.4	80.3		71.0	62.7	48.3	35.0
1902	35.0	29.9	48.1	56.4	70.5	73.2	76.8	78.4		66.7	60.2	52.7	36.0
1903	36.7	36.3	50.7	58.2	64.4	68.0	73.9	71.3		64.9	57.1	43.7	36.7
1904	33.9	38.7	50.0	52.4	64.8	73.6	72.8	72.9		69.0	59.0	49.0	38.5
1905	27.0	26.3	52.9	57.4	65.3	72.6	72.2	76.2		70.0	56.8	50.1	35.6
1906	39.0	37.0	37.1	61.3	65.0	71.9	72.4	74.2		71.4	55.1	45.2	40.4
1907	44.5	38.8	56.8	49.3	58.2	70.1	78.0	78.4		68.8	57.5	42.1	38.8
1908	34.6	37.7	53.2	55.1	64.3	69.7	73.3	74.3		68.8	56.4	49.8	41.4
1909	38.0	42.2	47.2	55.5	62.5	72.2	78.5	77.9		69.6	60.2	55.1	28.5
1910	35.4	31.2	55.4	54.4	59.6	67.4	74.8	74.2		70.5	57.0	45.5	32.7
1911	40.1	41.1	49.1	54.7	66.2	75.7	73.0	71.8		71.1	55.5	40.1	35.8
1912	25.6	29.0	37.2	53.9	62.9	67.9	74.8	73.2		66.9	56.2	47.2	39.8
1913	38.6	36.1	46.0	59.6	67.3	75.8	80.0	82.8		69.5	57.4	55.2	40.3
1914	43.0	37.6	46.6	57.5	67.4	80.3	78.9	76.1		71.3	60.0	52.0	30.8
1915	35.4	42.1	37.6	62.5	64.3	71.4	71.8	69.6		67.5	59.8	52.4	39.7
1916	36.3	39.0	48.8	54.4	63.0	69.0	81.5	80.5		69.2	60.6	50.7	37.5
1917	40.8	37.7	50.0	57.2	60.5	73.2	77.3	74.7		68.5	53.2	49.7	32.2
1918	23.0	42.9	54.5	55.4	70.6	77.0	76.7	81.4		64.5	62.3		44.6
1919	39.1	38.6	50.8	59.6	63.5	73.9	78.2	77.6		73.3	64.8	48.7	38.7
1920	36.0	42.8	47.3	58.9	66.8	71.6	77.5	74.8		69.3	65.8		
1921													
1922	36.1	43.4	50.0								57.9	46.5	
1923				57.8			79.3	82.4		71.5	54.7	51.3	
1924							73.4	77.6					36.9
1925					63.3	78.7	77.5	76.2		75.9	52.9	46.9	36.8
1926	37.0	45.4	45.7	55.4	67.7	73.8	78.1	78.3		72.9	63.3	44.9	39.8
1927	38.8	50.4	51.5	64.7	70.8	72.8	76.5	74.6			64.1	52.5	37.5
1928	41.0	43.8	50.0	55.1	67.1	70.3	80.0	80.8		69.0	66.8	46.2	40.2
1929	34.8	31.0	53.9	62.3	65.0	74.1	79.0	79.7		71.1	59.8	42.1	43.8
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1930	27.8	50.2	47.0	63.2	65.4		82.2	79.0		48.0	36.1		
1931	37.3	41.0	46.1						75.2	63.4	54.6	44.2	
1932	42.7	49.2	44.8	61.5	66.4	75.5	81.2	79.2	79.3	59.0	42.7	35.3	59.4
1933	45.2	38.8	47.8	58.7	70.1	78.6	80.3	77.2	75.1	58.7	50.5	45.7	60.5
1934	40.5	37.8	46.4	59.5	68.0	79.8	86.2	83.6	67.6	62.0	52.2	38.0	60.1
1935	40.8	43.1	56.0	56.8	63.9	71.1	81.0	80.2	68.8	59.6	46.8	35.1	58.6
1936	33.4	32.7	53.2	55.8	69.0	78.7	84.7	85.9	76.5	57.9	45.5	43.0	59.7
1937	36.1	39.3	44.5	57.8	68.0	77.1	79.5	82.1	70.6	57.2	44.0	37.5	57.8
1938	37.2	48.0	57.5	59.6	67.8	74.6	81.3	82.8	73.9	63.1	49.3	40.8	61.3
1939	43.2	39.1	52.5	56.8	67.5	76.2	81.1	78.2	78.0	62.6	44.6	43.5	60.3
1940	23.4	38.2	48.1	57.9	65.7	74.3	78.2	76.6	68.7	61.6	45.7	43.1	56.8
1941	40.4	37.5	44.5	61.5	70.1	75.5	82.2	80.4	73.7	65.2	47.5	43.3	60.1
1942	35.6	37.8	50.1	61.9	64.9	75.1	79.5	76.8	69.4	60.9	52.2	40.1	58.7
1943	39.3	45.5	44.5	60.6	68.5	77.3	81.5	82.6	70.2	59.0	46.8	37.2	59.4
1944	40.3	44.2	47.6	56.5	67.8	76.5	78.7	78.6	71.2	61.9	50.6	35.6	59.1
1945	36.6	40.9	56.1	59.9	64.0	72.3	75.5	77.1	72.0	59.3	50.4	35.4	58.3
1946	38.4	45.1	56.8	63.0	63.4	73.6	78.8	75.9	69.9	60.1	48.7	45.1	59.9
1947	39.2	33.9	41.2	58.5	62.6	74.3	75.0	81.7	72.1	63.9	43.9	41.1	57.3
1948	30.7	37.7	44.8	61.5	64.2	73.8	76.8	74.3	68.6	56.9	49.2	40.9	56.6
1949	36.6	44.1	48.2	57.5	68.6	74.8	78.5	74.8	65.1	57.7	50.2	42.1	58.2
1950	42.9	42.8	45.2	54.7	65.8	72.8	72.8	71.5	66.4	63.0	43.0	34.3	56.3
1951	35.6	41.1	46.0	53.8	62.6	70.6	77.8	80.3	68.9	59.4	41.4	41.0	56.5
1952	43.7	44.8	47.0	55.3	66.0	79.7	79.5	78.1	66.8	54.6	47.8	41.1	58.7
1953	42.8	44.1	53.9	55.5	68.8	81.2	78.7	76.6	71.6	60.0	47.9	40.6	60.1
1954	38.6	48.6	48.1	65.8	63.0	77.3	85.3	82.8	74.9	61.5	48.2	40.5	61.2
1955	38.9	40.5	49.4	63.6	68.3	70.1	79.2	76.2	70.9	58.1	45.6	36.7	58.1
1956	33.4	40.7	48.3	55.0	69.6	73.8	78.8	79.6	70.3	63.1	45.7	44.0	58.5
1957	35.0	45.8	47.0	58.2	67.2	73.3	80.3	76.1	67.5	55.8	46.9	46.0	58.2
1958	36.7	33.8	40.2	57.6	66.4	74.1	77.8	76.8	70.3	58.6	51.6	37.3	56.8
1959	36.2	40.6	48.6	58.9	69.9	73.3	75.4	77.9	71.1	58.0	43.1	42.8	58.0
1960	38.6	35.9	38.1	60.4	65.1	73.8	76.5	78.6	73.9	62.5	50.5	35.8	57.5
1961	34.7	43.7	51.6	55.8	64.1	71.9	77.2	74.7	69.0	60.9	47.3	37.6	57.4
1962	34.6	45.9	44.5	56.9	73.0	73.6	78.7	77.2	69.4	63.4	47.6	40.4	58.8
1963	30.9	38.2	53.7	62.8	67.4	75.7	80.1	79.3	71.9	67.5	51.0	32.0	59.2
1964	40.8	38.3	47.1	63.7	69.8	75.9	80.3	76.8	70.3	57.1	52.2	39.8	59.3
1965	41.1	40.9	38.9	62.9	69.5	74.6	78.5	75.4	71.5	59.0	53.4	45.4	59.2
1966	32.3	38.2	50.9	57.1	65.1	73.0	82.0	74.6	67.2	57.1	50.6	37.8	57.2
1967	40.7	38.8	56.8	63.9	64.2	74.0	74.5	72.0	65.2	57.6	45.3	39.0	57.7
1968	34.7	33.3	47.6	58.4	64.8	74.0	76.5	76.4	66.8	57.7	44.2	36.2	55.9
1969	35.6	38.4	40.6	59.0	67.3	72.8	81.3	75.6	69.2	57.9	45.4	36.7	56.6
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1970	29.6	38.8	42.3	60.0	68.1	73.4	78.1	77.9	72.0	56.8	46.0	43.3	57.2
1971	37.3	38.9	47.4	58.5	63.4	76.1	75.6	74.1	73.8	64.4	48.6	44.8	58.6
1972	37.6	43.1	51.9	60.7	65.4	73.1	75.8	76.9	72.8	58.8	43.1	36.8	58.0
1973	36.4	39.4	55.0	55.9	63.5	73.5	76.5	76.3	71.2	62.6	53.6	37.8	58.5
1974	38.1	44.1	55.1	60.3	68.4	69.1	79.2	74.3	62.1	58.3	45.8	36.4	57.6
1975	40.3	38.4	42.0	57.2	68.0	74.0	77.5	76.4	65.6	60.4	48.1	39.9	57.3
1976	35.2	48.8	51.3	59.1	60.2	69.8	77.0	73.3	68.2	53.6	40.5	36.9	56.2
1977	23.4	41.2	51.6	62.1	69.1	76.5	79.6	77.4	71.7	58.7	48.9	37.2	58.1
1978	23.9	27.2	43.3	60.1	65.4	73.4	81.2	77.5	74.0	58.2	50.4	38.4	56.1
1979	22.1	32.3	47.8	56.4	63.8	71.5	76.5	75.6	68.0	61.9	44.6	41.2	55.1
1980	36.0	34.0	43.6	56.9	66.0	75.6	85.2	84.0	73.5	58.1	48.1	39.7	58.4
1981	36.1	40.9	49.6	64.9	61.3	74.6	79.4	74.2	68.8	57.0	50.0	35.1	57.7
1982	30.8	35.2	52.5	54.5	69.0	70.1	78.3	77.9	68.2	59.3	48.3	43.8	57.3
1983	35.8	40.9	48.3	52.2	64.0	71.6	78.4	81.2	71.3	61.3	48.7	24.4	56.5
1984	34.0	44.9	45.2	56.9	63.7	75.1	76.7	77.5	68.0	61.2	47.1	47.1	58.1
1985	28.0	35.0	52.9	61.0	66.9	72.8	79.4	76.5	69.9	61.2	49.9	33.9	57.3
1986	41.0	43.1	52.7	60.8	67.0	76.0	83.6	74.9	73.7	59.4	44.1	39.7	59.7
1987	36.5	43.0	51.0	60.3	71.2	75.1	79.0	80.3	69.0	55.6	49.7	40.0	59.2
1988	33.8	38.3	48.9	58.1	66.5	75.1	77.8	78.5	70.2	55.2	48.8	40.8	57.7
1989	43.0	30.3	48.3	59.6	64.7	70.9	75.2	76.3	65.7	61.4	50.6	29.7	56.3
1990	44.5	45.3	50.8	56.7	62.8	75.5	77.4	77.3	72.8	56.5	53.6	37.7	59.2
1991	32.9	44.8	51.9	59.9	70.5	75.4	78.0	76.8	68.4	60.5	44.5	41.9	58.8
1992	39.9	45.9	50.4	59.2	63.9	71.3	77.5	71.5	67.8	60.0	46.1	39.3	57.7
1993	36.1	36.8	45.0	53.5	64.3	73.6	81.8	79.5	67.2	55.4	43.4	40.5	56.4
1994	32.6	39.9	50.2	60.3	64.2	77.4	76.8	75.4	68.6	61.4	52.1	42.5	58.4
1995	37.8	42.7	50.6	57.9	64.9	72.2	79.0	83.3	67.3	60.1	46.2	37.5	58.3
1996	34.1	42.1	42.0	56.1	69.6	74.6	77.4	77.6	68.1	59.9	42.4	41.7	57.2
1997	35.3	43.0	52.1	53.6	64.1	73.1	80.2	75.9	70.7	59.4	45.2	37.9	57.5
1998	41.7	43.9	45.5	58.0	70.5	78.2	83.2	79.9	75.7	61.7	52.8	40.8	61.1
1999	38.8	47.3	46.7	60.8	65.6	73.6	80.8	78.7	69.0	61.4	56.1	42.9	60.2
2000	38.5	48.2	51.7	57.3	67.6	72.1	78.3	83.3	70.0	61.8	42.3	26.3	58.2
2001	34.7	40.7	44.4	63.7	66.0	72.4	79.2	78.8	67.4	57.8	52.8	41.4	58.3
2002	39.5	39.6	44.8	60.4	63.0	73.5	77.6	77.3	71.9	55.7	46.5	40.5	57.5
2003	34.1	36.1	48.1	59.6	65.0	69.3	78.4	79.0	66.5	60.9	50.8	40.2	57.3
2004	36.7	37.8	51.9	58.5	68.3	72.4	74.8	72.3	70.3	62.5	50.8	40.8	58.1
2005	40.6	44.2	46.5	57.7	64.6	75.9	78.5	80.3	74.8	59.7	51.1	37.7	59.3
2006	46.3	38.7	50.3	64.1	67.6	74.2	80.6	81.0	67.0	57.5	49.0	43.3	60.0
2007	35.3	37.9	57.9	55.2	68.2	74.4	76.2	82.7	71.7	62.4	50.2	40.4	59.4
2008	36.1	38.8	49.1	55.2	64.8	74.4	77.5	74.6	68.2	57.7	46.7	37.0	56.7
2009	35.1	43.4	50.7	56.7	64.1	76.0	74.8	74.0	67.9	54.7	53.5	35.2	57.2
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
2010	33.0	33.3	48.8	61.8	67.6	78.6	80.1	82.0	71.4	61.1	50.9	36.5	58.8
2011	35.2	39.2	48.9	61.0	63.9	78.5	84.4	87.4					
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
2040													
2041													
2042													
2043													
2044													
2045													
2046													
2047													
2048													
2049													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

HARRISON, ARKANSAS - AVERAGE MONTHLY LOW TEMPERATURE

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1891											24.6	32.6	
1892	19.4	35.5	32.3		55.0	64.0	66.4	63.8	53.5	44.7	34.6	39.1	
1893	19.0	24.0	35.5										
1894													
1895													
1896									56.3	46.2	38.3	33.8	
1897	23.6	28.0	38.7	45.3	51.7	62.1	68.2	63.8	60.9	52.6	35.7	28.7	46.61
1898	31.2	30.4	37.3	42.6	56.5	64.6	65.6	64.6	59.9	46.7	33.3	25.1	46.48
1899	25.0	13.9	33.7	46.5	60.6	62.9	65.5	67.5	55.0	50.4	42.2	27.4	45.88
1900	30.9	23.4	31.9	47.4	54.5	63.4	66.6	66.9	64.3	52.2	38.1	32.8	47.70
1901	30.8	25.3	34.3	41.3	50.9	60.7	66.4	63.4	53.8	46.8	35.3	23.6	44.38
1902	23.9	19.3	36.6	43.2	57.6	60.5	63.9	64.5	51.9	45.1	42.9	26.3	44.64
1903	25.8	25.3	37.9	43.7	52.9	53.6	63.0	61.4	52.0	43.1	30.8	23.5	42.75
1904	21.4	26.2	35.1	37.5	49.3	59.8	60.2	60.4	56.6	43.5	35.1	25.6	42.56
1905	15.2	14.3	40.2	44.2	53.9	60.4	60.6	62.5	57.0	43.0	35.3	22.9	42.46
1906	25.7	22.4	26.7	46.0	50.1	57.8	58.5	60.5	58.7	40.7	31.5	30.0	42.38
1907	33.0	25.4	43.2	36.8	45.1	55.7	61.6	64.3	56.0	43.5	32.7	27.4	43.73
1908	22.7	25.6	39.7	43.1	52.5	58.2	59.1	61.5	53.8	39.8	35.2	28.0	43.27
1909	25.6	27.2	32.9	40.0	47.5	57.6	62.7	60.2	52.9	43.0	42.8	18.0	42.53
1910	23.3	17.7	39.9	40.9	46.4	54.1	61.1	62.4	57.0	41.0	29.3	20.1	41.10
1911	27.2	27.7	34.0	39.9	48.3	59.7	58.9	61.1	58.6	43.5	26.4	24.9	42.52
1912	12.5	16.3	26.1	40.6	48.3	52.4	61.3	58.4	50.0	41.6	34.8	27.5	39.15
1913	27.1	26.1	33.3	47.6	53.7	60.6	67.5	66.3	58.7	44.2	44.9	33.4	46.95
1914	31.9	25.4	35.5	45.6	54.3	66.4	68.2	65.3	59.5	48.4	38.2	23.2	46.83
1915	25.1	31.9	28.1	49.6	52.7	61.5	62.5	60.5	57.8	45.9	40.5	29.7	45.48
1916	25.4	26.9	37.2	44.3	54.6	59.1	64.8	66.0	55.7	45.4	37.9	24.7	45.17
1917	28.3	23.4	37.0	43.5	46.0	57.8	63.3	61.9	55.0	37.3	35.8	22.6	42.66
1918	11.6	28.0	40.2	42.6	58.3	64.2	62.1	66.6	51.4	51.2	36.0	33.4	45.47
1919	26.8	26.0	37.2	46.1	52.6	62.4	64.4	65.2	58.1	52.9	35.7	24.0	45.95
1920	24.3	29.4	34.5	45.0	54.6	58.6	62.9	61.7	56.8	52.8			
1921													
1922	26.8	32.5	39.4						44.8	37.1			
1923				43.5			65.9	70.0	61.6	44.6	40.6		
1924							60.8	65.4				23.9	
1925					50.3	64.2	65.3	60.5	61.7	41.5	32.1	25.4	
1926	25.4	32.7	33.5	39.8	50.3	59.0	61.8	63.6	60.1	49.8	31.6	28.8	44.70
1927	27.4	36.1	37.1	50.5	57.0	60.0	62.6	61.5		45.4	41.5	25.3	
1928	27.5	30.3	36.5	41.3	51.9	58.2	65.5	66.2	51.3	51.0	34.4	27.8	45.16
1929	22.5	19.9	40.4	48.5	51.8	60.4	65.4	61.5	55.7	46.2	29.5	31.6	44.45
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1930	16.9	35.2	31.4	47.8	52.2		65.2	65.0			35.7	24.0	
1931	23.3	26.4	37.4						61.7	50.6	44.3	34.4	
1932	32.1	36.8	32.2	48.1	51.8	64.3	68.2	65.2	61.4	44.7	30.1	25.2	46.68
1933	34.3	27.8	37.0	46.5	59.3	62.6	68.4	65.5	64.0	47.0	39.0	34.6	48.83
1934	30.7	27.1	33.4	46.7	52.8	65.8	70.4	70.9	55.9	48.9	41.5	28.0	47.68
1935	30.2	32.3	44.8	46.5	54.5	60.4	68.4	66.5	54.5	48.8	37.5	25.3	47.48
1936	23.6	22.2	38.9	40.8	54.9	62.4	69.6	69.5	64.6	46.1	31.6	32.7	46.41
1937	26.7	29.3	32.9	45.3	54.8	64.5	66.2	68.4	59.5	44.5	33.5	29.7	46.28
1938	26.7	38.5	44.6	47.4	54.6	62.7	66.3	68.7	58.5	46.2	36.6	30.3	48.43
1939	32.6	27.5	39.0	44.0	54.0	65.1	68.1	64.8	62.1	47.4	33.7	33.1	47.62
1940	14.0	28.9	35.6	46.2	51.7	61.6	65.4	64.9	55.6	47.3	35.0	33.0	44.93
1941	30.5	28.1	32.6	48.7	56.5	62.0	68.5	67.0	61.6	56.0	36.6	32.6	48.39
1942	23.9	26.0	37.3	49.7	53.0	63.9	65.9	65.3	55.6	46.7	41.4	31.4	46.68
1943	25.5	31.1	31.1	48.0	58.0	66.9	67.3	67.4	55.2	45.7	32.4	27.3	46.33
1944	28.4	32.3	35.6	44.4	55.6	64.6	62.3	66.8	57.2	45.2	40.7	25.6	46.56
1945	25.9	29.7	43.5	47.9	51.7	62.2	63.2	63.8	60.0	46.5	38.2	24.5	46.43
1946	28.0	31.4	46.2	50.4	52.4	62.9	67.4	64.6	54.0	46.1	37.4	33.9	47.89
1947	28.8	21.4	28.5	45.1	48.1	62.9	60.6	66.0	55.9	46.5	32.2	25.4	43.45
1948	17.4	26.1	31.4	46.1	51.5	60.6	64.5	61.7	53.0	39.8	35.4	29.1	43.05
1949	27.2	30.3	35.4	45.2	55.4	62.2	67.1	61.5	50.9	44.4	33.2	28.5	45.11
1950	29.7	29.6	31.5	41.0	55.2	60.7	62.6	59.1	54.8	46.0	27.2	19.1	43.04
1951	21.7	27.7	31.2	40.1	47.3	58.1	66.5	67.0	56.1	46.1	30.3	29.6	43.48
1952	32.1	31.9	34.3	42.0	51.7	65.1	65.3	64.8	48.9	35.7	36.1	30.1	44.83
1953	30.5	31.4	40.5	41.9	56.5	66.3	65.2	60.4	51.7	42.3	33.2	28.9	45.73
1954	26.4	34.9	35.6	53.0	50.4	63.0	69.6	67.3	57.6	50.5	33.9	30.0	47.68
1955	28.4	29.5	36.6	50.0	56.6	58.2	66.6	62.7	53.9	41.1	29.9	22.9	44.70
1956	20.6	28.9	34.2	40.4	57.5	62.4	65.9	64.9	50.5	46.0	31.3	31.0	44.47
1957	23.6	33.4	34.2	46.3	55.2	61.3	67.6	62.7	54.9	42.1	36.5	33.4	45.93
1958	24.6	23.1	31.8	45.2	53.6	61.2	66.8	64.1	59.5	44.5	37.8	25.5	44.81
1959	23.7	28.0	33.8	45.5	58.7	61.7	62.9	65.1	58.0	44.0	29.1	32.3	45.23
1960	28.1	25.0	27.5	46.4	52.3	62.4	64.9	64.5	59.1	50.1	37.3	25.1	45.23
1961	21.0	32.5	39.8	42.6	51.3	59.3	64.4	62.6	56.7	46.4	36.4	28.4	45.12
1962	22.5	33.0	32.4	44.2	60.2	61.5	66.4	63.4	59.3	51.9	35.9	28.5	46.60
1963	17.9	23.8	39.5	49.6	53.8	63.1	67.7	65.2	58.4	51.3	36.9	20.3	45.63
1964	26.8	26.9	32.8	51.4	57.8	63.7	66.0	64.4	59.0	43.5	39.4	28.4	46.68
1965	29.5	27.1	28.4	49.0	58.2	63.2	66.9	63.2	59.7	44.4	41.7	34.2	47.13
1966	22.3	27.8	38.1	45.0	51.5	59.3	69.2	63.2	54.6	42.6	37.9	26.1	44.80
1967	28.0	25.7	43.0	52.2	51.7	63.4	62.6	58.2	53.3	44.2	33.4	28.7	45.37
1968	24.9	22.4	35.5	45.9	53.9	63.0	65.1	65.8	53.1	43.7	35.7	25.3	44.53
1969	25.5	28.2	28.9	46.0	55.1	61.2	69.6	63.3	57.4	45.5	31.7	28.0	45.03
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1970	18.3	26.8	32.5	47.0	54.7	62.7	63.8	65.4	61.0	46.9	35.1	32.3	45.54
1971	25.3	26.4	33.6	43.3	49.9	63.7	63.7	62.2	62.0	51.7	37.3	34.7	46.15
1972	25.1	30.0	38.6	47.9	52.6	59.9	64.9	64.7	63.0	47.9	35.2	26.0	46.32
1973	26.3	28.0	43.9	46.0	50.6	61.7	65.0	63.2	61.9	49.9	43.1	28.2	47.32
1974	27.9	30.8	41.8	46.6	57.5	57.1	65.4	59.6	50.2	42.5	34.1	25.3	44.90
1975	27.2	26.6	32.6	45.2	57.3	63.6	67.0	66.5	55.2	48.3	37.8	31.9	46.60
1976	24.4	37.8	40.5	48.5	49.5	60.0	67.4	62.3	57.9	42.9	29.3	25.1	45.47
1977	14.0	29.5	40.4	51.3	58.6	65.7	70.3	68.3	62.8	47.6	41.4	28.0	48.16
1978	15.9	19.4	33.0	48.6	55.3	64.3	70.4	66.6	63.8	44.8	41.0	27.6	45.89
1979	13.1	21.6	37.6	45.3	54.0	61.7	67.2	65.9	55.9	49.8	35.0	31.0	44.84
1980	27.7	23.4	33.2	45.6	56.0	66.2	73.6	72.0	63.3	45.7	37.9	29.5	47.84
1981	25.8	29.0	39.3	54.1	52.1	65.5	70.5	64.7	57.6	47.6	38.6	26.1	47.58
1982	20.1	25.5	41.5	43.7	58.9	60.6	68.9	68.5	57.5	48.2	39.2	35.3	47.33
1983	27.5	31.1	38.2	42.3	54.0	60.8	68.5	69.4	59.0	51.0	39.5	16.6	46.49
1984	23.2	33.6	35.1	46.6	52.6	64.9	65.3	65.8	57.8	53.0	37.1	37.5	47.71
1985	19.1	25.1	42.8	50.5	56.4	62.6	67.4	66.7	59.9	52.8	41.3	23.3	47.33
1986	29.9	33.1	40.5	50.6	58.0	66.5	73.0	63.7	64.8	50.3	36.0	31.1	49.79
1987	28.4	34.4	39.9	47.3	61.0	64.5	68.8	69.5	58.0	44.5	41.3	32.6	49.18
1988	24.5	26.9	37.6	44.9	53.9	61.6	67.9	66.2	58.9	44.7	37.5	30.0	46.22
1989	32.5	21.8	36.5	47.9	54.3	61.3	65.4	66.1	55.2	48.6	38.3	18.3	45.52
1990	33.6	33.3	41.3	45.7	52.8	65.1	66.5	65.6	61.5	43.7	42.3	27.1	48.21
1991	24.6	32.0	40.3	49.5	60.2	65.2	66.6	64.8	57.7	49.0	35.2	33.7	48.23
1992	30.2	35.6	38.8	47.4	54.0	62.1	68.2	61.5	56.9	48.1	38.3	30.5	47.63
1993	27.5	27.4	36.0	44.3	54.8	63.7	71.9	69.4	56.4	44.8	33.1	31.2	46.71
1994	24.6	29.0	38.6	49.0	53.2	67.1	66.1	64.8	57.2	51.5	43.8	33.7	48.22
1995	28.8	32.4	40.3	47.2	56.6	62.6	68.9	70.9	57.6	48.3	34.5	29.9	48.17
1996	24.3	30.6	31.5	44.3	60.7	64.7	68.1	67.1	57.7	49.3	35.0	31.9	47.10
1997	25.4	35.6	40.0	42.7	52.4	62.6	68.4	65.7	59.6	48.3	37.1	30.7	47.38
1998	33.9	35.6	37.1	47.1	61.6	68.3	72.2	68.6	66.3	51.3	43.7	32.0	51.48
1999	29.8	36.5	36.8	51.8	55.1	64.5	71.2	67.0	57.1	48.4	44.3	33.1	49.63
2000	29.6	37.7	42.0	45.7	58.9	63.0	69.2	72.1	56.7	50.9	33.8	18.2	48.15
2001	26.2	30.5	34.4	52.8	55.5	61.7	69.7	67.8	55.3	45.3	42.5	31.6	47.78
2002	28.8	29.4	33.5	48.9	52.9	63.4	68.1	66.6	59.6	47.2	36.6	32.0	47.25
2003	23.7	27.6	35.7	48.2	54.8	59.2	68.1	68.2	55.3	50.2	41.2	31.5	46.98
2004	26.7	28.4	41.0	47.7	58.9	62.8	65.5	61.6	56.0	53.3	42.7	30.0	47.88
2005	31.5	35.3	35.1	47.0	52.9	64.2	66.7	69.2	63.1	48.6	39.7	27.5	48.40
2006	35.3	28.0	39.0	52.9	57.7	62.3	68.3	70.1	55.2	46.5	37.5	33.8	48.88
2007	26.5	27.7	46.9	44.1	58.2	64.9	66.6	70.9	60.5	51.4	38.7	30.6	48.92
2008	25.2	28.6	37.7	43.5	54.7	65.5	67.5	65.4	58.2	45.2	35.7	25.6	46.07
2009	24.1	32.9	39.8	46.3	54.7	65.5	65.2	63.5	59.2	46.4	43.1	26.2	47.24
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
2010	24.4	25.0	38.5	50.4	57.5	68.4	70.9	69.9	60.9	47.8	39.7	26.7	48.34
2011	25.6	29.5	38.2	49.6	53.9	67.4	71.7	69.3					
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
2040													
2041													
2042													
2043													
2044													
2045													
2046													
2047													
2048													
2049													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

HARRISON, ARKANSAS - MONTHLY RAINFALL

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
1891											2.88	2.92		
1892	3.80	2.00	3.50		7.52	3.35	4.11	0.78	2.05	3.17	2.26	3.30		
1893	1.40	3.54	3.54											
1894														
1895														
1896														
1897														
1898														
1899					0.82	4.21	5.81	2.09	6.82	0.92	1.25	3.03	3.32	2.86
1900	1.93	4.72	0.95	4.11	2.92	5.61	5.87	4.35	5.03	4.66	4.30	1.64	46.09	
1901	1.00	0.90	4.10	3.99	1.13	0.47	1.91	1.24	0.81	0.65	3.35	3.71	23.26	
1902	1.02	2.11	3.17	2.54	4.76	5.81	1.74	2.49	3.12	2.55	5.87	4.12	39.30	
1903	2.00	5.62	4.76	1.76	9.99	1.82	4.98	3.12	3.45	2.72	1.01	2.68	43.91	
1904	3.82	1.33	3.70	2.43	2.50	6.38	4.06	4.86	3.14	1.31	0.46	1.52	35.51	
1905	3.27	1.84	3.64	2.21	9.14	1.28	13.75	2.84	5.46	3.62	1.79	2.78	51.62	
1906	3.65	2.13	7.11	2.53	3.88	6.96	4.52	4.65	6.84	1.33	2.81	3.84	50.25	
1907	4.23	1.25	1.70	5.93	9.01	6.94	2.38	3.58	2.07	1.41	2.54	2.19	43.23	
1908	3.86	4.08	3.86	8.68	8.74	4.55	1.52	5.21	4.21	1.10	2.10	0.37	48.28	
1909	2.51	3.60	4.73	5.07	5.31	6.42	2.75	0.11	0.87	2.58	4.05	2.18	40.18	
1910	0.74	2.71	1.51	1.71	5.19	5.02	4.36	7.37	3.68	2.86	0.17	1.39	36.71	
1911	1.48	4.29	1.34	8.45	0.70	1.84	4.34	7.00	5.83	2.23	1.95	2.48	41.93	
1912	1.71	3.66	4.38	6.70	1.06	6.12	2.68	1.87	3.71	3.32	1.98	0.55	37.74	
1913	4.77	1.54	3.12	3.61	2.19	0.48	2.53	0.18	7.91	5.78	2.07	4.03	38.21	
1914	1.57	2.91	3.63	4.23	2.02	0.31	5.95	3.40	1.01	2.33	1.20	4.02	32.58	
1915	2.87	3.73	2.86	6.84	6.09	7.56	3.43	14.56	4.45	2.66	2.93	2.50	60.48	
1916	9.42	1.32	1.91	5.84	2.66	4.86	0.69	2.68	3.52	0.57	3.57	3.11	40.15	
1917	1.65	1.02	0.81	5.75	5.72	4.07	10.60	4.07	2.77	0.69	3.53	1.20	41.88	
1918	3.62	1.08	1.11	5.98	3.86	2.21	2.06	3.77	4.56	4.42	3.98	5.67	42.32	
1919	1.08	2.59	1.99	4.20	6.03	5.35	7.35	1.83	3.69	6.31	5.36	0.22	46.00	
1920	4.54	0.74	6.47	2.35	13.32	1.41	0.85	4.56	1.44	3.30				
1921														
1922	1.66	1.81	5.46							2.80	3.30			
1923				1.87			0.33	1.63	5.40	1.80	1.25			
1924							3.34	3.28						
1925					2.29	1.16	8.18	3.16	8.02	7.82	2.79	1.05		
1926	2.90	1.50	3.58	1.42	2.65	3.47	1.29	8.87	8.85	6.45	4.04	3.11	48.13	
1927	3.76	2.04	4.97	12.04	8.70	3.89	8.51	8.33	4.32	4.25	2.39	5.22	68.42	
1928	2.68	1.64	1.81	10.11	4.27	14.19	1.52	2.69	0.08	2.21	3.42	2.69	47.31	
1929	5.72	2.62	2.71	7.25	8.29	6.02	2.01	0.99	3.40	4.77	1.60	3.52	48.90	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1930	4.20	2.17	2.03	4.40	6.03		0.43	4.38	11.80	5.40	3.05	1.22	
1931	T	4.23	3.83						0.38	1.87	3.91	1.96	
1932	6.03	1.92	1.63	1.92	2.55	4.89	3.30	0.85	2.34	5.47	1.67	4.36	36.93
1933	2.86	1.53	2.85	4.79	9.51	0.80	3.30	3.11	5.31	4.04	1.79	2.00	41.89
1934	1.65	2.64	4.07	3.50	4.29	3.12	0.45	3.50	6.86	0.69	3.87	1.73	36.37
1935	2.83	1.08	9.21	1.52	8.53	15.22	0.90	2.18	1.66	3.55	2.91	2.83	52.42
1936	0.44	1.62	1.25	3.08	2.75	3.41	1.87	0.01	11.67	5.28	1.44	3.12	35.94
1937	8.94	1.77	1.56	4.23	4.71	7.90	3.16	0.92	4.67	2.98	2.35	4.08	47.27
1938	4.37	7.86	4.87	3.75	8.29	5.20	1.94	2.03	1.85	0.78	8.14	1.80	50.88
1939	3.70	4.98	1.90	6.30	7.21	5.73	3.74	3.00	0.27	2.45	3.31	1.58	44.17
1940	0.71	2.13	2.48	8.87	1.07	4.17	0.89	5.20	2.72	2.44	2.99	3.41	37.08
1941	3.92	2.07	0.65	3.27	2.87	2.13	2.53	4.42	6.37	12.80	1.53	2.54	45.10
1942	1.48	2.02	1.83	5.08	5.54	3.23	1.34	5.94	2.79	3.90	6.74	6.74	46.63
1943	0.18	0.82	3.02	1.93	12.97	3.84	0.44	2.12	3.33	3.27	1.23	2.35	35.50
1944	1.71	5.38	4.29	4.04	3.34	2.82	0.80	5.00	2.11	1.13	2.20	2.67	35.49
1945	1.06	10.21	11.59	14.14	6.25	7.34	3.64	1.19	10.57	2.47	2.19	0.38	71.03
1946	5.62	3.33	2.22	4.62	9.58	3.17	8.65	1.50	0.12	2.53	9.87	4.89	56.10
1947	0.69	0.41	0.92	2.87	3.93	5.31	0.97	2.70	2.65	1.61	2.59	4.17	28.82
1948	1.60	5.54	3.08	1.60	5.46	7.46	5.96	5.64	0.16	2.21	3.57	3.34	45.62
1949	8.53	4.14	2.58	1.26	5.72	2.90	6.41	1.64	3.13	3.55	0.51	2.51	42.88
1950	6.96	3.44	2.19	3.72	7.71	6.03	5.04	4.90	1.75	0.65	1.06	0.42	43.87
1951	1.08	4.50	2.34	3.18	2.57	7.26	3.19	0.85	3.12	8.45	5.25	1.37	43.16
1952	2.05	2.67	4.87	5.11	4.25	0.20	2.86	5.87	1.18	0.88	5.92	1.41	37.27
1953	2.04	1.65	6.77	6.01	3.63	0.63	2.05	1.57	0.42	2.32	1.42	1.37	29.88
1954	2.83	0.76	2.45	2.56	3.20	2.84	0.82	1.92	2.87	5.27	2.01	3.54	31.07
1955	1.09	2.34	3.70	3.50	6.99	10.41	5.73	3.86	2.60	2.00	1.05	0.28	43.55
1956	3.29	6.47	1.40	4.88	7.89	7.99	3.50	1.34	0.19	3.72	2.75	1.83	45.25
1957	2.59	5.72	2.34	14.01	9.58	8.09	3.55	2.29	4.02	1.18	5.12	0.97	59.46
1958	0.81	1.70	7.70	2.88	5.68	6.80	6.73	3.09	8.77	0.49	5.94	1.36	51.95
1959	0.89	1.87	2.36	5.62	3.72	8.57	3.47	2.21	3.20	5.19	3.08	3.64	43.82
1960	1.80	3.66	1.66	2.53	7.51	1.92	6.06	1.11	1.73	2.42	1.66	3.52	35.58
1961	0.36	3.34	5.67	3.21	16.87	2.65	4.65	4.54	4.05	2.39	4.20	3.29	55.22
1962	3.40	1.73	2.32	3.25	3.19	9.00	3.55	7.35	5.20	4.80	1.24	1.23	46.26
1963	0.54	0.89	2.62	1.67	4.85	1.76	3.50	2.33	1.75	0.35	2.69	1.72	24.67
1964	0.92	2.46	7.24	3.75	3.47	2.22	4.88	5.67	3.63	0.31	3.69	1.17	39.41
1965	1.83	3.13	2.56	5.16	6.26	3.58	3.22	4.73	1.86	0.72	1.06	2.29	36.40
1966	5.30	4.86	1.21	5.16	3.13	0.79	3.60	5.90	2.71	1.43	2.23	3.39	39.71
1967	1.24	1.41	1.30	5.26	4.74	6.26	3.33	0.82	4.38	9.42	1.14	4.28	43.58
1968	2.28	1.95	5.55	4.27	5.01	4.56	8.40	2.54	2.72	2.11	10.75	6.20	56.34
1969	5.68	2.50	3.73	5.20	1.15	4.43	4.33	4.17	1.95	8.71	0.90	4.09	46.84
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1970	1.74	1.87	4.37	5.40	4.05	7.16	2.17	2.42	9.55	5.58	2.91	1.21	48.43
1971	2.22	2.74	0.64	2.55	3.82	5.29	2.04	2.14	1.42	2.41	1.76	8.35	35.38
1972	0.91	0.87	1.25	2.82	3.87	1.63	4.12	3.37	5.05	4.89	4.73	2.14	35.65
1973	3.80	2.56	9.14	4.66	4.66	4.68	2.68	2.45	5.35	3.28	8.48	2.64	54.38
1974	1.41	2.97	4.09	3.40	5.02	4.53	1.07	2.49	7.93	3.78	7.11	2.21	46.01
1975	3.35	3.29	5.81	1.44	2.82	4.96	1.53	5.87	4.67	1.40	2.87	7.24	45.25
1976	0.38	0.84	4.08	4.53	7.52	6.46	4.36	2.48	2.08	2.15	1.70	1.64	38.22
1977	2.10	1.20	6.50	6.93	2.45	5.96	2.65	5.46	7.48	2.24	4.90	2.94	50.81
1978	2.54	1.59	6.45	4.54	7.27	6.36	4.50	2.69	1.96	3.88	6.51	4.37	52.66
1979	1.96	3.58	4.82	4.50	6.21	2.24	3.00	3.48	1.74	4.22	3.92	2.07	41.74
1980	0.85	1.18	4.33	1.99	4.25	9.79	0.95	0.92	4.31	3.28	2.22	1.06	35.13
1981	1.33	1.62	2.02	1.81	8.97	5.32	3.32	9.90	0.39	4.90	1.15	0.29	41.02
1982	6.54	1.56	1.83	1.50	1.82	5.23	1.85	6.77	0.57	2.07	5.96	11.64	47.34
1983	1.09	1.16	2.74	5.58	3.06	2.70	1.54	1.42	1.11	3.40	5.15	2.66	31.61
1984	0.68	3.85	4.78	3.47	3.53	2.20	1.89	2.03	4.02	9.53	5.93	7.22	49.13
1985	1.22	5.10	8.03	3.50	4.89	2.18	1.13	5.10	2.40	4.36	9.11	1.62	48.64
1986	0.52	1.50	1.39	4.40	5.33	3.66	1.03	2.96	4.86	3.85	2.15	0.87	32.52
1987	2.67	5.52	3.14	1.05	5.21	3.70	2.36	3.51	3.66	4.64	4.35	7.80	47.61
1988	0.96	2.00	9.19	3.57	2.29	1.03	5.01	2.88	3.45	1.31	6.26	3.19	41.14
1989	2.01	7.42	4.31	0.53	4.58	5.11	3.83	2.95	1.92	0.28	0.35	0.59	33.88
1990	5.59	6.90	6.57	6.35	12.86	2.14	2.03	4.82	5.59	2.75	3.02	4.29	62.91
1991	3.67	0.81	3.34	6.84	5.15	1.85	3.00	3.23	4.39	9.80	5.80	3.66	51.54
1992	0.72	1.71	1.12	1.19	6.69	8.64	4.10	2.55	6.22	0.66	6.31	4.05	43.96
1993	4.48	3.54	2.62	3.91	6.45	4.31	1.82	3.33	10.08	2.77	5.17	2.35	50.83
1994	2.67	3.13	5.69	5.56	2.19	3.78	2.39	3.40	0.75	1.67	8.91	3.36	43.50
1995	4.26	1.03	2.40	6.71	4.18	4.01	2.27	0.15	3.40	3.56	2.00	2.96	36.93
1996	2.31	0.42	3.95	6.40	3.20	2.60	1.71	2.42	9.40	2.74	9.97	1.24	46.36
1997	0.74	5.01	3.20	3.43	1.96	2.55	4.16	3.68	3.55	2.71	3.21	3.39	37.59
1998	5.25	4.14	6.91	2.03	2.95	1.60	0.96	5.22	4.10	3.93	4.50	2.84	44.43
1999	4.43	1.86	3.90	6.65	6.00	5.17	1.15	6.21	0.74	0.69	1.04	5.22	43.06
2000	2.49	1.04	2.26	1.40	4.82	8.71	5.68	0.01	3.43	2.14	6.09	2.35	40.42
2001	1.95	4.81	0.81	1.48	3.94	3.92	5.29	0.98	3.43	2.85	5.30	5.28	40.04
2002	3.84	0.93	6.98	6.63	6.14	6.02	2.84	2.83	2.28	3.09	0.92	3.68	46.18
2003	0.29	2.71	1.21	2.91	5.58	3.96	2.15	4.84	3.35	3.33	3.94	2.15	36.42
2004	1.80	1.53	2.20	8.82	2.29	3.47	5.32	1.65	0.09	6.71	6.42	1.02	41.32
2005	4.64	2.24	2.44	3.12	1.87	1.13	2.80	3.78	5.50	1.87	2.35	0.42	32.16
2006	1.78	0.90	4.29	6.59	4.23	1.04	0.43	1.52	3.69	3.90	8.61	2.10	39.08
2007	3.58	2.30	0.91	2.70	3.07	3.28	3.70	T	2.36	2.79	0.51	2.82	28.02
2008	1.09	2.47	11.83	7.81	3.85	8.73	6.05	6.48	6.65	1.43	1.16	4.15	61.70
2009	5.04	1.65	3.47	3.90	6.90	6.04	5.53	3.26	9.80	12.59	1.36	1.69	61.23
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
2010	2.83	1.61	3.79	3.08	7.32	4.51	8.84	0.34	11.34	0.26	1.52	0.68	46.12
2011	0.25	4.43	2.35	14.73	9.51	0.93	0.91	3.41					
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
2040													
2041													
2042													
2043													
2044													
2045													
2046													
2047													
2048													
2049													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR

HARRISON, ARKANSAS - SNOWFALL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
1891		T	0.0	1892	14.0	0.0	7.5	0.0	1891-1892		1891	
1892	0.0	2.0	0.0	1893	7.0	2.8	0.0	0.0	1892-1893	11.8	1892	23.5
1893				1894					1893-1894		1893	
1894				1895					1894-1895		1894	
1895				1896					1895-1896		1895	
1896	0.0	0.0	0.0	1897	1.5	0.0	0.0	0.0	1896-1897	1.5	1896	
1897	0.0	0.0	T	1898	0.0	T	0.0	0.0	1897-1898	T	1897	1.5
1898	T	T	2.0	1899	5.0	1.0	T	T	1898-1899	8.0	1898	2.0
1899	0.0	T	0.1	1900		T	2.3	0.5	1899-1900	2.9	1899	6.1
1900	0.0	0.0	T	1901	0.0	0.6	T	T	1900-1901	0.6	1900	2.8
1901	0.0	0.0	0.2	1902	T	8.8	0.0	0.0	1901-1902	9.0	1901	0.8
1902	0.0	T	8.0	1903	1.6	2.5	2.0	T	1902-1903	14.1	1902	16.8
1903	0.0	0.0	0.5	1904	5.4	6.3	0.0	T	1903-1904	12.2	1903	6.6
1904	0.0	T	0.5	1905	7.0	10.0	T	T	1904-1905	17.5	1904	12.2
1905	0.0	0.0	0.1	1906	3.5	2.5	1.1	0.0	1905-1906	7.2	1905	17.1
1906	0.0	0.0	T	1907	1.5	0.9	0.0	0.0	1906-1907	2.4	1906	7.1
1907	0.0	0.0	6.0	1908	9.0	1.0	4.0	T	1907-1908	20.0	1907	8.4
1908	0.0	0.0	0.0	1909	8.0	2.0	0.0	0.0	1908-1909	10.0	1908	14.0
1909	0.0	0.0	3.0	1910	2.0	9.5	0.0	0.0	1909-1910	14.5	1909	13.0
1910	0.0	0.0	1.5	1911	0.0	1.3	0.0	0.0	1910-1911	2.8	1910	13.0
1911	0.0	T	2.0	1912	3.5	25.0	2.0	0.0	1911-1912	32.5	1911	3.3
1912	0.0	0.0	3.0	1913	0.5	5.0	5.0	0.0	1912-1913	13.5	1912	33.5
1913	8.0	0.0	9.0	1914	5.0	1.0	7.0	0.0	1913-1914	30.0	1913	27.5
1914	0.0	0.0	7.0	1915	0.5	6.0	1.0	T	1914-1915	14.5	1914	20.0
1915	0.0	T	T	1916	0.5	1.5	T	T	1915-1916	2.0	1915	7.5
1916	0.0	T	9.5	1917	1.0	8.5	0.0	0.0	1916-1917	19.0	1916	11.5
1917	0.0	0.0	13.2	1918	29.0	0.0	0.0	0.0	1917-1918	42.2	1917	22.7
1918	0.0	T	T	1919	5.0	9.0	3.0	0.0	1918-1919	17.0	1918	29.0
1919	0.0	0.0	0.0	1920	2.0	8.0	1.0	0.0	1919-1920	11.0	1919	17.0
1920				1921					1920-1921		1920	
1921				1922	1.0	0.5	0.5	0.0	1921-1922	2.0	1921	
1922	0.0	0.0		1923				0.0	1922-1923		1922	
1923	0.0			1924					1923-1924		1923	
1924				1925					1924-1925		1924	
1925	T	0.0	0.0	1926	10.0	2.0	3.0	0.0	1925-1926	15.0	1925	
1926	0.0	6.0	4.0	1927	2.0	10.0	5.0	0.0	1926-1927	27.0	1926	25.0
1927	0.0	0.0	T	1928	1.0	6.0	T	0.0	1927-1928	7.0	1927	17.0
1928	0.0	0.0	T	1929	T	17.0	0.0	0.0	1928-1929	17.0	1928	7.0
1929	0.0	T	1.0	1930	8.0	0.0	0.4	0.0	1929-1930	9.4	1929	18.0
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
1930	0.0	T	1.4	1931	T	0.0	T	0.0	1930-1931	1.4	1930	9.8
1931	0.0	0.0	0.0	1932	0.0	0.0	0.5	0.0	1931-1932	0.5	1931	T
1932	0.0	2.0	5.5	1933	0.0	2.0	T	4.0	1932-1933	13.5	1932	8.0
1933	0.0	0.0	0.0	1934	T	T	3.0	0.0	1933-1934	3.0	1933	6.0
1934	0.0	2.0	T	1935	T	T	0.0	0.0	1934-1935	2.0	1934	5.0
1935	0.0	0.0	5.0	1936	3.0	3.5	0.0	0.0	1935-1936	11.5	1935	5.0
1936	0.0	T	T	1937	6.5	1.0	1.0	2.0	1936-1937	10.5	1936	6.5
1937	0.0	2.0	0.0	1938	T	0.5	0.0	2.0	1937-1938	4.5	1937	12.5
1938	0.0	1.0	T	1939	3.0	10.5	0.0	0.0	1938-1939	14.5	1938	3.5
1939	0.0	T	6.0	1940	8.0	5.7	2.5	0.0	1939-1940	22.2	1939	19.5
1940	0.0	0.0	0.0	1941	1.0	5.0	2.0	0.0	1940-1941	8.0	1940	16.2
1941	0.0	T	0.2	1942	4.8	3.3	T	0.0	1941-1942	8.3	1941	8.2
1942	0.0	0.0	2.0	1943	1.0	0.8	0.8	0.0	1942-1943	4.6	1942	10.1
1943	0.0	T	0.0	1944	9.0	6.0	T	0.5	1943-1944	15.5	1943	2.6
1944	0.0	0.0	T	1945	4.0	2.0	0.0	0.0	1944-1945	6.0	1944	15.5
1945	0.0	0.0	1.5	1946	T	0.0	0.0	0.0	1945-1946	1.5	1945	7.5
1946	0.0	0.0	1.1	1947	1.1	2.8	0.0	0.0	1946-1947	5.0	1946	1.1
1947	0.0	0.0	T	1948	4.0	1.5	7.0	0.0	1947-1948	12.5	1947	3.9
1948	0.0	3.0	0.0	1949	2.1	0.0	2.0	0.0	1948-1949	7.1	1948	15.5
1949	0.0	0.0	0.0	1950	2.1	1.0	0.5	0.0	1949-1950	3.6	1949	4.1
1950	0.0	0.0	5.0	1951	4.0	2.0	0.0	0.0	1950-1951	11.0	1950	8.6
1951	0.0	8.5	0.0	1952	0.0	9.0	0.0	0.0	1951-1952	17.5	1951	14.5
1952	0.0	3.0	0.0	1953	1.0	0.0	0.0	0.0	1952-1953	4.0	1952	12.0
1953	0.0	0.0	0.0	1954	4.6	0.0	0.0	0.0	1953-1954	4.6	1953	1.0
1954	0.0	0.0	3.0	1955	13.0	0.0	2.0	0.0	1954-1955	18.0	1954	7.6
1955	0.0	0.0	1.0	1956	11.6	0.9	0.0	0.0	1955-1956	13.5	1955	16.0
1956	0.0	0.0	0.0	1957	1.0	0.0	0.0	2.0	1956-1957	3.0	1956	12.5
1957	0.0	0.5	0.5	1958	1.0	3.5	12.1	0.0	1957-1958	17.6	1957	4.0
1958	0.0	6.4	0.0	1959	1.3	6.5	0.0	0.0	1958-1959	14.2	1958	23.0
1959	0.0	0.0	0.0	1960	3.6	12.1	12.8	0.0	1959-1960	28.5	1959	7.8
1960	0.0	0.0	0.4	1961	1.0	10.4	0.0	0.0	1960-1961	11.8	1960	28.9
1961	0.0	T	1.0	1962	3.6	1.0	T	T	1961-1962	5.6	1961	12.4
1962	0.0	0.0	T	1963	T	T	2.0	0.0	1962-1963	2.0	1962	4.6
1963	0.0	0.0	7.5	1964	3.0	T	7.0	0.0	1963-1964	17.5	1963	9.5
1964	0.0	T	T	1965	1.0	3.0	8.5	0.0	1964-1965	12.5	1964	10.0
1965	0.0	0.0	T	1966	4.5	5.0	1.0	0.0	1965-1966	10.5	1965	12.5
1966	0.0	T	23.0	1967	T	7.0	6.0	0.0	1966-1967	36.0	1966	33.5
1967	0.0	1.0	1.5	1968	0.5	6.0	7.0	0.0	1967-1968	16.0	1967	15.5
1968	0.0	0.8	T	1969	T	12.0	T	0.0	1968-1969	12.8	1968	14.3
1969	0.0	T	11.0	1970	12.0	1.0	13.0	0.0	1969-1970	37.0	1969	23.0
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
1970	0.0	T	0.7	1971	T	5.6	2.0	9.0	1970-1971	17.3	1970	26.7
1971	0.0	7.0	3.9	1972	1.3	2.4	T	0.0	1971-1972	14.6	1971	27.5
1972	0.0	6.3	1.0	1973	6.4	T	0.0	T	1972-1973	13.7	1972	11.0
1973	0.0	0.0	4.0	1974	T	0.2	1.0	0.0	1973-1974	5.2	1973	10.4
1974	0.0	1.0	T	1975	T	3.4	5.1	T	1974-1975	9.5	1974	2.2
1975	0.0	3.0	10.6	1976	1.0	T	0.0	0.0	1975-1976	14.6	1975	22.1
1976	T	1.8	T	1977	18.0	T	0.0	T	1976-1977	19.8	1976	2.8
1977	0.0	T	T	1978	17.0	8.2	7.0	0.0	1977-1978	32.2	1977	18.0
1978	0.0	T	T	1979	14.1	7.2	0.0	0.0	1978-1979	21.3	1978	32.2
1979	0.0	T	T	1980	1.0	8.3	1.0	2.6	1979-1980	12.9	1979	21.3
1980	0.0	4.3	T	1981	3.0	3.5	T	0.0	1980-1981	10.8	1980	17.2
1981	0.0	T	T	1982	6.0	4.0	T	0.0	1981-1982	10.0	1981	6.5
1982	0.0	0.0	T	1983	2.0	0.4	T	T	1982-1983	2.4	1982	10.0
1983	0.0	T	3.0	1984	1.0	9.0	T	0.0	1983-1984	13.0	1983	5.4
1984	0.0	T	6.1	1985	4.0	8.2	T	0.0	1984-1985	18.3	1984	16.1
1985	0.0	0.0	4.0	1986	T	6.7	0.0	0.0	1985-1986	10.7	1985	16.2
1986	0.0	0.0	0.0	1987	4.7	1.0	T	0.0	1986-1987	5.7	1986	6.7
1987	0.0	0.0	T	1988	7.5	T	14.0	2.0	1987-1988	23.5	1987	5.7
1988	0.0	T	1.7	1989	T	6.1	7.2	T	1988-1989	15.0	1988	25.2
1989	T	T	5.8	1990	T	5.7	T	0.0	1989-1990	11.5	1989	19.1
1990	0.0	T	2.6	1991	0.3	2.8	0.3	0.0	1990-1991	6.0	1990	8.3
1991	0.0	T	T	1992	0.1	0.4	T	0.0	1991-1992	0.5	1991	3.4
1992	0.0	T	T	1993	T	17.0	0.2	5.8	1992-1993	23.0	1992	0.5
1993	1.9	T	T	1994	5.6	0.7	13.8	T	1993-1994	22.0	1993	24.9
1994	0.0	0.0	0.0	1995	2.4	T	0.6	0.0	1994-1995	3.0	1994	20.1
1995	0.0	T	0.1	1996	13.3	1.2	0.6	0.0	1995-1996	15.2	1995	3.1
1996	0.0	0.4	T	1997	4.1	2.0	0.0	0.0	1996-1997	6.5	1996	15.5
1997	0.0	T	3.4	1998	0.6	T	1.0	0.0	1997-1998	5.0	1997	9.5
1998	0.0	0.0	T	1999	5.1	T	5.1	0.0	1998-1999	10.2	1998	1.6
1999	0.0	0.0	T	2000	7.4	0.0	2.1	0.0	1999-2000	9.5	1999	10.2
2000	0.0	T		2001		T	T	0.0	2000-2001		2000	
2001	T	T	0.0	2002	0.8	8.0	3.0	0.0	2001-2002	11.8	2001	
2002	0.0	0.0		2003			0.0	0.0	2002-2003		2002	
2003	0.0	0.0	4.0	2004	0.5	3.0	0.0	0.0	2003-2004	7.5	2003	
2004	0.0	T	0.5	2005	0.5	6.0	T	0.0	2004-2005	7.0	2004	4.0
2005	0.0	0.0	1.0	2006	T	4.0	0.0	0.0	2005-2006	5.0	2005	7.5
2006	0.0	T	0.0	2007	3.0	T	T	0.0	2006-2007	3.0	2006	4.0
2007	0.0	0.0	T	2008	5.0	5.0	5.0	T	2007-2008	15.0	2007	3.0
2008	0.0	T	0.7	2009	1.0	1.3	T	0.0	2008-2009	3.0	2008	15.7
2009	0.0	T	0.8	2010	16.1	4.3	6.0	0.0	2009-2010	27.2	2009	3.1
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
2010	0.0	T	T	2011	2.8	16.6	T	0.0	2010-2011	19.4	2010	26.4
2011				2012					2011-2012		2011	
2012				2013					2012-2013		2012	
2013				2014					2013-2014		2013	
2014				2015					2014-2015		2014	
2015				2016					2015-2016		2015	
2016				2017					2016-2017		2016	
2017				2018					2017-2018		2017	
2018				2019					2018-2019		2018	
2019				2020					2019-2020		2019	
2020				2021					2020-2021		2020	
2021				2022					2021-2022		2021	
2022				2023					2022-2023		2022	
2023				2024					2023-2024		2023	
2024				2025					2024-2025		2024	
2025				2026					2025-2026		2025	
2026				2027					2026-2027		2026	
2027				2028					2027-2028		2027	
2028				2029					2028-2029		2028	
2029				2030					2029-2030		2029	
2030				2031					2030-2031		2030	
2031				2032					2031-2032		2031	
2032				2033					2032-2033		2032	
2033				2034					2033-2034		2033	
2034				2035					2034-2035		2034	
2035				2036					2035-2036		2035	
2036				2027					2036-2037		2036	
2027				2038					2037-2038		2027	
2038				2039					2038-2039		2038	
2039				2040					2039-2040		2039	
2040				2041					2040-2041		2040	
2041				2042					2041-2042		2041	
2042				2043					2042-2043		2042	
2043				2044					2043-2044		2043	
2044				2045					2044-2045		2044	
2045				2046					2045-2046		2045	
2046				2047					2046-2047		2046	
2047				2048					2047-2048		2047	
2048				2049					2048-2049		2048	
2049				2050					2049-2050		2049	
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

HARRISON, ARKANSAS - SEASONAL TEMPERATURE DATA

HIGH					AVERAGE				LOW					
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL
1891					1891					1891				
1892	50.80		87.73	68.53	1892	40.0		76.2	56.4	1892	29.17		64.73	44.27
1893	52.10				1893	39.7				1893	27.37			
1894					1894					1894				
1895					1895					1895				
1896					1896					1896				46.93
1897	46.00	64.53	85.50	74.07	1897	37.2	54.9	75.1	61.9	1897	28.47	45.23	64.70	49.73
1898	46.83	66.17	84.10	65.93	1898	38.5	55.8	74.5	56.3	1898	30.10	45.47	64.93	46.63
1899	41.17	70.03	89.23	76.07	1899	31.3	58.5	77.3	62.6	1899	21.33	46.93	65.30	49.20
1900	51.63	71.07	88.17	74.43	1900	39.4	57.8	76.9	63.0	1900	27.23	44.60	65.63	51.53
1901	52.10	69.43	97.50	75.97	1901	40.9	55.8	80.5	60.6	1901	29.63	42.17	63.50	45.30
1902	44.23	71.00	89.33	73.13	1902	33.3	58.4	76.2	59.9	1902	22.27	45.80	62.97	46.63
1903	46.90	71.13	82.77	68.47	1903	36.4	58.0	71.1	55.2	1903	25.80	44.83	59.33	41.97
1904	49.17	70.90	86.13	73.00	1904	36.4	55.8	73.1	59.0	1904	23.70	40.63	60.13	45.07
1905	42.77	71.00	86.50	72.83	1905	30.6	58.6	73.8	59.0	1905	18.37	46.10	61.17	45.10
1906	50.67	67.93	86.70	70.83	1906	37.2	54.4	72.8	57.2	1906	23.67	40.93	58.93	43.63
1907	52.47	67.83	90.43	68.53	1907	41.0	54.8	75.5	56.3	1907	29.47	41.70	60.53	44.07
1908	48.87	69.90	85.50	73.70	1908	37.1	57.5	72.6	58.3	1908	25.23	45.10	59.60	42.93
1909	54.13	70.00	92.17	76.57	1909	40.5	55.1	76.2	61.4	1909	26.93	40.13	60.17	46.23
1910	43.80	70.53	85.03	72.87	1910	31.7	56.5	72.1	57.7	1910	19.67	42.40	59.20	42.43
1911	50.73	72.57	87.07	68.33	1911	37.9	56.7	73.5	55.6	1911	25.00	40.73	59.90	42.83
1912	42.37	64.70	86.60	71.37	1912	30.1	51.5	72.0	56.8	1912	17.90	38.33	57.37	42.13
1913	49.43	70.53	94.17	72.07	1913	38.2	57.7	79.5	60.7	1913	26.90	44.87	64.80	49.27
1914	50.00	69.50	90.27	73.53	1914	40.1	57.3	78.5	61.1	1914	30.23	45.13	66.63	48.70
1915	45.40	66.13	80.37	71.67	1915	36.1	54.8	70.9	59.9	1915	26.73	43.47	61.50	48.07
1916	49.37	65.43	90.90	74.03	1916	38.4	55.4	77.1	60.2	1916	27.33	45.37	63.30	46.33
1917	51.80	69.63	89.17	71.60	1917	38.6	55.9	75.1	57.2	1917	25.47	42.17	61.00	42.70
1918	44.67	73.30	92.40		1918	32.7	60.2	78.4		1918	20.73	47.03	64.30	46.20
1919	52.80	70.70	88.87	75.50	1919	40.8	58.0	76.4	62.2	1919	28.73	45.30	64.00	48.90
1920	52.43	70.70	88.20		1920	39.2	57.7	74.6		1920	25.90	44.70	61.07	
1921					1921					1921				
1922					1922					1922				
1923			69.37		1923				59.2	1923				48.93
1924		89.30			1924			77.3		1924				65.27
1925		91.63	72.13		1925			77.5	58.6	1925				63.33
1926	51.70	71.30	91.93	73.57	1926	39.8	56.3	76.7	60.4	1926	27.83	41.20	61.47	47.17
1927	55.23	76.40	88.00		1927	43.0	62.3	74.7		1927	30.77	48.20	61.37	
1928	53.73	71.63	90.87	76.00	1928	40.7	57.4	77.1	60.8	1928	27.70	43.23	63.30	45.57
1929	47.57	73.87	92.63	71.57	1929	35.5	60.4	77.5	57.7	1929	23.40	46.90	62.43	43.80
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL
1930	53.27	73.47			1930	40.6	58.6			1930	27.90	43.80		
1931	51.63			76.60	1931	38.1			64.4	1931	24.57			52.20
1932	56.40	71.10	91.37	72.93	1932	45.4	57.6	78.6	59.2	1932	34.43	44.03	65.90	45.40
1933	50.33	70.17	91.63	72.80	1933	39.7	58.9	78.6	61.4	1933	29.10	47.60	65.50	50.00
1934	51.80	71.70	97.30	72.40	1934	41.3	58.0	83.2	60.6	1934	30.80	44.30	69.03	48.77
1935	51.10	69.10	89.70	69.80	1935	40.6	58.9	77.4	58.4	1935	30.17	48.60	65.10	46.93
1936	43.73	73.77	99.10	72.43	1936	33.7	59.3	83.1	59.9	1936	23.70	44.87	67.17	47.43
1937	49.33	69.13	92.70	68.70	1937	39.5	56.7	79.5	57.3	1937	29.57	44.33	66.37	45.83
1938	50.13	74.13	93.27	77.07	1938	40.9	61.5	79.6	62.1	1938	31.63	48.87	65.90	47.10
1939	51.90	72.13	91.03	75.67	1939	41.0	58.9	78.5	61.7	1939	30.13	45.67	66.00	47.73
1940	44.73	69.97	88.80	71.33	1940	35.0	57.2	76.4	58.7	1940	25.33	44.50	63.97	45.97
1941	50.17	71.40	92.87	72.90	1941	40.4	58.7	79.4	62.2	1941	30.53	45.93	65.83	51.40
1942	50.27	71.23	89.23	73.77	1942	38.9	59.0	77.1	60.8	1942	27.50	46.67	65.03	47.90
1943	53.93	70.07	93.77	72.90	1943	41.6	57.9	80.5	58.7	1943	29.33	45.70	67.20	44.43
1944	51.80	69.37	91.27	74.70	1944	40.6	57.3	77.9	61.2	1944	29.33	45.20	64.57	47.70
1945	48.33	72.27	86.83	72.90	1945	37.7	60.0	75.0	60.6	1945	27.07	47.70	63.07	48.23
1946	51.27	72.43	87.17	73.30	1946	39.6	61.1	76.1	59.6	1946	27.97	49.67	64.97	45.83
1947	50.77	67.63	90.90	75.03	1947	39.4	54.1	77.0	60.0	1947	28.03	40.57	63.17	44.87
1948	49.90	70.73	87.37	73.73	1948	36.4	56.9	74.8	58.2	1948	22.97	43.00	62.27	42.73
1949	52.27	70.90	88.40	72.50	1949	40.6	58.1	76.0	57.7	1949	28.87	45.33	63.60	42.83
1950	55.87	67.90	83.93	72.33	1950	42.6	55.2	72.4	57.5	1950	29.27	42.57	60.80	42.67
1951	51.17	68.67	88.57	69.00	1951	37.0	54.1	76.2	56.6	1951	22.83	39.53	63.87	44.17
1952	55.13	69.53	93.17	72.47	1952	43.2	56.1	79.1	56.4	1952	31.20	42.67	65.07	40.23
1953	54.70	72.40	93.70	77.30	1953	42.7	59.4	78.8	59.9	1953	30.67	46.30	63.97	42.40
1954	55.10	71.60	96.93	75.67	1954	42.6	59.0	81.8	61.5	1954	30.07	46.33	66.63	47.33
1955	50.53	73.37	87.77	74.57	1955	39.9	60.6	75.1	58.1	1955	29.30	47.73	62.50	41.63
1956	49.77	71.17	90.40	76.83	1956	37.0	57.6	77.4	59.7	1956	24.13	44.03	64.40	42.60
1957	53.87	69.53	89.13	68.93	1957	41.6	57.4	76.5	56.7	1957	29.33	45.23	63.87	44.50
1958	50.60	65.93	88.40	73.07	1958	38.8	54.7	76.2	60.2	1958	27.03	43.53	64.03	47.27
1959	50.33	72.20	87.80	71.10	1959	38.0	59.1	75.5	57.4	1959	25.73	46.00	63.23	43.70
1960	49.73	67.13	88.53	75.80	1960	39.1	54.6	76.2	62.3	1960	28.47	42.07	63.93	48.83
1961	49.93	69.70	86.97	71.63	1961	38.1	57.1	74.5	59.1	1961	26.20	44.57	62.10	46.50
1962	50.73	70.77	89.27	71.20	1962	39.4	58.2	76.5	60.1	1962	27.97	45.60	63.77	49.03
1963	49.67	74.97	91.40	78.00	1963	36.5	61.3	78.4	63.4	1963	23.40	47.63	65.33	48.87
1964	49.50	73.00	90.60	72.43	1964	37.1	60.2	77.7	59.9	1964	24.67	47.33	64.70	47.30
1965	52.77	69.00	87.90	73.93	1965	40.6	57.1	76.2	61.3	1965	28.33	45.20	64.43	48.60
1966	49.23	70.60	89.17	71.67	1966	38.7	57.7	76.5	58.4	1966	28.10	44.87	63.90	45.03
1967	51.67	74.23	85.53	68.40	1967	39.1	61.6	73.5	56.0	1967	26.60	48.97	61.40	43.63
1968	46.03	68.73	86.63	68.30	1968	35.7	56.9	75.6	56.2	1968	25.33	45.10	64.63	44.17
1969	47.03	67.93	88.40	70.17	1969	36.7	55.6	76.6	57.5	1969	26.33	43.33	64.70	44.87
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL
1970	45.70	68.87	88.97	68.80	1970	35.0	56.8	76.5	58.2	1970	24.37	44.73	63.97	47.67
1971	51.73	70.33	87.27	74.27	1971	39.9	56.3	75.2	62.3	1971	28.00	42.27	63.20	50.33
1972	53.77	72.37	87.43	67.53	1972	41.9	59.4	75.3	58.1	1972	29.93	46.37	63.17	48.70
1973	48.40	69.37	87.53	73.23	1973	37.6	58.1	75.4	62.4	1973	26.77	46.83	63.30	51.63
1974	51.07	73.93	87.63	68.47	1974	40.0	61.3	74.2	55.4	1974	28.97	48.63	60.70	42.27
1975	50.63	66.40	86.23	68.97	1975	38.5	55.7	76.0	58.0	1975	26.37	45.03	65.70	47.10
1976	51.17	67.57	83.47	64.90	1976	41.3	56.9	73.4	54.1	1976	31.37	46.17	63.23	43.37
1977	44.80	71.80	87.60	68.90	1977	33.8	61.0	77.9	59.8	1977	22.87	50.10	68.10	50.60
1978	37.77	66.90	87.67	71.87	1978	29.4	56.3	77.4	60.9	1978	21.10	45.63	67.10	49.87
1979	41.13	66.40	84.10	69.43	1979	31.0	56.0	74.5	58.2	1979	20.77	45.63	64.93	46.90
1980	46.77	66.03	92.57	70.80	1980	37.1	55.5	81.6	59.9	1980	27.37	44.93	70.60	48.97
1981	49.77	68.73	85.23	69.23	1981	38.9	58.6	76.1	58.6	1981	28.10	48.50	66.90	47.93
1982	43.63	69.27	84.87	68.93	1982	33.8	58.7	75.4	58.6	1982	23.90	48.03	66.00	48.30
1983	49.10	64.80	87.90	71.00	1983	40.2	54.8	77.1	60.4	1983	31.30	44.83	66.23	49.83
1984	44.37	65.73	87.50	68.23	1984	34.4	55.3	76.4	58.8	1984	24.47	44.77	65.33	49.30
1985	46.10	70.63	86.87	69.30	1985	36.7	60.3	76.2	60.3	1985	27.23	49.90	65.57	51.33
1986	49.97	70.63	88.67	67.73	1986	39.4	60.2	78.2	59.1	1986	28.77	49.70	67.73	50.37
1987	48.13	72.23	88.70	68.23	1987	39.7	60.8	78.2	58.1	1987	31.30	49.40	67.60	47.93
1988	46.80	70.17	89.03	69.10	1988	37.4	57.8	77.1	58.1	1988	28.00	45.47	65.23	47.03
1989	47.97	68.87	83.97	71.03	1989	38.0	57.6	74.1	59.2	1989	28.10	46.23	64.27	47.37
1990	51.20	66.83	87.70	72.80	1990	39.8	56.7	76.7	61.0	1990	28.40	46.60	65.73	49.17
1991	49.00	71.50	87.87	68.27	1991	38.5	60.8	76.7	57.8	1991	27.90	50.00	65.53	47.30
1992	51.97	68.87	82.97	68.10	1992	42.6	57.8	73.5	57.9	1992	33.17	46.73	63.93	47.77
1993	46.33	63.50	88.23	65.83	1993	37.4	54.3	78.3	55.3	1993	28.47	45.03	68.33	44.77
1994	47.13	69.50	87.03	70.53	1994	37.7	58.2	76.5	60.7	1994	28.27	46.93	66.00	50.83
1995	50.37	67.53	88.87	68.93	1995	41.0	57.8	78.2	57.9	1995	31.63	48.03	67.47	46.80
1996	47.63	66.30	86.47	66.30	1996	38.0	55.9	76.6	56.8	1996	28.27	45.50	66.63	47.33
1997	49.03	68.20	87.20	68.47	1997	40.0	56.6	76.4	58.4	1997	30.97	45.03	65.57	48.33
1998	48.93	68.03	91.10	73.20	1998	41.2	58.3	80.4	63.5	1998	33.40	48.60	69.70	53.77
1999	51.77	67.57	87.90	74.43	1999	42.3	57.7	77.7	62.2	1999	32.77	47.90	67.57	49.93
2000	52.90	69.17	87.70	68.97	2000	43.2	59.0	77.9	58.1	2000	33.47	48.87	68.10	47.13
2001	42.87	68.57	87.17	70.93	2001	33.9	58.1	76.8	59.3	2001	24.97	47.57	66.40	47.70
2002	50.40	67.03	86.27	68.27	2002	40.2	56.1	76.2	58.0	2002	29.93	45.10	66.03	47.80
2003	45.97	68.90	85.90	69.87	2003	36.9	57.6	75.5	59.4	2003	27.77	46.23	65.17	48.90
2004	47.57	69.90	83.03	71.63	2004	38.2	59.6	73.2	61.2	2004	28.87	49.20	63.30	50.67
2005	51.43	67.60	89.80	73.17	2005	41.9	56.3	78.3	61.8	2005	32.27	45.00	66.70	50.47
2006	51.53	71.47	90.30	69.27	2006	40.9	60.7	78.6	57.8	2006	30.27	49.87	66.90	46.40
2007	48.33	71.10	88.10	72.67	2007	38.8	60.4	77.8	61.4	2007	29.33	49.73	67.47	50.20
2008	48.73	67.43	84.97	68.70	2008	38.4	56.4	75.6	57.5	2008	28.13	45.30	66.13	46.37
2009	49.43	67.37	85.10	67.90	2009	38.5	57.2	74.9	58.7	2009	27.53	46.93	64.73	49.57
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL
2010	42.43	70.00	90.70	72.87	2010	33.8	59.4	80.2	61.2	2010	25.20	48.80	69.73	49.47
2011	46.57	68.60	93.33		2011	36.9	57.9	81.4		2011	27.27	47.23	69.47	
2012					2012					2012				
2013					2013					2013				
2014					2014					2014				
2015					2015					2015				
2016					2016					2016				
2017					2017					2017				
2018					2018					2018				
2019					2019					2019				
2020					2020					2020				
2021					2021					2021				
2022					2022					2022				
2023					2023					2023				
2024					2024					2024				
2025					2025					2025				
2026					2026					2026				
2027					2027					2027				
2028					2028					2028				
2029					2029					2029				
2030					2030					2030				
2031					2031					2031				
2032					2032					2032				
2033					2033					2033				
2034					2034					2034				
2035					2035					2035				
2036					2036					2036				
2037					2027					2027				
2038					2038					2038				
2039					2039					2039				
2040					2040					2040				
2041					2041					2041				
2042					2042					2042				
2043					2043					2043				
2044					2044					2044				
2045					2045					2045				
2046					2046					2046				
2047					2047					2047				
2048					2048					2048				
2049					2049					2049				
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

HARRISON, ARKANSAS - SEASONAL PRECIPITATION DATA

RAINFALL					SNOWFALL				
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL	
1891					1891				T
1892	8.72		8.24	7.48	1892	14.0	7.5	2.0	
1893	8.24				1893	9.8	0.0		
1894					1894				
1895					1895				
1896					1896				
1897					1897	1.5	0.0	0.0	
1898					1898	T	0.0	T	
1899		10.84	9.83	7.60	1899	8.0	T	T	
1900	9.51	7.98	15.83	13.99	1900	2.4	0.5	0.0	
1901	3.54	9.22	3.62	4.81	1901	0.6	T	0.0	
1902	6.84	10.47	10.04	11.54	1902	9.0	0.0	T	
1903	11.74	16.51	9.92	7.18	1903	12.1	2.0	0.0	
1904	7.83	8.63	15.30	4.91	1904	12.2	T	T	
1905	6.63	14.99	17.87	10.87	1905	17.5	T	0.0	
1906	8.56	13.52	16.13	10.98	1906	6.1	1.1	0.0	
1907	9.32	16.64	12.90	6.02	1907	2.4	0.0	0.0	
1908	10.13	21.28	11.28	7.41	1908	16.0	4.0	0.0	
1909	6.48	15.11	9.28	7.50	1909	10.0	0.0	0.0	
1910	5.63	8.41	16.75	6.71	1910	14.5	0.0	0.0	
1911	7.16	10.49	13.18	10.01	1911	2.8	0.0	T	
1912	7.85	12.14	10.67	9.01	1912	30.5	2.0	0.0	
1913	6.86	8.92	3.19	15.76	1913	8.5	5.0	8.0	
1914	8.51	9.88	9.66	4.54	1914	15.0	7.0	0.0	
1915	10.62	15.79	25.55	10.04	1915	13.5	1.0	T	
1916	13.24	10.41	8.23	7.66	1916	2.0	T	T	
1917	5.78	12.28	18.74	6.99	1917	19.0	0.0	0.0	
1918	5.90	10.95	8.04	12.96	1918	42.2	0.0	T	
1919	9.34	12.22	14.53	15.36	1919	14.0	3.0	0.0	
1920	5.50	22.14	6.82		1920	10.0	1.0		
1921					1921				
1922					1922		0.5	0.0	
1923			8.45		1923				
1924			6.78		1924				T
1925			12.50	18.63	1925				
1926	5.45	7.65	13.63	19.34	1926	12.0	3.0	6.0	
1927	8.91	25.71	20.73	10.96	1927	16.0	5.0	0.0	
1928	9.54	16.19	18.40	5.71	1928	7.0	T	0.0	
1929	11.03	18.25	9.02	9.77	1929	17.0	0.0	T	
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL	

YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL
1930	9.89	12.46		20.25	1930	9.0	0.4	T
1931	5.45			6.16	1931	1.4	T	0.0
1932	9.91	6.10	9.04	9.48	1932		0.5	2.0
1933	8.75	17.15	7.21	11.14	1933	7.5	4.0	0.0
1934	6.29	11.86	7.07	11.42	1934	T	3.0	2.0
1935	5.64	19.26	18.30	8.12	1935	T	0.0	0.0
1936	4.89	7.08	5.29	18.39	1936	11.5	0.0	T
1937	13.83	10.50	11.98	10.00	1937	7.5	3.0	2.0
1938	16.31	16.91	9.17	10.77	1938	0.5	2.0	1.0
1939	10.48	15.41	12.47	6.03	1939	13.5	0.0	T
1940	4.42	12.42	10.26	8.15	1940	19.7	2.5	0.0
1941	9.40	6.79	9.08	20.70	1941	6.0	2.0	T
1942	6.04	12.45	10.51	13.43	1942	8.3	T	0.0
1943	7.74	17.92	6.40	7.83	1943	3.8	0.8	T
1944	9.44	11.67	8.62	5.44	1944	15.0	0.5	0.0
1945	13.94	31.98	12.17	15.23	1945	6.0	0.0	0.0
1946	9.33	16.42	13.32	12.52	1946	1.5	0.0	0.0
1947	5.99	7.72	8.98	6.85	1947	5.0	0.0	0.0
1948	11.31	10.14	19.06	5.94	1948	5.5	7.0	3.0
1949	16.01	9.56	10.95	7.19	1949	2.1	2.0	0.0
1950	12.91	13.62	15.97	3.46	1950	3.1	0.5	0.0
1951	6.00	8.09	11.30	16.82	1951	11.0	0.0	8.5
1952	6.09	14.23	8.93	7.98	1952	9.0	0.0	3.0
1953	5.10	16.41	4.25	4.16	1953	1.0	0.0	0.0
1954	4.96	8.21	5.58	10.15	1954	4.6	0.0	0.0
1955	6.97	14.19	20.00	5.65	1955	16.0	2.0	0.0
1956	10.04	14.17	12.83	6.66	1956	13.5	0.0	0.0
1957	10.14	25.93	13.93	10.32	1957	1.0	2.0	0.5
1958	3.48	16.26	16.62	15.20	1958	5.0	12.1	6.4
1959	4.12	11.70	14.25	11.47	1959	7.8	0.0	0.0
1960	9.10	11.70	9.09	5.81	1960	15.7	12.8	0.0
1961	7.22	25.75	11.84	10.64	1961	11.8	0.0	T
1962	8.42	8.76	19.90	11.24	1962	5.6	T	0.0
1963	2.66	9.14	7.59	4.79	1963	T	2.0	0.0
1964	5.10	14.46	12.77	7.63	1964	10.5	7.0	T
1965	6.13	13.98	11.53	3.64	1965	4.0	8.5	0.0
1966	12.45	9.50	10.29	6.37	1966	9.5	1.0	T
1967	6.04	11.30	10.41	14.94	1967	30.0	6.0	1.0
1968	8.51	14.83	15.50	15.58	1968	8.0	7.0	0.8
1969	14.38	10.08	12.93	11.56	1969	12.0	T	T
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL

YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL
1970	7.70	13.82	11.75	18.04	1970	24.0	13.0	T
1971	6.17	7.01	9.47	5.59	1971	6.3	11.0	7.0
1972	10.13	7.94	9.12	14.67	1972	7.6	T	6.3
1973	8.50	18.46	9.81	17.11	1973	7.4	T	0.0
1974	7.02	12.51	8.09	18.82	1974	4.2	1.0	1.0
1975	8.85	10.07	12.36	8.94	1975	3.4	5.1	3.0
1976	8.46	16.13	13.30	5.93	1976	11.6	0.0	1.8
1977	4.94	15.88	14.07	14.62	1977	18.0	T	T
1978	7.07	18.26	13.55	12.35	1978	25.2	7.0	T
1979	9.91	15.53	8.72	9.88	1979	21.3	0.0	T
1980	4.10	10.57	11.66	9.81	1980	9.3	3.6	4.3
1981	4.01	12.80	18.54	6.44	1981	6.5	T	T
1982	8.39	5.15	13.85	8.60	1982	10.0	T	0.0
1983	13.89	11.38	5.66	9.66	1983	2.4	T	T
1984	7.19	11.78	6.12	19.48	1984	13.0	T	T
1985	13.54	16.42	8.41	15.87	1985	18.3	T	0.0
1986	3.64	11.12	7.65	10.86	1986	10.7	0.0	0.0
1987	9.06	9.40	9.57	12.65	1987	5.7	T	0.0
1988	10.76	15.05	8.92	11.02	1988	7.5	16.0	T
1989	12.62	9.42	11.89	2.55	1989	7.8	7.2	T
1990	13.08	25.78	8.99	11.36	1990	11.5	T	T
1991	8.77	15.33	8.08	19.99	1991	5.7	0.3	T
1992	6.09	9.00	15.29	13.19	1992	0.5	T	T
1993	12.07	12.98	9.46	18.02	1993	17.0	6.0	1.9
1994	8.15	13.44	9.57	11.33	1994	6.3	13.8	0.0
1995	8.65	13.29	6.43	8.96	1995	2.4	0.6	T
1996	5.69	13.55	6.73	22.11	1996	14.6	0.6	0.4
1997	6.99	8.59	10.39	9.47	1997	6.1	0.0	T
1998	12.78	11.89	7.78	12.53	1998	4.0	1.0	0.0
1999	9.13	16.55	12.53	2.47	1999	5.1	5.1	0.0
2000	8.75	8.48	14.40	11.66	2000	7.4	2.1	T
2001	9.11	6.23	10.19	11.58	2001		T	T
2002	10.05	19.75	11.69	6.29	2002	8.8	3.0	0.0
2003	6.68	9.70	10.95	10.62	2003		0.0	0.0
2004	5.48	13.31	10.44	13.22	2004	7.5	0.0	T
2005	7.90	7.43	7.71	9.72	2005	7.0	T	0.0
2006	3.10	15.11	2.99	16.20	2006	5.0	0.0	T
2007	7.98	6.68	6.98	5.66	2007	3.0	T	0.0
2008	6.37	23.49	21.24	9.22	2008	10.0	5.0	T
2009	10.84	14.25	15.12	23.75	2009	3.0	T	T
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL

YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL
2010	6.13	14.18	13.69	13.22	2010	21.2	6.0	T
2011	5.36	26.59	5.25		2011	19.4		T
2012					2012			
2013					2013			
2014					2014			
2015					2015			
2016					2016			
2017					2017			
2018					2018			
2019					2019			
2020					2020			
2021					2021			
2022					2022			
2023					2023			
2024					2024			
2025					2025			
2026					2026			
2027					2027			
2028					2028			
2029					2029			
2030					2030			
2031					2031			
2032					2032			
2033					2033			
2034					2034			
2035					2035			
2036					2036			
2027					2027			
2038					2038			
2039					2039			
2040					2040			
2041					2041			
2042					2042			
2043					2043			
2044					2044			
2045					2045			
2046					2046			
2047					2047			
2048					2048			
2049					2049			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL

HARRISON, ARKANSAS - MISCELLANEOUS DATA

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST FREEZE	# DAYS \leq 32°F	# DAYS \geq 90°F	# DAYS \geq 100°F
1891									
1892		31 MAR		25 SEP	17 OCT	24 OCT		45	0
1893		22 MAR							
1894									
1895									
1896					02 OCT	05 NOV			
1897	17 APR	21 APR	16 JUN	28 SEP	25 OCT	02 NOV	92	46	3
1898	07 APR	16 APR	29 MAY	26 SEP	09 OCT	22 OCT	93	22	0
1899	09 APR	12 APR	19 JUN	24 SEP	15 NOV	02 NOV	85	64	3
1900	13 APR	11 MAR	01 JUN	26 SEP	29 OCT	09 NOV	76	44	0
1901	20 MAR	02 MAR	23 MAY	01 OCT	29 OCT	14 OCT	96	104	34
1902	08 APR	20 APR	11 MAY	28 SEP	10 NOV	13 SEP	98	61	2
1903	02 MAY	01 APR	06 JUN	15 SEP	22 OCT	24 OCT	107	16	2
1904	27 APR	21 MAR	19 MAY	30 SEP	18 OCT	23 OCT	105	47	0
1905	17 APR	01 APR	27 APR	25 SEP	18 OCT	12 OCT	112	30	0
1906	09 MAY	10 APR	10 APR	22 SEP	22 OCT	10 OCT	118	46	0
1907	15 MAY	18 MAR	19 MAR	02 OCT	07 OCT	12 OCT	92	60	14
1908	30 APR	16 MAR	23 JUN	18 SEP	21 NOV	28 SEP	102	31	0
1909	10 MAY	04 APR	05 MAY	06 OCT	04 NOV	28 SEP	103	75	10
1910	13 MAY	04 MAR	19 JUN	01 OCT	26 OCT	07 OCT	123	26	2
1911	03 MAY	01 FEB	08 MAY	18 SEP	06 OCT	21 OCT	113	60	7
1912	17 MAY	19 MAR	03 JUN	14 SEP	12 OCT	26 SEP	139	51	2
1913	28 MAR	01 APR	18 APR	05 SEP	10 OCT	02 OCT	88	83	25
1914	12 APR	27 MAR	10 MAY	16 SEP	06 NOV	27 OCT	92	61	1
1915	04 APR	05 APR	20 JUN	04 SEP	04 NOV	09 OCT	105	5	0
1916	08 APR	12 MAR	21 JUN	06 SEP	05 NOV	29 SEP	97	63	22
1917	08 MAY	25 FEB	18 APR	07 SEP	16 OCT	06 OCT	95	49	5
1918	21 APR	23 FEB	02 APR	06 OCT	13 OCT	20 SEP	91	66	13
1919	26 APR	07 APR	21 APR	01 OCT	27 OCT	05 NOV	105	57	0
1920	14 APR	16 APR	18 APR	26 SEP	23 OCT	01 OCT		49	4
1921									
1922					30 OCT	20 OCT			
1923	18 APR			11 SEP	01 OCT	21 OCT			
1924									
1925			22 MAY	01 OCT	06 OCT	09 OCT			11
1926	16 APR	16 APR	23 APR	18 OCT	06 NOV	25 OCT	81	86	14
1927	22 APR	05 FEB	04 APR	28 OCT	28 NOV	14 OCT	78	63	1
1928	27 APR	22 MAR	01 MAY	16 OCT	08 NOV	22 OCT	97	82	21
1929	01 APR	06 MAR	23 MAR	17 OCT	11 DEC	24 OCT	89		

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST FREEZE	# DAYS ≤ 32°F	# DAYS ≥ 90°F	# DAYS ≥ 100°F
1930	31 MAR	19 FEB	10 APR	13 SEP	18 NOV	21 NOV			
1931				10 OCT	26 OCT	01 NOV			
1932	31 MAR	20 MAR	05 JUN		23 OCT	01 NOV	83		
1933	22 MAR	09 APR	19 MAY	22 SEP	30 NOV	08 NOV	57	74	11
1934	28 MAR	02 APR		13 SEP	07 NOV	01 NOV	78	79	44
1935	17 MAR	20 MAR	10 JUN	24 SEP	17 OCT	05 NOV	67	58	11
1936	23 APR	29 MAR	15 APR	16 SEP	23 SEP	03 NOV	95	98	53
1937	11 APR	03 APR	17 APR	22 SEP	31 OCT	15 OCT	98	80	8
1938	10 APR	04 MAR	20 MAY	05 OCT	28 OCT	23 OCT	71	85	27
1939	12 APR	22 MAR	10 MAY	06 OCT	27 OCT	01 OCT	81	87	13
1940	13 APR	30 MAR	01 APR	20 SEP	25 OCT	06 NOV	97	57	6
1941	29 MAR	01 APR	19 MAY	20 SEP	22 OCT	28 OCT	90	80	18
1942	01 APR	15 MAR	26 MAY	15 SEP	16 OCT	27 SEP	85	58	4
1943	21 APR	12 MAR	02 MAY	22 SEP	01 NOV	16 OCT	103	77	22
1944	17 APR	09 APR	01 JUN	06 OCT	01 NOV	13 OCT	87	76	5
1945	06 APR	15 FEB	28 MAY	09 SEP	01 NOV	10 OCT	90	43	0
1946	17 APR	29 MAR	01 APR	25 SEP	30 OCT	12 OCT	72	50	1
1947	05 MAY	23 APR	14 MAY	18 SEP	24 OCT	06 NOV	109	68	21
1948	15 APR	19 MAR	05 JUN	22 SEP	31 OCT	18 OCT	115	53	0
1949	19 APR	06 APR	13 MAY	06 SEP	28 NOV	30 SEP	100	51	0
1950	26 APR	22 APR	13 JUN	16 AUG	01 NOV	04 NOV	111	17	0
1951	23 APR	07 MAR	19 JUN	04 OCT	21 OCT	01 NOV	106	59	5
1952	16 APR	28 FEB	30 APR	01 OCT	02 NOV	03 OCT	104	89	7
1953	21 APR	20 MAR	22 MAY	11 OCT	22 OCT	29 OCT	84	99	18
1954	04 MAY	28 MAR	09 JUN	05 OCT	11 OCT	02 NOV	87	106	47
1955	08 APR	04 MAR	16 APR	23 SEP	24 DEC	14 OCT	111	61	0
1956	23 APR	05 MAR	21 MAY	08 OCT	11 NOV	08 OCT	117	83	9
1957	14 APR	09 FEB	08 JUN	03 SEP	05 OCT	19 OCT	96	47	0
1958	12 APR	04 APR	05 JUN	06 SEP	20 OCT	02 OCT	107	52	0
1959	23 APR	24 MAR	01 MAY	08 SEP	10 OCT	18 OCT	103	47	0
1960	01 MAY	29 MAR	06 APR	23 SEP	24 OCT	20 OCT	114	62	0
1961	02 MAY	19 APR	11 JUN	06 SEP	30 OCT	15 OCT	95	36	0
1962	16 APR	12 FEB	29 APR	14 SEP	22 OCT	26 OCT	85	51	0
1963	01 MAY	28 MAR	21 APR	08 OCT	28 OCT	11 NOV	104	71	11
1964	09 APR	06 APR	19 MAY	10 SEP	01 NOV	06 OCT	91	66	7
1965	27 MAR	05 APR	21 APR	18 SEP	18 OCT	24 OCT	85	44	0
1966	10 APR	21 MAR	12 JUN	09 OCT	28 OCT	16 OCT	100	45	6
1967	19 MAR	04 MAR	05 APR	29 AUG	06 OCT	29 SEP	89	26	0
1968	15 APR	29 MAR	21 JUN	09 SEP	30 OCT	04 OCT	107	29	0
1969	31 MAR	15 APR	07 JUN	28 SEP	11 OCT	15 OCT	113	42	4

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST FREEZE	# DAYS ≤ 32°F	# DAYS ≥ 90°F	# DAYS ≥ 100°F
1970	05 APR	08 APR	13 JUN	13 SEP	02 OCT	10 OCT	106	50	2
1971	14 APR	13 MAR	11 JUN	01 OCT	29 OCT	07 NOV	83	42	0
1972	04 APR	29 FEB	11 APR	19 SEP	13 OCT	28 OCT	86	49	0
1973	10 APR	09 MAY	18 JUN	02 SEP	23 OCT	06 NOV	73	33	0
1974	17 APR	03 MAR	31 MAY	28 AUG	17 OCT	16 OCT	93	38	4
1975	04 APR	21 MAR	06 JUN	11 OCT	08 NOV	26 OCT	93	28	0
1976	23 MAR	02 APR	13 JUL	26 AUG	12 OCT	17 OCT	93	13	0
1977	22 MAR	07 APR	30 MAY	03 SEP	27 OCT	13 OCT	79	39	0
1978	27 MAR	30 MAR	25 JUN	08 SEP	05 NOV	08 NOV	103	49	0
1979	03 APR	15 APR	20 JUN	30 AUG	21 OCT	04 NOV	96	20	0
1980	14 APR	20 APR	24 JUN	16 SEP	08 NOV	25 OCT	91	79	18
1981	23 MAR	30 MAR	08 JUN	15 AUG	05 OCT	23 OCT	81	26	0
1982	10 APR	16 MAR	29 JUN	01 SEP	06 OCT	22 OCT	87	20	0
1983	20 APR	27 MAY	30 JUN	17 SEP	07 OCT	05 NOV	87	46	0
1984	30 MAR	24 APR	22 JUN	13 SEP	31 OCT	02 NOV	68	34	1
1985	01 APR	28 MAR	09 JUN	06 SEP	24 OCT	20 NOV	82	35	0
1986	22 APR	29 MAR	17 JUN	26 AUG	03 OCT	11 NOV	74	39	6
1987	05 APR	17 APR	18 APR	04 SEP	26 SEP	08 OCT	68	46	0
1988	11 APR	21 MAR	08 JUN	22 SEP	17 OCT	31 OCT	87	50	1
1989	11 APR	11 MAR	24 JUN	12 OCT	20 NOV	19 OCT	96	24	0
1990	12 APR	12 MAR	06 JUN	07 SEP	06 OCT	11 OCT	65	49	1
1991	30 MAR	25 MAR	22 JUN	12 SEP	23 OCT	07 OCT	79	39	0
1992	03 APR	09 APR	16 JUN	26 AUG	25 OCT	04 NOV	68	21	0
1993	05 APR	29 MAR	17 JUN	02 SEP	07 OCT	29 OCT	94	44	0
1994	07 APR	13 APR	17 JUN	30 SEP	06 OCT	26 OCT	71	39	0
1995	09 MAR	19 MAR	22 MAR	03 SEP	19 OCT	03 NOV	74	49	3
1996	07 APR	11 APR	24 MAY	11 SEP	26 OCT	02 NOV	83	39	0
1997	14 APR	21 MAR	26 MAY	03 OCT	11 OCT	27 OCT	66	45	2
1998	21 MAR	28 MAR	18 MAY	29 SEP	29 OCT	08 DEC	47	69	7
1999	26 MAR	07 APR	07 JUN	07 SEP	13 NOV	24 OCT	58	41	3
2000	09 APR	24 MAR	23 MAY	14 SEP	31 OCT	07 OCT	81	47	8
2001	18 APR	03 APR	04 JUL	07 SEP	04 OCT	17 OCT	80	39	0
2002	05 APR	12 APR	05 JUL	10 SEP	04 OCT	14 OCT	85	28	0
2003	09 APR	02 APR	24 JUN	27 AUG	03 NOV	23 NOV	82	31	0
2004	31 MAR	16 APR	14 JUN	17 SEP	06 NOV	13 NOV	69	14	0
2005	20 MAR	12 MAR	22 JUN	23 SEP	07 NOV	26 OCT	74	60	2
2006	26 MAR	01 MAR	17 APR	16 SEP	09 NOV	20 OCT	67	55	9
2007	08 APR	22 MAR	15 JUL	03 SEP	20 OCT	06 NOV	81	38	5
2008	15 APR	27 MAR	18 JUL	28 AUG	11 OCT	27 OCT	102	18	0
2009	07 APR	06 MAR	17 JUN	16 AUG	07 NOV	18 OCT	79	23	0

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST FREEZE	# DAYS $\leq 32^{\circ}\text{F}$	# DAYS $\geq 90^{\circ}\text{F}$	# DAYS $\geq 100^{\circ}\text{F}$
2010	23 MAR	31 MAR	01 JUN	19 SEP	09 OCT	30 OCT	83	57	4
2011	31 MAR	20 MAR	03 JUN						
2012									
2013									
2014									
2015									
2016									
2017									
2018									
2019									
2020									
2021									
2022									
2023									
2024									
2025									
2026									
2027									
2028									
2029									
2030									
2031									
2032									
2033									
2034									
2035									
2036									
2027									
2038									
2039									
2040									
2041									
2042									
2043									
2044									
2045									
2046									
2047									
2048									
2049									